



0114 383 0110 📞

sales@steltools.co.uk

www.steltools.co.uk @

















WELCOME

DELIVERY

Next Day [Max 20kg]: £8.50

Next Day Before 10am [Max 20kg]: £19.50 Next Day Before 12noon [Max 20kg]: £13.50

Pallets: POA - Oversized Pallets POA

Same Day Delivery: POA Collections Welcome

All Delivery Prices Exclude VAT & Are Not Eligible For Discount

PRICES

All Prices Exclude VAT

PAYMENT METHODS













WE ALSO ACCEPT CASH ON COLLECTION



SERIOUS ABOUT SERVICE



Application for Credit

COMPANY DETAILS		
Company Name:		
Address:		
		Post Code:
Phone:	Email:	
Company Registration Number:	VAT Number:	
COMPANY BANK DETAILS		
Bank Name:		
Bank Address:		
		Post Code:
Sort Code:	Account Number:	
AGREEMENT		
 All invoices are to be paid 30 days from the date of the invoice. Claims arising from invoices must be made within 7 working days in writing. By submitting this application, you authorise Specialised Tools & Equipment Ltd to make enquiries into the banking details you have supplied, e.g. carrying out a credit check. 		
SIGNATURE		
Signature:		
Print Name:	Date:	

SERIOUS ABOUT SERVICE





SERIOUS ABOUT SERVICE

Clarke























Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

ONLY OFFICIAL HONDA DEALER







HONDA

SERIOUS ABOUT SERVICE



LANITODIAL		
JANITORIAL		
Cleaning Products		
Accessories		
Towels & Bin Liners		
SAFETY		
EQUIPMENT		
Gloves		
Chainsaw Safety EquipmentPPE		10
TAPE		
Tape		18 - 19
Accessories		19
FUEL		
MANAGEMENT		
Jerry Cans		20 - 2:
Accessories		21 - 22
Spill Management		23
BATTERIES		
BATTERIES		4
	4	
BATTERIES Batteries	2	24
Batteries	<u> </u>	24
	<u> </u>	24
Batteries	<u>2</u> 2.	24
Batteries	<u> </u>	24
CABLE TIES	<u>4</u> 21	24
CABLE TIES Cable Ties	4 2 3 3 3 3 3 3 3 3 3 3	24
CABLE TIES	2 <u>1</u> 21	2.2
CABLE TIES Cable Ties MAINTENANCE	2 <u>1</u> 21	
Batteries CABLE TIES Cable Ties MAINTENANCE Maintenance Aerosols		26 - 28
CABLE TIES Cable Ties		26 - 28 29 - 30
Batteries CABLE TIES Cable Ties MAINTENANCE Maintenance Aerosols		26 - 28 29 - 30
Batteries		26 - 28 29 - 30 32 - 33 32 - 33
CABLE TIES Cable Ties MAINTENANCE Maintenance Aerosols Cleaning Sprays Engine Additives Grease		26 - 28 29 - 30 32 - 33 32 - 33

LIGHTING	
& POWER	
27W Work Light	7
40W Work Light38	
Lucia Link Light	
Lighting	
Extension Leads	
Plugs, Sockets & Transformers	
Defender Lighting	
Defender Power	2
SHOVELS &	
CROWBARS	
BS8020:2011 Insulated Shovels83	3
Steel Shovels	
BS8020:2011 Insulated Crowbars84	
Steel Crowbars	1
PICK Handles & Heads82	+
HAND TOOLS 85	
Box Spanners	
Keying & Sledge Hammers	
Ratchet Straps	
Impact Sockets89 - 96	
Torx Sockets96 - 97	
Bit Holders & Bits	
Connectors	
Extensions	
Male Hex Drivers102	2
ABRASIVES 3	
Cutting Discs	
PLANT COMPONENTS	
	•



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

ERVIC ERIOU

SERVICE & REPAIR	06
Starter Pull Cord	106
Starter Pull Handles	107
SPARES	08
NGK Spark Plugs	108
Champion Spark Plugs	
Spark Plug Accessories	108
Air Filters	
Fuel Filters	
Oil Filters	117
Fuel Pipes	
Drive Belts	
Chainsaw Chains	120





CLEANING PRODUCTS





Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

CLEANING PRODUCTS





PART CODE

G60330



PART CODE G61910

PART CODE

LAX60B150



PART CODE

REC304





CLEANING PRODUCTS





PART CODE

111451

PART CODE

80002064

PART CODE

80006138



Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

ACCESSORIES





ACCESSORIES










Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

TOWELS & BIN LINERS







PART CODE 80000697

BLACK REFUSE SACKS 18" X 29" X 34" QTY 200



PART CODE 80000709



8" X 29" X 39" QTY 200

PART CODE



BPS210C




QTY 50


PART CODE

C25100



RAGS & WIPES







G62108 PART CODE



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

GLOVES

DISPOSABLE NITRILE PLUS GLOVES - BOX QTY 100



MEDIUM	C23510
LARGE	C23511
X LARGE	C23512

MUTLI-TASK 5 GLOVES -QTY 1 PAIR



MI	EDIUM	C23083
L	ARGE	C23084
ΧI	LARGE	C23085

NITRILE COATED GLOVES - BOX QTY 10



MEDIUM	C23406
LARGE	C23407
X LARGE	C23408
XX LARGE	C23409

DISPOSABLE VINYL GLOVES -BOX QTY 100



SMALL	C23559
MEDIUM	C23560
LARGE	C23570
X LARGE	C23580

DISPOSABLE NITRILE PLUS GLOVES - BOX QTY 100



MEDIUM	C23516
LARGE	C23517
X LARGE	C23518

DISPOSABLE NITRILE GRIP GLOVES - BOX QTY 90



MEDIUM	C23500
LARGE	C23501
X LARGE	C23502

DISPOSABLE NITRILE GLOVES -BOX QTY 100



MEDIUM	C23303
LARGE	C23304
X LARGE	C23305
XX LARGE	C23306

CUT LEVEL 5 SAFETY GLOVES -QTY 1 PAIR



MEDIUM (8)	GLOVE37
LARGE (9)	GLOVE36
X LARGE (10)	GLOVE35
XX LARGE (11)	GLOVE34

POWDER FREE NITRILE GLOVES -BOX QTY 100



MEDIUM	92600M
LARGE	92600L
X LARGE	92600XL

DISPOSABLE NITRILE GLOVES -BOX QTY 100



MEDIUM	C23424
LARGE	C23425
X LARGE	C23426

DISPOSABLE LATEX GLOVES -BOX QTY 100



SMALL C2331	
MEDIUM	C23311
LARGE	C23312
X LARGE	C23313

EMERALD CX GLOVE, PVC PALM WINTER GLOVE - 1 PAIR



MEDIUM	SUSCXTAPVCM
LARGE	SUSCXTAPVCL
X LARGE	SUSCXTAPVCXL
XX LARGE	SUSCXTAPVCXX

MULTI-TASK 3 GLOVES -QTY 1 PAIR



MEDIUM	C23080
LARGE	C23081
X LARGE	C23082

PU COATED GLOVES -BOX QTY 10



MEDIUM	C23445
LARGE	C23446
X LARGE	C23447

POWDER FREE DISPOSABLE LATEX GLOVES - BOX QTY 100



SMALL	C23315
MEDIUM	C23316
LARGE	C23317
X LARGE	C23318

LATEX PALM COATED GRIP GLOVES - QTY 1 PAIR



LARGE	GLOVE11
X LARGE	GLOVE11A



GLOVES



SMALL	GLOVE40S
MEDIUM	GLOVE40M
LARGE	GLOVE40L
X LARGE	GLOVE40XL
XX LARGE	GLOVE40XXI

PU PALM COATED PU PRECISE GLOVES, QTY 1 PAIR



SMALL	GLOVE14
LARGE	GLOVE10
X LARGE	GLOVE10B
XX LARGE	GLOVE10C
LARGE GREY	GLOVE10A

PACIFIC WATERSAFE CUT LEVEL 5 GLOVES - QTY 1 PAIR **LARGE** WS3-9 X LARGE WS3-10



HQ LEATHER WELDERS GAUNTLETS - QTY 1 PAIR



UNIVERSAL FIT

C23411

IAINSAW SAFETY EQUIPMENT



LARGE	GLOVE8	
X LARGE	GLOVE8A	

HI-VIS CHAINSAW SAFETY **TROUSERS**

X LARGE NR011

HI-VIS QUICK RELEASE

RUCKSACK



Tel: 0114 383 0110



PART CODE

PW98

CHAINSAW SAFETY GAITERS



RWCH005 PART CODE




Email:sales@specialisedtools.co.uk Wall; www.steltools.co.uk



Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

PPE





C23520

PART CODE C23530



PART CODE



C23521 PART CODE

THBOR



Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

Pack

Size

Colour

TAPE

Part Code	Description	Size	Colour	Pack Size
TAPE1BLK	Insulation Tape	19mm x 20m		1
600056	Insulation Tape	19mm x 33m		1
600054	Insulation Tape	19mm x 33m		1
600053	Insulation Tape	19mm x 33m		1
600052	Insulation Tape	19mm x 33m		1
600051	Insulation Tape	19mm x 33m		1
600050	Insulation Tape	19mm x 33m		1
TAPEYEL25	Insulation Tape	25mm x 33m		1
TAPERED25	Insulation Tape	25mm x 33m		1
600057	Insulation Tape	50mm x 33m		1
600058	Insulation Tape	50mm x 33m		1
600059	Insulation Tape	50mm x 33m		1
X14280	Insulation Tape	19mm x 20m		10

Part Code	Description	Size	Colour	Pack Size
C25510	Lane Marking Tape	50mm x 33m		1
C25511	Lane Marking Tape	50mm x 33m		1
C25512	Lane Marking Tape	50mm x 33m		1
C25513	Lane Marking Tape	50mm x 33m		1
C25514	Lane Marking Tape	50mm x 33m		1
C25515	Lane Marking Tape	50mm x 33m		1

Part Code	Description	Size	Colour	Pack Size
600049	Anti-Slip Tape	50mm x 18m		1
600048	Anti-Slip Tape	50mm x 18m	CLEAR	1
600047	Anti-Slip Tape	24mm x 5m		1
C25500	Anti-Slip Tape	50mm x 18m		1

Size

Description

Part

Code

Part Code	Description	Size	Colour	Pack Size
MT1	Masking Tape	24mm x 50m		1
D31112	Scotch Masking Tape	24mm x 50m		6
600040	Masking Tape	25mm x 50m		1
D31100	Advance Masking Tape	25mm x 50m		6
D31085	Masking Tape	25mm x 50m		72
600043	Masking Tape	38mm x 50m		1
D31114	Scotch Masking Tape	48mm x 50m		3
D31090	Masking Tape	48mm x 50m		6
D31095	Masking Tape	48mm x 50m		24
600041	Masking Tape	50mm x 50m		1
D31110	Advance Masking Tape	50mm x 50m		3
600042	Masking Tape	75mm x 50m		1

Code C25525 Barrier Tape 70mm x 500m C25526 Barrier Tape 70mm x 500m Part Code Description Size Colour B14190 Rubawrap B14195 Rubawrap Size Colour Part Code B14190 Rubawrap Size Colour Part Colour Size Colour C					
Part Code C25525 Barrier Tape 70mm x 500m C25526 Barrier Tape 70mm x 500m C25526 Barrier Tape 70mm x 500m C25526 Barrier Tape 70mm x 500m Part Code B14190 Rubawrap 25mm x 5m B14195 Rubawrap 50mm x 5m Part Code B14185 Gaffer Tape 50mm x 50m B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 50mm x 50m B14170 Advance 50mm x 50m B14170 Advance 50mm x 50m	C25520	Hazard Tape	50mm x 33m		1
Part CodeDescriptionSizeColourC25525Barrier Tape70mm x 500mC25526Barrier Tape70mm x 500mPart CodeDescriptionSizeColourB14190Rubawrap25mm x 5mB14195Rubawrap50mm x 5mPart CodeDescriptionSizeColourB14185Gaffer Tape50mm x 50mB14187Gaffer Tape50mm x 50mB14188Gaffer Tape50mm x 50mB14175Gaffer Tape100mm x 50mB14170Advance50mm x 50m	C25521	Hazard Tape	50mm x 33m		1
Code C25525 Barrier Tape C25526 Barrier Tape C25526 Barrier Tape C25526 Barrier Tape C25526 C25526 Barrier Tape C25526 C2526 C25526 C2526 C2626	C25522	Hazard Tape	50mm x 33m		1
C25526 Barrier Tape 70mm x 500m Part Code Description Size Colour Part Colour B14190 Rubawrap 25mm x 5m		Description	Size	Colour	Pack Size
Part Code B14190 Rubawrap 25mm x 5m B14195 Rubawrap 50mm x 5m Part Code B14185 Gaffer Tape 50mm x 50m B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14189 Gaffer Tape 50mm x 50m B14180 Gaffer Tape 50mm x 50m B14170 Advance 50mm x 50m	C25525	Barrier Tape	70mm x 500m		1
Code B14190 Rubawrap 25mm x 5m B14195 Rubawrap 50mm x 5m Part Code B14185 Gaffer Tape 50mm x 50m B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 100mm x 50m B14170 Advance 50mm x 50m B14170 Advance 50mm x 50m	C25526	Barrier Tape	70mm x 500m		1
B14195 Rubawrap 50mm x 5m Part Code Description Size Colour Follows B14185 Gaffer Tape 50mm x 50m		Description	Size	Colour	Pack Size
Part Code B14185 Gaffer Tape 50mm x 50m B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 100mm x 50m B14170 Advance 50mm x 50m	B14190	Rubawrap	25mm x 5m		1
Code Description Size Colour B14185 Gaffer Tape 50mm x 50m B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 100mm x 50m B14170 Advance 50mm x 50m	B14195	Rubawrap	50mm x 5m		1
B14187 Gaffer Tape 50mm x 50m B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 100mm x 50m Advance 50mm x 50m		Description	Size	Colour	Pack Size
B14188 Gaffer Tape 50mm x 50m B14175 Gaffer Tape 100mm x 50m Advance 50mm x 50m	B14185	Gaffer Tape	50mm x 50m		2
B14175 Gaffer Tape 100mm x 50m B14170 Advance 50mm x 50m	B14187	Gaffer Tape	50mm x 50m		2
R14170 Advance 50mm x 50m	B14188	Gaffer Tape	50mm x 50m		2
R14170 50mm x 50m	B14175	Gaffer Tape	100mm x 50m		2
	B14170		50mm x 50m		2
B14180 Advance 50mm x 50m	R14180		50mm x 50m		2
B14181 50mm x 50m			50mm x 50m		2
	Part Code	Description	Size	Colour	Pack Size
Description Size Colour	72047C	Mesh Cloth Tape	50mm x 50m		1

600042	Masking Tape	75mm x 50m		1
Part Code	Description	Size	Colour	Pack Size
B14302	Nitto PVC Tape	19mm x 20m		120
B14304	Advance PVC Tape	19mm x 20m		10
B14306	Advance PVC Tape	19mm x 20m		10
B14308	Advance PVC Tape	19mm x 20m		10
B14310	Advance PVC Tape	19mm x 20m		10
B14312	Advance PVC Tape	19mm x 20m		10
B14314	Advance PVC Tape	19mm x 20m		10
B14316	Advance PVC Tape	19mm x 20m		10
B14200	Advance PVC Tape	19mm x 20m		10
B14220	Insulation PVC Tape	19mm x 20m		10
B13230	Insulation PVC Tape	19mm x 20m		10
B14240	Insulation PVC Tape	19mm x 20m		10
B14250	Insulation PVC Tape	19mm x 20m		10
B14260	Insulation PVC Tape	19mm x 20m		10
B14270	Insulation PVC Tape	19mm x 20m		10
B14280	Insulation PVC Tape	19mm x 20m		10
B14135	Non-Adhesive PVC	19mm x 40m		1



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

TAPE

Part Code	Description	Size	Colour	Pack Size
111445	Foil Duct Tape	50mm x 50m		1
600061	Heavy Duty Duct Tape	50mm x 50m		1
600060	Heavy Duty Duct Tape	50mm x 50m		1
600063	Heavy Duty Duct Tape	50mm x 20m	CLEAR	1
600067	Super Heavy Duct Tape	50mm x 50m		1
600066	Super Heavy Duct Tape	50mm x 50m		1
Part Code	Description	Size	Colour	Pack Size
D31130	Double Sided Foam Tape	9mm x 10m		5
D31115	Double Sided Foam Tape	12mm x 10m		3
D31140	Double Sided Foam Tape	12mm x 10m		2
D31150	Double Sided Foam Tape	19mm x 10m		2
D31120	Double Sided Foam Tape	19mm x 10m		3
D31160	Double Sided Foam Tape	25mm x 10m		2
D31125	D31125 Double Sided Foam Tape			3
D31170	Double Sided Foam Tape	50mm x 10m		1
Part Code	Description	Size	Colour	Pack Size
C28062	Fragile Tape	48mm x 66m		6
C28060	This Way Up Tape	48mm x 66m		6
TAPECECE	B Electric Cables Below Tape	150mm x 365m		1
TAPEQU0	1 Quarantine Tape	50mm x 66m		1
Part Code	Description	Size	Colour	Pack Size
TAPEREF	LECT Reflective Tape	55mm x 50m		1
60006	4 Hi-Vis Tape	50mm x 50m		1

Part Code	Description	Size	Colour	Pack Size
600044	Aluminium Foil Tape	50mm x 45m		1
600045	Aluminium Foil Tape	75mm x 45m		1
600046	Aluminium Foil Tape	100mm x 50m		1
Part Description		Size	Colour	Pack Size
B14165	PTFE Gas Sealing Tape	12mm x 5m		10
B14160 PTFE Thread Sealing Tape		12mm x 12m		10
Part Code	Description	Size	Colour	Pack Size
GORTAPE	Gorilla Repair Tape	48mm x 8.2m	CLEAR	1
Part Description		Size	Colour	Pack Size
B14140	Packing Tape	25mm x 66m	CLEAR	3
C28070	Packing Tape	48mm x 66m	CLEAR	6
C28066	Parcel Tape	50mm x 66m		36
Part Code	Description	Size	Colour	Pack Size
B14130	Anti-Corrosion Tape	50mm x 10m		1

ACCESSORIES

Pack

Size

Colour



Description

LIFA Compression Tape

Part

Code

B14199



Size

25mm x 1m



JERRY CANS



Part Code	Litre	Colour	Туре	Material
300029	5 Litre		UN Standard	Steel
300030	5 Litre		UN Standard	Steel
300031	5 Litre		UN Standard	Steel
300032	5 Litre		UN Standard	Steel



Part Code	Litre	Colour	Туре	Material
300025	10 Litre		UN Standard	Steel
300026	10 Litre		UN Standard	Steel
300027	10 Litre		UN Standard	Steel
300028	10 Litre		UN Standard	Steel



Part Code	Litre	Colour	Туре	Material
300021	20 Litre		UN Standard	Steel
300022	20 Litre		UN Standard	Steel
300023	20 Litre		UN Standard	Steel
300024	20 Litre		UN Standard	Steel
300047	20 Litre		UN Standard	Steel



Part Code	Litre	Colour	Туре	Material
300041	5 Litre		Screw Top	Steel
300042	5 Litre		Screw Top	Steel
300043	5 Litre		Screw Top	Steel
300044	5 Litre		Screw Top	Steel



Part Code	Litre	Colour	Туре	Material
300037	10 Litre		Screw Top	Steel
300038	10 Litre		Screw Top	Steel
300039	10 Litre		Screw Top	Steel
300040	10 Litre		Screw Top	Steel



Part Code	Litre	Colour	Type	Material
300033	20 Litre		Screw Top	Steel
300034	20 Litre		Screw Top	Steel
300035	20 Litre		Screw Top	Steel
300036	20 Litre		Screw Top	Steel



JERRY CANS



Part Code	Litre	Colour	Туре	Material
JC5LEXY	5 Litre		Explosion Proof	Steel
JC10LEXY	10 Litre		Explosion Proof	Steel
JC10LEXB	10 Litre		Explosion Proof	Steel
JC5LEXR	5 Litre		Explosion Proof	Steel



Part Code	Litre	Colour	Туре	Material
JC10LGSCREW	10 Litre		Horizontal	Steel
JC10LRSCREW	10 Litre		Horizontal	Steel

ACCESSORIES



Part Code	Colour	Туре
300045		Rigid Pouring Spout UN Type
300046		Flexible Pouring Spout Screw Type



Part Code	Colour	Туре
BOT5L		Plastic Bottle with Cap
BOT10L	Clear	Plastic Bottle with Cap

Jug & Flexi Spout

Part Code	Size
G66060	1 Litre
G66070	2 Litre
G66075	3 Litre
G66080	5 Litre



Measuring Jug

Part Code	Size
300001	1.5 Litre
JUG3	5 Litre



Measuring Jug

Part Code	Size
300002	250ml
300003	500ml
300004	1 Litre
300005	2 Litre
300006	5 Litre



2 Stroke Oil Mixing Jug

Part Code	Size
300011	-



Unit 15 Riverside Court Don Road, Sheffield, S9 2T) Tel: 0114 383 0110

Emili; sales@specialisedtools.co.uk

Wob; www.steltools.co.uk





ACCESSORIES

Round Plastic Funnel with Spout & Filter

Part Code	Size
FUN1	160mm
FUN2	130mm



4 Piece Round Funnel Set

Part Code	Size
FUN4	50, 75, 100, 120mm



Round Plastic Funnel with Filter

Part Code	Size
FUN3	160mm



Round Funnel with Flexi Spout

Part Code	Size
G66030	162mm



Rectangular Funnel

Part Code	Size	Information	4
FUN3A	300mm	Complete with Stainless Steel Filter	









Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

SPILL MANAGEMENT

ABSORBENT LIGHT WEIGHT PADS. 500MM X 400MM **QTY 200**



G65940

ABSORBENT HEAVY WEIGHT PADS, 500MM X 400MM **QTY 200**



PART CODE G65935

ABSORBENT HEAVY WEIGHT ROLLS



SPILL KIT, EMERGENCY OIL,

VINYL BAG 50L

ecospill

PART CODE

ABSODAN ABSORBENT **GRANULES 20L**



MINI OIL ONLY SPILL

KIT 10L

PART CODE

G65982

ISOL8 ORGANIC ABSORBENT 1.3KG

PART CODE



PART CODE

GRANULES 20L

MULTI-ZORB ABSORBENT



PART CODE

G65980

PART CODE

SK500

PART CODE

VC683

SPILL KIT, EMERGENCY, MAINTENANCE VINYL BAG 50L



PART CODE

SK50U

G65975

OIL SPILL SHEETS 500MM X 400MM **QTY 200**



PART CODE

H0425040

UNIVERSAL ABSORBENT SOCKS, 75MM X 1.2MM QTY 2



PART CODE

G65950



UNIVERSAL SPILL KIT

CONTROL 30L

PART CODE

G65955

Plant Nappies

Part Code Size		Description
PNS	685mm x 500mm	Plant Nappy, Small
PNM	1000mm x 685mm	Plant Nappy, Medium
PNL	2000mm x 1370mm	Plant Nappy, Large

Plant Nappy Liners


Part Code	Size	Description
PNSL	685mm x 500mm	Plant Nappy Liner, Small
PNML	1000mm x 685mm	Plant Nappy Liner, Medium
PNLL	2000mm x 1370mm	Plant Nappy Liner, Large



BATTERIES

Part Code	Description		
AABATTERY	Long Life AA Battery		
AAABATTERY	Long Life AAA Battery		
LANTBAT	Lantern Battery for use with TILDAWN		
400010	Varta Gel Filled Battery to suit Wacker Plate D52		
508901	Varta 12V 8.6Ah Motorcycle Battery		
BATT663	Energy 663 Greenmech Chipper 12V 110Ah 680 CCA Battery		
BATT15	Varta Battery 15 Greenmech Chipper 12V 110Ah 680 CCA Battery		
G2	Varta Battery G2 12V 20Ah		
VARTA	Varta Anti-Vibration, Anti-Spill 815 Cranking Amps 50Ah		
VARTA049	Towerlight Battery 45Ah 12V (MOSA 6000SX/GS)		
VARTA1	Varta Battery D24 60Ah 12V		
VARTA10	Varta D59 Battery 12V 60Ah 540 CCA suits TL90 Light Tower		
VARTA3	Varta Battery Blue Dynamics E24 70Ah 12V suits MK4, TL90		
VARTA6	Varta Battery 12V 44Ah (VTI Tower Light / Timberwolf Chippers) TW4210		
VARTA8	Varta 508901 Battery 12V 8Ah 150A		
VARTA9	Varta Battery Heavy Duty Marine 140Ah 12V		
ARCBAT	Arcgen Battery Welder Gen 8Ah 12V 4TX9-BS		
EROSMC	Mini Eros Board Early Warning Battery Only		
700013	20W Battery Light		
MCE1632	Battery Pack for Mini Eros Board		
4932451245	Milwaukee M18 9Ah Red Lithium-Ion Battery		





Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk



CABLE TIES

Black Cable	Ties			
Part Code	Length	Width	Colour	Pack Size
600003	100mm	3.6mm		100
TIE1	120mm	4.8mm		100
600004	140mm	3.6mm		100
600005	160mm	2.5mm		100
TIE2	160mm	4.8mm		100
600007	200mm	2.5mm		100
600008	200mm	3.6mm		100
TIE3	200mm	4.8mm		100
600010	250mm	4.8mm		100
600011	300mm	3.6mm		100
TIE4	300mm	4.8mm		100
600013	300mm	7.6mm		100
TIE5	370mm	4.8mm		100
600015	370mm	7.6mm		100
TIE6	430mm	4.8mm		100
600017	430mm	9mm		100
600018	450mm	7.6mm		100
600019	480mm	13mm		100
600020	530mm	9mm		100
600021	540mm	7.6mm		100
600022	580mm	13mm		100
600023	710mm	9mm		100
600024	780mm	9mm		100
600025	1030mm	13mm		100
Coloured Ca	ble Ties			
Part Code	Length	Width	Colour	Pack Size
AN20R	200mm	4.8mm		100
AN20B	200mm	4.8mm		100
AN20G	200mm	4.8mm		100
AN20Y	200mm	4.8mm		100
F20349	200mm x			250
Stainless Ste	eel Cable Tie	S		
Part Code	Length	Width	Colour	Pack Size

Cable Tie Bases				
Part Code		Size	Info	Pack Size
	600026	20mm x 20mm		100
	600027	28mm x 28mm		100
	B12550	4.8mm	Screw	50
B12570		3.5mm	Adhesive	50
	B12580	4.7mm	Adhesive	50



CABLE TIES

B12790

4.6mm

210mm

50



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

MAINTENANCE AEROSOLS

FORCE BRAKE & PARTS CLEANER



- Instantly removes brake dust, oil & grease leaves no residue
- Apply without dismantling parts
- Helps prevent brake squeal
- Acetone free non-corrosive to brake rubbers

Part Code	Size	Туре	Qty
X61350	150ml	Aerosol	12
X61400	400ml	Aerosol	6
X61410	1L	Bottle	1
X61412	1L	Bottle	12

SPT BRAKE PARTS CLEANER



- Heavy duty formula
- Improves brake action by removing grime

Part Code	Size	Туре	Qty
G62300	500ml	Aerosol	1

FORCE POWER SPRAY & FLUID



- High specification maintenance spray
- Silicone free for body shop use
- Multi-angle 360° spray nozzle
- With PTFE
- *supplied empty for use with X61270

Part Code	Size	Туре	Qty
X61255	400ml	Aerosol	6
X61250	400ml	Aerosol (Display Pack)	12
X61270	5L	Plastican	1
X61280	5L & 400ml	Plastican & Trigger Spray	5
X61275	400ml	Trigger Spray Applicator*	4

FORCE MAINTENANCE SPRAY / FLUID



- High specification multi-purpose spray / fluid
- Displaces moisture, cleans & lubricates
- Low viscosity for maximum coverage
- Provides long lasting protection from moisture

Part Code	Size	Туре	Qty
X61742	400ml	Aerosol	6
X61755	5L	Plastican	1

FORCE BATTERY TERMINAL PROTECTOR



- Provides effective protection of battery & electrical terminals
- Repels moisture & maintains best possible contact
- Protects against corrosion, acid & general weathering effects
- Ensures best possible connections

Part Code	Size	Туре	Qty
X61550	400ml	Aerosol	6

FORCE PENETRATING & GRAPHITE



- Tough graphite enhanced lubricant
- Powerful heavy-duty industrial formula for maximum penetration
- Directional jet for inaccessible areas
- Provides a strong graphite film providing a high level of lubrication

Part Code	Size	Туре	Qty
X61775	400ml	Aerosol	6



Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

MAINTENANCE AEROSOLS

FORCE CLEAR GREASE



- Minimum visability, maximum lubrication
- Ideal for brake pipes, mechanisms, hinges & linkages
- Protects against wear & corrosion
- Resistant to water, heat & salt

Part Code	Size	Туре	Qty
X61780	400ml	Aerosol	6

FORCE WIRE ROPE & CHAIN LUBE



- Tenacious coating for chains, cables & open gearing etc
- Reduces wear & increases component life
- High-grip 'stay-put' coating
- Easy to apply in-situ

Part Code	Size	Туре	Qty
X61740	400ml	Aerosol	6

FORCE SILICONE SPRAY



- Universal applications across all industries
- Highly effective on slides, bearings, conveyors & manufacturing equipment
- Lubricates window channels, CV boots & hoses
- Safe for environments where non-direct contact with food stuffs may be a risk

Part Code	Size	Туре	Qty
X61700	400ml	Aerosol	6

FORCE WHITE GREASE WITH PTFE



- Visible white lubricant
- Resistant to heat, salt & moisture
- Ideal for linkages, latches, gears & hinges etc
- Weatherproofs & protects against corrosive elements

Part Code	Size	Туре	Qty
X61750	400ml	Aerosol	6

FORCE DRY FILM FOOD SAFE LUBRICANT WITH PTFE



- A transparent general purpose food safe lubricant & penetrant with PTFE
- High quality triple action lubricant which frees, lubricates & coats
- Applies a tough, dry coating effective long after liquid lubricants have disappeared
- Effective working temperature from -30°C to 220°C

Part Code	Size	Туре	Qty
X61720	400ml	Aerosol	6

FORCE WHITE FOOD GREASE



- Silicone free light oil lubricant
- Heat stable
- Non-toxic
- Also for use in all food-safe environments

Part Code	Size	Туре	Qty
X61725	400ml	Aerosol	6







Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

Type

Aerosol

Qty

MAINTENANCE AEROSOLS

FIXT AIR CON CLEANER



- Cleans & disinfects all air con systems
- Destroys mildew, fungi & bacteria
- Eliminates odours & prevents the formation of new fungi
- Fast, effective & simple to use

Part Code	Size	Type	Qty
FX081200	90ml	Aerosol	12

FIXT DE-ICER



- 100% active blend of isopropyl alcohol & glycol. Non-toxic, safe to use & effective to temperatures of -9°C
- Rapidly removes ice deposits from screens & • Will not damage paintwork, glass & seals
- Powerful jet nozzle

door locks

Prevents refreezing

Part Code

FX081201

Size

400ml

DE-ICER TRIGGER SPRAY



- Easy trigger action
- Powerful formulation quickly removes frost
- Suitable for windscreens & de-icing locks

Part Code	Size	Туре	Qty
G61992	500ml	Bottle	12
G61994	750ml	Bottle	12

FORCE GLASS CLEANER



- Fast acting foam, pleasant to smell & easy
- Non-smearing & leaves no greasy film
- Ideal for screens, VDU's, light fittings & mirrors

Part Code	Size	Туре	Qty
X61670	400ml	Aerosol	6

• For use in automotive, industrial, home & retial

FORCE UNIVERSAL FOAM CLEANER



- Tough, fast acting foaming cleaner
- Rapidly removes dirt from trims, fabrics, tools & equipment
- Foaming action provides deeper cleansing & longer working time
- Also suitable as a hard surface cleaner for plastics, glass, wood & whiteboards

Part Code	Size	Туре	Qty
X61710	400ml	Aerosol	6

FORCE COCKPIT SHINE



- Fragranced polish that cleans & restores
- For vinyl, leather & rubber trim
- Contains silicone
- Long lasting cherry fragrance

Part Code	Size	Туре	Qty
X61650	400ml	Aerosol	6



Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

CLEANING

FORCE COCKPIT SHINE SILICONE FREE



- Restores vinyl, leather & rubber trim
- Ideal for paint & body shops
- Long lasting apple fragrance

Part Code	Size	Туре	Qty
X61660	400ml	Aerosol	6

AMOR ALL DASHBOARD WIPES



- Cleans, shines & protects
- Gloss finish
- Great for plastic & vinyl

Part Code	Size	Туре	Qty
G61925	-	Tub of 25 Wipes	1

STP 'SON OF A GUN'



- Restores the lustre & shine of vinyl, leather, rubber, PVC, wood & plastic
- Helps protect against the effects of weathering

Part Code	Size	Туре	Qty
G62420	250ml	Pump Bottle	1

FORCE BUMPER & TRIM SHINE



- Removes oil & stains
- Gives a long lasting shine
- Contains silicone

Part Code	Size	Туре	Qty
X61640	400ml	Aerosol	

FOOD SAFE STICKY LABEL REMOVER



• Penetrates & dissolves adhesives

Part Code	Size	Туре	Qty
R424	400ml	Aerosol	1

STP CARB SPRAY CLEANER



• Removes sludge & dirt build up on carburettors, chokes & linkages

Part Code	Size	Туре	Qty
G62310	500ml	Aerosol	1





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

CLEANING

BARRIER CREAM



• Moisturising hand protection with bactericide

Part Code	Size	Туре	Qty
R250	400ml	Aerosol	1

DRIVE & BEARING LUBRICANT



• Extreme pressure lubricant for drive chains & bearings

Part Code	Size	Туре	Qty
R229	400ml	Aerosol	1

CHAIN & WIRE LUBRICANT



• Anti-fling lubricant reinforced with molybdenum disulphide

Part Code	Size	Туре	Qty
R220	400ml	Aerosol	1

INDUSTRIAL FAST DRYING CLEANER



- Fast drying solvent based cleaner
- Leaves no residue

Part Code	Size	Туре	Qty
R207	400ml	Aerosol	1






Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

ENGINE ADDITIVES









Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

GREASE








Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

GREASE



ACCESSORIES







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

OIL



100ML SPRAY	OIL14
200ML SPRAY	OIL15
450ML SMART STRAW SPRAY	OIL2
600ML SPRAY	OIL29
VALUE PACK 5L C/W BOTTLE	OIL12

CHAINSAW OIL



ANTI-FLING 1L	OIL6
ANTI-FLING 5L	OIL28
ANTI-FLING 20L	OIL28A
4.5L	OIL6A

TWO STROKE OIL



SEMI-SYNTHETIC 100ML	OIL1
FULLY SYNTHETIC 100ML	OIL1SYN
SUPER 100ML	OIL1A
SEMI-SYNTHETIC 1L	OIL46A
FULLY SYNTHETIC 1L	OIL46
SUPER 1L	OIL1C
5L	OIL7

HYDRAULIC OIL





GRADE T46B 1L	OIL33D
GRADE T46B 5L	OIL33A
GRADE T46B 20L	OIL33
GRADE T46B 205L	OIL33C
GRADE T15 5L	OIL37
GRADE T15 20L	OIL37A
GRADE T32, ISO32 5L	OIL42A
GRADE T32, ISO32 20L	OIL42
GRADE T37 20L	OIL47
FULLY SYNTHETIC T46 20L	OIL69

ENGINE OIL



SAE30 5L	OIL21
SAE30 10W30 20L	OIL24
5W40 1L	OIL5W40
FULLY SYNTHETIC 5W40 5L	OIL51
10W30 5L	OIL52
10W30 20L	OIL32B
SEMI SYNTHETIC 10W40 1L	OIL32I
SEMI SYNTHETIC 10W40 5L	OIL32F
SEMI SYNTHETIC 10W40 20L	OIL32
FULLY SYNTHETIC 10W40 20L	OIL32C
SEMI SYNTHETIC 10W40 205L	OIL50
SEMI SYNTHETIC 15W40 20L	OIL32A

OIL DRIP APPLICATOR 100ML OIL DRIP APPLICATOR 200ML OIL19

OIL23



OIL SPRAY 200ML





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

SEALANTS & ADHESIVES







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

PAINT

MARKER PAINT

Part Code	Description	Size	Colour
RELINE1A	Line Marker Paint	750ml	
RELINE2A	Line Marker Paint	750ml	
RELINE3A	Line Marker Paint	750ml	
RELINE4A	Line Marker Paint	750ml	
RELINE5A	Line Marker Paint	750ml	
RELINE6A	Line Marker Paint	750ml	
RELINE7A	Line Marker Paint	750ml	
RELINE8A	Hi-Vis Line Marker Paint	750ml	
KEN7343020K	Industrial Paint Marker	750ml	
KEN7343060K	Industrial Paint Marker	750ml	
KEN7343080K	Industrial Paint Marker	750ml	
KEN7343120K	Industrial Paint Marker	750ml	
KEN7343140K	Industrial Paint Marker	750ml	

ANTI-TAMPER PAINT

Part Code	Description	Size	Colour
XCHKBU	Anti-Tamper Paint	50ml	
XCHKGR	Anti-Tamper Paint	50ml	
XCHKGRE	Anti-Tamper Paint	50ml	
XCHKOR	Anti-Tamper Paint	50ml	
XCHKYE	Anti-Tamper Paint	50ml	
ANTITAMP	Anti-Tamper Paint	15ml	

ANTI-SLIP PAINT & AGGREGATE

Part Code	Description	Size	Colour
25000001D	Anti-Slip Paint	5L	
25000001W	Anti-Slip Paint	5L	
2500279D	Anti-Slip Paint	5L	
25003838D	Anti-Slip Paint	5L	
25006287	Anti-Slip Paint	5L	
20499999SN	Aggregate (1 to be used w	vith above	e paints)

PRIMER

	Part Code	Description	Size	Colour
Ī	X61790	Zinc Galve Primer Spray (qty 6)	400ml	
	G62705	White Primer (qty 6)	400ml	

PREMIUM QUALITY ACRYLIC GLOSS PAINT

Part Code	Description	Size	Colour
R310	Gloss Finishing Paint	400ml	
R311	Gloss Finishing Paint	400ml	
R312	Gloss Finishing Paint	400ml	
R313	Gloss Finishing Paint	400ml	
R314	Gloss Finishing Paint	400ml	

FLOOR PAINT

Part Code	Description	Size	Colour
G62690	Floor Paint	5L	
G62692	Floor Paint	5L	

ALUMINIUM PAINT

Part Code	Description	Size	Colour
G62710	Aluminium Paint	400ml	

GENERAL PAINT

Part Code	Description	Size	Colour
G62712	Matte Paint	400ml	
G62714	Satin Paint	400ml	
G62716	Gloss Paint	400ml	
G62718	Gloss Paint	400ml	

ANTI-CLIMB & ANTI-GRAFFITI PAINT

Part Code	Description	Size	Colour
111304	Anti-Climb Paint	1L	
200-C264	Matte Anti-Climb Paint	2.5L	
111404	Satin Anti-Graffiti Paint	2.5L	CLEAR

ROAD PAINT

Part Code	Description	Size	Colour
CRLPW5	Road Line Paint	5L	
CRI PV5	Road Line Paint	51	





Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

27W MAGNETIC WORK LIGHT

27W MAGNETIC WORK LIGHT

27W - 1800 Lumens Power: **Bulb Type:** 9 x 3W Epistar LED

LED Life: 50000H

Battery Type: 7.4V / 8800mAH Rechargable Li-Ion Battery

Run Time: 5.5 Hours Charging Time: 5 - 6 Hours

Input Voltage: AC: 100-240V DC: 12-24V

Interface: **USB Interface for Charging Devices** Magnetic: 4 PCS Strong N40 Magnetic Base **Dimensions:** 130mm x 110mm x 210mm

Material: Aluminium, ABS, PC

4 Modes: 100% - 50% - SOS - Flashing

4 Power Indicator Lights Battery Status All Four Lights On: 100 - 75% **Red Yellow Green Lights On:** 75 - 50% **Red** and **Yellow** Lights On: 50 - 25% **Red Light On:** 25 - 5% **Red Light Flashing:** < 5%

















Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

40W MAGNETIC WORK LIGHT

40W MAGNETIC WORK LIGHT

Power: 40W - 4000 Lumens **Bulb Type:** 16 x 3W Bridgelux LED

LED Life: 50000H

Battery Type: 7.4V / 13200mAH Rechargable Li-Ion Battery 4 Hours (High Output) 8 Hours (Low Output) **Run Time:**

Charging Time: 4 - 5 Hours

Input Voltage: AC: 100-240V DC: 12-24V

USB Interface for Charging Devices Interface: Magnetic: 4 PCS Strong N40 Magnetic Base **Dimensions:** 160mm x 139mm x 311mm

Material: Aluminium, ABS, PC

4 Modes: 100% - 50% - SOS - Flashing

4 Power Indicator Lights Battery Status 100 - 75% All Four Lights On: **Red Yellow Green Lights On:** 75 - 50% **Red** and **Yellow** Lights On: 50 - 25% **Red Light On:** 25 - 5% **Red Light Flashing:** < 5%

PART CODE: 260152







Supplied with mains and car charger







Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 mail: sales@specialisedtools.co.uk

Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

LUCIA LINK LIGHT

LUCIA LINK LIGHT

Input Voltage: AC: 100-240V
Input Frequency: 50 - 60 Hz
Safety Level: Class 1
Rated Power: 30W

Lamp Lumens: 3600 Lumens

Colour: 6400K

Angle: 180 Degrees

Working Temperature: Temperature -22°C / + 55°C

Light IP Rating: IP67
Plug IP Rating: IP44

LED Lifetime: 30000 Hours

Size: 64cm x 11cm x 6.5cm

Weight: 1.3kg

PART CODE: 410000















Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

LIGHTING



ALL TILDAWN LIGHT SOLD WITHOUT BATTERIES. PLEASE SEE BELOW FOR SUITABLE BATTERY.



ACCESSORIES





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

EXTENSION LEADS



PART CODE

B14820

PART CODE

B14950



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

PLUGS, SOCKETS & TRANSFORMERS







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

HANGING HOOKS



Hanging hooks for festoon lights

- ABS construction
- Multiple hooks for festoon cables
- Fixing/hanging points



Part Number: E86330

20W 2FT LED CONTRACTOR



The 2ft LED contractor light is the go-to light for many tradespeople due to its reliable performance, versatility and durability. Mounted on a metal frame with built in cable holders it can handle the toughest of treatments. The two power take off points mean you can string together multiple lights from one transformer.

- •3M rubber cable, fitted with 16A plug
- Diffused lens reduces the glare
- Cool daylight creates a clean, crisp environment
- Features 2x 16A sockets for linking additional lights
- Mounted on a steel floor standing frame
- Minimal heat output

Available in 110V & 240V

Part Number: 2FT-LED-CONTRACTOR-

20W 2FT LED ANTI-CORROSIVE



The 2ft LED anti corrosive light on a fixed leg tripod is a trusted task light. The tripod has a fixed point for power take offs and the static feet give it a solid foundation. The twin power take off points allow you to string together multiple lights running from a single transformer, thereby keeping cable to a minimum.

- •5M Rubber cable, fitted with 16A plug
- Diffused lens reduces the glare
- Cool daylight creates a clean crisp environment
- Features 2x 16A sockets for linking additional lights
- Mounted on a fixed leg tripod which provides a stable base

Available in 110V & 240V

Part Number: 2FT-LED-ANTI-CORROSIVE-FIXED-LEG-TRIPOD

20W 2FT LED STRING ANTI-CORROSIVE



The 2ft LED anti corrosive string light is a versatile and reliable way to light any workplace Energy consumption has been nearly halved compared to the original fluorescent version meaning you can run more lights from a single transformer than before.

- 3M Rubber cable in/out, fitted with 16A plug
- Diffused lens reduces the glare
- Cool daylight creates a clean crisp environment
- Hanging brackets included for fixing to ceilings
- Can be adapted to fit on a fixed leg tripod

Available in 110V & Rechargable

Part Number: 2FT-LED-ANTI





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DF1200 20W LED TWIN HEAD WORK LIGHT WITH SWING LEG TRIPOD

Low power twin head LED floodlight with tripod base





- SUPPLIED WITH 2 x 20W LED light heads
- •THEY'RE BRIGHT 1200 Lumens output per light head
- LOW POWER Only 20W per light head
- IP RATING IP44
- IMPACT RESISTANT tough polycarbonate case absorbs knocks with ease
- ANTI GLARE Frosted lens defuses the light
- COLOUR TEMP 6000K Cool White Light
- ENERGY SAVING 90% more efficient than Halogen lights
- Supplied with 5M H07RN F rubber cable and BS1363 240V 13A / BSEN60309 110V 16A plug
- BEAM ANGLE 120° light spread
- •TRIPOD supplied with robust steel powder coated tripod
- •TRIPOD Height adjustable from 1.5 2.5M

Available in 110V & 240V

Part Number: DF1200-TWIN-HEAD-SWING-LEG-TRIPOD

DF1200 20W LED TWIN HEAD WORK LIGHT WITH FIXED LEG TRIPOD



Low power twin head LED floodlight with tripod base

- SUPPLIED WITH 2 x 20W LED light heads
- THEY'RE BRIGHT 1200 Lumens output per light head
- LOW POWER Only 20W per light head
- IP RATING IP44
- IMPACT RESISTANT tough polycarbonate case absorbs knocks with ease
- ANTI GLARE Frosted lens defuses the light
- COLOUR TEMP 6000K Cool White Light
- ENERGY SAVING 90% more efficient than Halogen lights
- Supplied with 3M H07RN F rubber cable and BS1363 240V 13A / BSEN60309 110V 16A plug
- BEAM ANGLE- 120° light spread
- TRIPOD supplied with robust steel powder coated tripod
- TRIPOD Height adjustable from 1.5 2.5M

Available in 110V & 240V

Part Number: DF1200-TWIN-FIXED-LEG-TRIPOD

DF1200 20W LED SINGLE HEAD WORK LIGHT WITH FIXED LEG TRIPOD



Low power LED floodlight with tripod base

- •IT'S BRIGHT 1200 Lumens output
- LOW POWER- Only 20W
- IP RATING IP20
- IMPACT RESISTANT tough polycarbonate case absorbs knocks with ease
- ANTI GLARE Frosted lens defuses the light
- BEAM ANGLE 120° light spread
- COLOUR TEMP 6000K Cool White Light
- ENERGY SAVING 90% more efficient than Halogen lights
- Supplied with 5M H05RN F rubber cable and BSEN60309 110V 16A / BS1363 240V 13A plug
- •TRIPOD Robust steel powder coated tripod
- •TRIPOD Height adjustable from 1.5 2.5M

Available in 110V & 240V

Part Number: DF1200-HEAD-FIXED-LEG-TRIPOD





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DF1200 TWIN HEAD TRIPOD



DF1200 is Defender's workshop floodlight range. Designed as an affordable LED replacement for halogen, the LED flood light head comes pre-wired and mounted on a universal bracket which is available on three different stand options, a steel floor frame, a single head tripod or a twin head tripod. Its robust aluminium case absorbs knocks with ease and the frosted shatterproof lens creates a comfortable working light, bright enough to tackle everyday tasks.

Defender POWER AND LIGHT

The twin head gives you the option of shining light in different directions, maximising the light spread with fewer lights. The robust tripod is adjustable up to 1.7M.

Available in 110V & 240V

Part Number: DF1200-TWIN-HEAD-TRIPOD

DF1200 SINGLE HEAD TRIPOD



DF1200 is Defender's workshop floodlight range. Designed as an affordable LED replacement for halogen, the LED flood light head comes pre-wired and mounted on a universal bracket which is available on three different stand options, a steel floor frame, a single head tripod or a twin head tripod. Its robust aluminium case absorbs knocks with ease and the frosted shatterproof lens creates a comfortable working light, bright enough to tackle everyday tasks.

The single head comes on an adjustable robust telescopic tripod which enables you to angle the light wherever it is needed and compacts down to 0.6m making it very easy to transport from van to site.

Available in 110V & 240V

Part Number: DF1200-SINGLE-HEAD-TRIPOD

DF1200 20W LED FLOODLIGHT WITH SCAFFOLD FIXING




Low power LED floodlight with scaffold bracket

- IT'S BRIGHT 1200 Lumens output
- LOW POWER- Only 20W
- IP RATING IP44
- IMPACT RESISTANT tough polycarbonate case absorbs knocks with ease
- ANTI GLARE- Frosted lens defuses the light
- BEAM ANGLE- 120° light spread
- COLOUR TEMP- 6000K Cool White Light
- LIGHTWEIGHT 1.7Kg
- ENERGY SAVING- 90% more efficient than Halogen lights
- Light head affixed to a secure scaffold gripper
- Supplied with 5M H05RN-F rubber cable and BS1363 240V 13A / BSEN60309 110V 16A plug

Available in 110V & 240V

Part Number:



Tel: 0114 383 0110

Emili;sales@specialisedtools.co.uk





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DF1200 FLOOR LIGHT



The DF1200 floor light is an incredibly versatile light, compact in design but providing a bright enough light for most tasks. Lightweight and portable, it is the perfect companion in the van to take to sites large and small. Rechargeable option has 2.5 hours run time on full power.

- Light fitted to a steel floor frame with foam grip
- Robust aluminium case absorbs impacts with ease
- Frosted shatterproof lens creates a comfortable working light
- •95% more efficient than halogen

Available in 110V, 240V & Rechargable

Part Number: DF1200-FLOOR-LIGHT

40W 5FT LED ANTI-CORROSIVE



The 5ft LED anti corrosive light on a fixed leg tripod is a trusted task light. The light can be rotated to shine horizontally or vertically making it perfect for plastering walls and ceilings. The twin power take off points allow you to string together multiple lights running from a single transformer, thereby keeping cable to a minimum.

- 5M Rubber cable, fitted with 16A plug
- Diffused lens reduces the glare
- Cool daylight creates a clean crisp environment
- Features 2x 16A sockets for linking additional lights
- Mounted on a fixed leg

Available in 110V & 240V

Part Number: 5FT-LED-ANTI-CORROSIVE-FIXED-LEG-TRIPOD

LED6000S TWIN HEAD FLOODLIGHT - WIRED HEADS ONLY



A smart, low power, lightweight floodlight

- Supplied with two LED6000S assembled ready for use
- •IT'S BRIGHT 5000 Lumens output per light head
- LOW POWER- Only 42W per light head
- BEAM ANGLE- 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model
- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg per light head
- Supplied with 5M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug



Part Number: E705627





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

10W LED400 FLOOR LIGHT



The LED400 is a portable task light for small jobs and close proximity working. Using a single high powered COB (chip on board) this product delivers clean crisp light over a wide area. The light runs cool at all times so comfortable to have close by when working in small spaces. Rechargeable option has 3 hours run time on full power.



- Robust aluminium case means it can stand the demands of every day working
- Head can be adjusted horizontally and vertically, aiming the light where needed
- Frosted lens makes the light more comfortable when working close up
- Compact design makes it perfect for working in small spaces

Available in 240V & Rechargable

Part Number: 10W-LED400[.] FLOOR-LIGHT

LED3000S TWIN HEAD FLOODLIGHT WITH FIXED LEG TRIPOD 110V



A smart, low power, lightweight floodlight now features upgraded LEDs

A smart, low power, lightweight floodlight now features upgraded LEDs

- Supplied with two LED3000S assembled ready for use
- IT'S BRIGHT 3000 Lumens output per light head
- LOW POWER- Only 30W per light head
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 1.5M
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg per light head
- Supplied with 5M VDE approved H07RN F rubber cable and BSEN60309 110V 16A plug
- TRIPOD
- Robust steel powder coated tripod
- Adjustable from 1.5 2.5M

Part Number: E705660

LED3000S TWIN HEAD FLOODLIGHT WITH SWING LEG TRIPOD 110V



• Supplied with two LED3000S assembled ready • Les

- for use
- IT'S BRIGHT 3000 Lumens output per light head
- LOW POWER Only 30W per light head
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 1.5M
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg per light head
- Supplied with 5M VDE approved H07RN F rubber cable and BSEN60309 110V 16A plug
- •TRIPOD
- Robust steel powder coated tripod
- Adjustable from 1.5 2.5M

Part Number: E705662



Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

DEFENDER PRODUCTS

LED3000S SINGLE HEAD FLOODLIGHT WITH SWING LEG TRIPOD 110V

A smart, low power, lightweight floodlight now features upgraded LEDs





• Supplied with one LED3000S

- IT'S BRIGHT 3000 Lumens output
- LOW POWER- Only 30W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 1.5M
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model
- Less shadows

- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RN F rubber cable and BSEN60309 110V 16A plug
- TRIPOD
- Robust steel powder coated tripod
- Adjustable from 1.5 2.5M

LED3000S FLOODLIGHT WITH MAGNETIC FIXING 110V

A smart, low power, lightweight floodlight



- Supplied with one LED3000S
- IT'S BRIGHT 3000 Lumens output
- LOW POWER Only 30W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 1.5M
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RN F rubber cable and BSEN60309 110V 16A plug
- BASE
- Light head affixed to secure magnetic gripper

LED3000S TWINHEAD FLOODLIGHT 110V - WIRED HEAD ONLY

A smart, low power, lightweight floodlight



- Supplied with two LED3000S assembled ready for use
- •IT'S BRIGHT 3000 Lumens output per light head •DESIGN
- LOW POWER- Only 30W per light head
- BEAM ANGLE- 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 1.5M
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg per light head
- Supplied with 5M VDE approved H07RN- F rubber cable and BSEN60309 110V 16A plug
- MULTI-FUNCTIONAL USE
- Sold as head only with universal fixing bracket



Web: www.steltools.co.uk

LED6000S SINGLE HEAD FLOODLIGHT WITH FIXED LEG TRIPOD





A smart, low power, lightweight floodlight that offers high light output

- IT'S BRIGHT 5000 Lumens output
- LOW POWER Only 42W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model
- Less shadows

- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug
- •TRIPOD
- Robust steel powder coated tripod
- Adjustable from 1.5 2.5M

Part Number: E705633

LED6000S SINGLE HEAD FLOODLIGHT WITH SWING LEG TRIPOD




A smart, low power, lightweight floodlight that offers high light output

- IT'S BRIGHT 5000 Lumens output
- LOW POWER Only 42W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model
- Less shadows

- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug
- TRIPOD
- Robust steel tripod
- Adjustable from 1.5 2.5M

Part Number: E705631

LED6000S FLOODLIGHT WITH SCAFFOLD FIXING





- IT'S BRIGHT 5000 Lumens output
- LOW POWER- Only 42W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug
- BASE
- Light head affixed to a secure scaffold gripper

Part Number: E705636






Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

LED6000S FLOODLIGHT WITH SCAFFOLD FIXING

A smart, low power, lightweight floodlight



- LOW POWER- Only 42W
- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model




- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug
- BASE
- Light head affixed to a secure scaffold gripper

Part Number: E705636

LED6000S FLOODLIGHT WITH MAGNETIC FIXING

A smart, low power, lightweight floodlight



- BEAM ANGLE 120° light spread
- IP RATING IP44
- BUILT TO SURVIVE
- Robust ABS body absorbs knocks on site
- Drop tested to 2.5M
- Strong silicone sleeve protects light from damage
- Diffused polycarbonate lens offers glare reduction
- Tougher than previous model

- Less shadows
- More efficient low power
- DESIGN
- British engineered design
- Friction grip head tilt function
- LIGHTWEIGHT
- Only 2.1 Kg
- Supplied with 3M VDE approved H05RNF rubber cable and BSEN60309 110V 16A plug
- BASE
- Light head affixed to a secure magnetic fixing

Part Number: E705635

20W DF1200 LED FLOODLIGHT HEAD



The DF1200 'head only' comes pre-wired and mounted on a universal bracket which can be secured onto selected Defender floor stands or tripods.

This is an affordable way of upgrading your lights - no need to buy a new tripod, just replace the head for a fraction of the price.

- Universal bracket for fixing to a wide range of tripods
- Robust aluminium case absorbs impacts with ease
- Frosted shatterproof lens creates a comfortable working light
- •95% more efficient than halogen

Available in 110V & 240V

Part Number: DF1200-HEAD-ONLY



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

10W LED ES BULB



The Defender LED light bulb is low energy but delivers a bright crisp light.

- 10W LED Bulb
- •800 Lumens
- Poly carbonate construction



Part Number: E56262

DC4000

The DC4000 is a high performance floorlight designed to be used in the most challenging environments. Its robust body and impact resistant lens can withstand the rigours of busy construction sites. It comes with a single power take off point allowing you to string multiple lights together from one transformer. Constructed with rubber cable on either end with a quality Defender plug and coupler mean that this light is ready to work in the real world.

•Samsung LEDs deliver a crisp white light

•The diffused lens reduces glare without

reducing light output

Sturdy steel tripod leg provide stability

• Single power take off so you can link to other lights, fitted with 16A coupler

•Sturdy impact resistant body and lens means this light can handle whatever life throws at it

•Supplied with 3M rubber cable and fitted with 16A plug

•Three times brighter than our everyday contractor light

Voltage: 110V Outlets: No

Cable: 3m H07RN-F Input/1m (External) Output

H07RN-F

Weight: 4.1kg

Standard: No

Lumens: 4000

Frequency: 50/60Hz

Colour Temp: 6500K (Daylight White)

Power: 42W

Dimensions: 790mm x 250mm x 130mm (with stand)

Light Spread: 120°

Tripping Speed: No RCD Rating: No Plug: No Socket: No

Plug Type: 16A 240V BS EN 60309 Coupler and Plug

Ingress Protection: IP44 **Drop Test:** No

Operating Temp: -10°C - 40°C
Lamp Type: 104 Samsung LEDs





Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

DEFENDER PRODUCTS

DEFENDER 5FT BATTERY BACK UP FLOURESCENT WORK LIGHT WITH FIXED LEG AND POWER TAKE OFF POINT 110V 58V



Web: www.steltools.co.uk





DEFENDER 2FT FLUORESCENT TASK LIGHT WITH A FIXED LEG STAND

- Heavy-duty polycarbonate light base and polycarbonate diffuser head construction
- Power off point for use with small power tools
- Robust steel tripod adjustable from 1.5M to 2.5M

Available in 110V & 240V


110V - Part Number: E708620 240V - Part Number: E708623

DEFENDER 5FT FLUORESCENT TASK LIGHT WITH POWER TAKE OFF POINT & TRIPOD

• Heavy-duty polycarbonate light base and polycarbonate diffuser head construction

• Power off point for use with small power tools

Available in 110V & 240V





DEFENDER 2FT FLUORESCENT TASK LIGHT WITH POWER TAKE OFF POINT & TRIPOD

- Heavy-duty polycarbonate light base and polycarbonate diffuser head construction
- Power off point for use with small power tools

Available in 110V & 240V

110V - Part Number: E708625 240V - Part Number: E708630



DEFENDER PRODUCTS



DEFENDER HALOGEN TASK LIGHT TWIN HEAD ON A FIXED LEG TRIPOD

- 400W Halogen fitting
- Light head features a tough oval design
- Robust steel tripod
- Tripod adjustable from 1.5M-2.5M
- Supplied with 5M cable & fitted plug
- Supplied with one 400W tube

Available in 110V & 240V



Unit 15 Riverside Court



DEFENDER LED TASK LIGHT

- Light Output 900 lumens
- Folding adjustable tripod supplied with cable wrap and cable tidy
- Tripod extendable to 2.25M
- Light head features 120 SMD LEDs
- Light head adjustable to 180°
- Lightweight Only 3.75Kg

Available in 110V & 240V



DEFENDER HALOGEN SCAFFOLD FLOODLIGHT

- Secure scaffold gripper
- Supplied with 5M cable & fitted plug
- 400W tube included

Available in 110V & 240V



DEFENDER LED6000 FLOODLIGHT WITH SWING LEG TRIPOD

- High-Tech head design with a universal base attatchment to suit the users choice
- 20 Solid State low energy CREE LEDs deliver 6000 lumens of super bright light
- Supplied with swing leg tripod


Available in 110V & 240V



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DEFENDER LED6000 FLOODLIGHT



- 20 Solid State low energy CREE LEDs deliver 6000 lumens of super bright light
- Lightweight head only 3.75Kg
- Cable Length 3m H07RNF rubber cable

Available in 110V & 240V





LIGHT CANNON

The Defender Light Cannon has been designed to ensure a good quality of light is delivered to cover a typical shift of 8 hours in locations where power cannot be readily accessed.

The Light Cannon is lightweight at just 8kg and compact for ease of transportation. The integral tripod is manufactured from a durable plastic that is built to last and endure the harshest conditions, the red touchpoints signal where the user should adjust and carry the product.

The head has a tilt and swivel function and at 2.1M maximum height this versatility ensures the light can be positioned where you need it.

The high capacity lithium ion 8.4Ah battery pack provides a minimum of 8 hours use on full power and 16 hours if selected to be on half power. The in-built management system shows users how much battery is remaining and what the power selection is via the backlit LCD screen conveniently located on the handle ring.

Lightweight & compact design makes it easy to transport to where the light is required

•Ideal for challenging areas where a big light is required but access is difficult

• Fully integrated tripod means it is quick and simple to install - no tools required

• Mast extends to 2.1M giving you a good flood of light on the working area

•Battery enables 8hrs of working at 100%, 16hrs at 50%

• High powered LEDs give a crisp white light

• Footprint - 1000mm







Voltage: 110V Outlets: No

Cable: BS6500 1.25mm 3C

Weight: 8.5kg Standard: No

Lumens: 2000 (100Lm/W)

Frequency: 50/60Hz

Colour Temp: 6500K (daylight white)

Power: 20W

Dimensions: 270 mm x 880 mm x 270 mm

Light Spread: 120°
Tripping Speed: No
RCD Rating: No
Plug: No
Socket: No

Plug Type: 13A 240V BS 1363 Plug

Ingress Protection: IP44 **Drop Test:** No

Operating Temp: -20°C - 40°C Lamp Type: 8 x CREE LED's





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DEFENDER 2FT BATTERY BACK UP FLUORESCENT WORK LIGHT WITH FIXED LEG AND POWER TAKE OFF POINT 110V 2 X 18W







DEFENDER 5FT ENCAPSULATED FLUORESCENT CONTRACTOR LIGHT 110V WITH 3M CABLE

Part Number: E708700



10W LED GRIP LAMP

A handy lamp ideal for loft tasks, automotive projects or within confined spaces. The spring grip ensures that the lamp can be placed conveniently overhead without premanent fixings whilst the LED bulb reduces heat when working in close proximity.

- Adjustable spring loaded grip offers hand free working
- Tough mesh guards protect the LED bulb
- Supplied with 5m of cable giving you real flexibility
- LED ES bulb included

Available in 110V & 240V

Part Number: 10W-LED-GRIP-LAMP



DEFENDER LED3000 FLOODLIGHT

- High-tech head design with a universal base attachment to suit the users choice
- 12X Solid State low energy CREE LEDs deliver 3000 lumens of super bright light
- Lightweight: only 3.75kg
- Cable Length: 3m H07RNF Rubber Cable

110V - Part Number: E712970





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

DEFENDER DL4000 LED LINKABLE LIGHT 110V 42W





The DL4000 is a high performance link light designed to be used in the most challenging environments. Its robust body and impact resistant lens can withstand the rigours of busy construction sites and the multiple fixing points in the rear mean it can be installed almost anywhere quickly. Rubber cable on either end, with quality Defender plug and coupler, mean that this is an all round performance light.

- Samsung LEDs deliver a crisp white light
- •The diffused lens reduces glare without reducing light output
- Designed with multiple fixings, can be attached to the wall, ceiling, scaffolding, post, etc
- •Single power take off so you can link to other lights
- •Sturdy impact resistant body and lens means this light can handle whatever life throws at it
- •Supplied with 3M rubber cable at each end and fitted with 16A plug & coupler

Voltage: 110V **Light Spread:** 120° **Outlets: Tripping Speed:** Nο No Cable: 3M H07RN-F Input / 3M H07RN-F Outut **RCD Rating:** No Weight: 3.9kg Plug: No

 Weight:
 3.9kg
 Plug:
 No

 Standard:
 No
 Socket:
 No

 Lumens:
 4000
 Plug Type:
 16/

Frequency: 50/60Hz Ingress Pro Colour Temp: 6500k (daylight white) Drop Test:

Power: 42W


Dimensions: 740mm x 180mm x 80mm (with stand)

Socket: No
Plug Type: 16A 240V BS EN 60309
Ingress Protection: IP44

No

Operating Temp: -10°C - 40°C

Lamp Type: 104 Samsung LEDs



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

36W FLUORESCENT SPLITTER UPLIGHT

This Uplight model combines all of the features of a light plus the space saving solution of a 4 way splitter base. This practical solution has proved incredibly popular as it is less equipment to carry on site and gives you the flexibility to link multiple lights quickly to a single transformer.

- Base is made of a 4 way splitter box unit, providing real power versatility
- Base and Uplight easily detatch for ease of handling and storage
- 180° light spread can be increased to 360° if reflector is removed
- Splitter base can be used independently for optimised fleet utilisation.
- Supplied with 3m of rubber cable and 16A plug

Voltage: 110V Outlets: No

Cable: 5M 1.5mm² H05 VV-F (3 core) also fitted with 0.6M of

H05 RNF 2 core 1.0mm² rubber cable

Weight: 8.9kg Standard: No Lumens: 2462 Frequency: 50Hz

Colour Temp: 6000k (daylight white)

Power: 36W Dimensions: 4ft

Light Spread: 180° / 360°


Tripping Speed: No RCD Rating: No Plug: No Socket: No

Plug Type: 16A 110V BS EN 60309 coupler and plug

Ingress Protection: IP44 110V

Drop Test: No









Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

DEFENDER PRODUCTS

20W LED WOBBLE BASE UPLIGHT

This award winning Uplight comes with a self-righting base which when filled with sand or water, will stand itself back up to 75° if knocked over. The LED lamp ensures that you get maximum light with very low energy consumption. Ideal for plastering, event lighting and general construction. Winner of UK Design Week 'Best Industrial Product' and winner of

Defender

- •Self righting based once filled with either water or sand
- Base and Uplight easily detatch for ease of handling and storage
- •Single power take off to enable linking to further lights
- •Supplied with 3M of rubber cable and 16A plug

110V **Outlets:** No

Cable: 5M 1.5mm² H05 VV-F (3 core)

Weight: 6.5kg

6500K (daylight white) Standard:

Lumens: 1600 Frequency: 50/60Hz

Colour Temp: No Power: 20W **Dimensions:** 4ft **Light Spread:** 180° **Tripping Speed:** No **RCD Rating:** No Plug: No Socket: No

16A 110V BS EN 60309 coupler and plug Plug Type:

Ingress Protection: IP44 Drop Test: No

IGHTING & POWER

Operating Temp: -15°C - 40°C **Lamp Type: LED Philips Tube**









Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

LUMINATOR LED TOWER LIGHT

Defenden' POWER AND LIGHT

Exclusively designed and manufactured by Defender, attention to detail has been applied to both the user interface and the functions of this product. The LED Luminator provides a large area of light coverage from a compact and portable unit. Using CREE COB (chip on board) LED's the product delivers 30,000 lumens of light at a colour temperature of 6,500K. The market leading silicone optics over the LEDs enables users to direct the light to where exactly where it is needed.

Through the clever electronic drive system, a maximum height of 4 meters can be reached by simply pressing and holding the 'up' button. The Luminator comes with 3 rapid deployment stabilisers that mean it's up and running in as little as 90 seconds once located and powered up. All of this cutting-edge technology is packaged in a durable moulded jacket designed to perform in the harshest of environments.

- •4M compact portable tower light which can be deployed and active within 90 seconds
- •Size and design means it can be manouvered and installed safely by a single person
- Requiring only 374W means it can be run from a standard power tool transformer
- •Specialist optics deliver the light where it's needed
- •180° and 360° light spread options helps prevent light wastage or pollution
- •100% and 50% light power settings gives you control over how much light is emitted
- Motor driven mast means there is no manual winding required

Voltage: 110V
Outlets: No
Cable: N/A
Weight: 93kg
Standard: No

Lumens: 30000 (80Lm/W)

Frequency: 50/60Hz

Colour Temp: 6500K (daylight white)

Power: 374W
Dimensions: N/A
Light Spread: 360°
Tripping Speed: No
RCD Rating: No
Plug: No
Socket: No

Plug Type: 16A 110V BS EN 60309 coupler and plug

Ingress Protection: IP44 **Drop Test:** No

Operating Temp: -20°C - 40°C **Lamp Type:** CREE CXA LEDs







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



36W FLUORESCENT STICK UPLIGHT



The Uplight stick provides up to 360° of cool white light it can be hung from ceilings, scaffolding or walls due to it's numerous fixing points. Designed with an impact resistant lens, robust end fixings and rubber cable, this is a performance product all round.

Part Number: E712658



HALOGEN FLOOR LIGHT

- Directional action allows the user to position the beam exactly where its needed
- Versatile, high powered 400W lighting solution available with a wide choice of mounting options
- Soft Grip Handle
- 400W tube included

Available in 110V & 240V

110V - Part Number: E709090 240V - Part Number: E709060



FLUORESCENT CONTRACTOR LIGHT WITH POWER TAKE OFF POINT

The Defender Fluorescent Floor Light is a low energy lighting solution with floor stand and power take off point, available in 110V and 240V.

- Heavy-duty polycarbonate light base and polycarbonate diffuser head construction
- Power take off point for use with small power tools

Available in 110V & 240V

110V - Part Number: E708670



12.5W LED FLOOR LIGHT

The LED floorlight is strong, with anti shock rubber base and tough ABS body. Excellent for site use, this small but powerful light emits 6500K cool bright light.

- For lighting awkward areas where space is limited
- Anti shock rubber base provides a reliable base
- Supplied with 2M of rubber cable with 16A plug or 13A
- Frosted lens reduces light glare making it comfortable when in close proximity

Available in 110V & 240V

Part Number: 12.5W-LFD-FLOOR-LIGHT



12.5W RECHARGEABLE LED FLOOR LIGHT

12.5W Rechargeable LED Floor Light offers 3 hours operation.

- STRONG Anti-shock rubber base provides dependable protection and stability
- DURABLE Tough polycarbonate lens and ABS body withstand knocks and drops
- LOW HEAT for lighting awkward areas where space is tight
- CHARGE TIME 6hrs
- RECHARGEABLE Battery life offers 6 hours on half power / 3 hours on full power

Part Number: E709192





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

Defender POWER AND LIGHT

EXTENSION LEADS

Part Code	Length	Cable Width	Volt	Amp	Ingress Protection	Colour
E85223	10M	1.5MM	240V	13A	IP20	
E85118	10M	1.5MM	110V	16A	IP44	
E85212	10M	1.5MM	240V	16A	-	
E85123	10M	2.5MM	110V	16A	IP44	
E85220	10M	2.5MM	240V	16A	-	
E85222	14M	1.5MM	240V	13A	IP20	
E85224	14M	2.5MM	240V	13A	-	
E85111	14M	1.5MM	110V	16A	IP44	
E85211	14M	1.5MM	240V	16A	IP44	
E85121	14M	2.5MM	110V	16A	IP44	
E85221	14M	2.5MM	240V	16A	IP44	
E85235	14M	2.5MM	110V	32A	IP44	
E85237	14M	2.5MM	240V	32A	IP44	
E85240	14M	4MM	110V	32A	IP44	
E85243	14M	4MM	240V	32A	IP44	
E85230	25M	1.5MM	110V	16A	IP44	
E85236	25M	1.5MM	240V	16A	-	
E85233	25M	2.5MM	110V	16A	IP44	
E85234	25M	2.5MM	240V	16A	IP44	
E85249	25M	2.5MM	110V	32A	IP44	
E85262	25M	4MM	110V	32A	IP44	





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



10W 1.25MM CASSETTE REEL

This impact resistant cassette reel is ideal for smaller DIY or back of the van jobs that need quick and easy access to power. Users can plug in 4 applications at one time via the 4x 13A sockets. The neon light indicates when power is switched on.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

Part Number: E86535



15M 1.5MM BOX REEL

This anti-tamper box reel features an easy wind cable, neon power indicator and thermal cut out to prevent overheating. The 4x 13A sockets allow users to plug in multiple applications at one time.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

Part Number: E86545



DEFENDER 20M BOX REEL - 16A 2 WAY 1.5MM 110V

The 16A anti-tamper box reel features an easy wind cable, neon power indicator and thermal cut out to make life easier whether using it for small or larger site jobs. The 2x 16A sockets allow users to plug in multiple applications at one time.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

Part Number: F86540



20M 1.25MM LIGHT INDUSTRIAL CABLE REEL

This light industrial 13A 4 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

Part Number: E86465



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



25M 1.5MM LIGHT INDUSTRIAL CABLE REEL

Defender's best selling 110V reel, this light industrial 16A 2 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

Part Number: F86450



25M 1.5MM LIGHT INDUSTRIAL CABLE REEL

This light industrial 16A 2 way reel has lots to offer including 2.5mm 3 core cable for extra safety and a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating, a great benefit to keep users safe during the working day.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

Part Number: E86455



25M 1.5MM LIGHT INDUSTRIAL CABLE REEL

This light industrial 16A 2 way reel has a strong steel frame providing a secure base. The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

Part Number: F86475



50M 1.5MM HEAVY DUTY CABLE REEL

This heavy duty 50M reel is perfect to have on any construction site. The strong steel frame provides a secure base and the neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating. The longer length covers more distance with less resistance giving less voltage drop across the cable, a great benefit to keep users fully powered during the working day.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

Part Number: E86500





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



50M 2.5MM HEAVY DUTY CABLE REEL

This heavy duty 50M reel has lots to offer including 2.5MM 3 core cable for extra safety and a strong steel frame providing a secure base.

Defender POWER AND LIGHT

The neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating. The longer length covers more distance with less resistance giving less voltage drop across the cable, a great benefit to keep users fully powered during the working day.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 660W
- Max load unwound 1760W

Part Number: E86510



50M 1.25MM HEAVY DUTY CABLE REEL

Defender's best selling 50M reel. This heavy duty 13A 4 way is a must have in any van. The strong steel frame provides a secure base and the neon indicator enables users to easily see from a distance when the power is switched on. Also includes a thermal cut out to prevent overheating. The longer length covers more distance with less resistance giving less voltage drop across the cable, a great benefit to keep users fully powered during the working day.

- Industry standard VDE approved cable
- Sturdy impact resistant cassette with internal reel
- Neon power indicator
- Thermal overload protection prevents overheating
- Max load wound 720W
- Max load unwound 3120W

Part Number: E86515



100M 1.5MM 3 CORE 110V CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.

Part Number: E87115



100M 2.5MM 3 CORE 110V CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



100M 4MM 3 CORE 110V CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



Part Number: F87235



100M DRUM 1.5MM 3 CORE 240V CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.

Part Number: E87215



100M 2.5MM 3 CORE 240V CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



50M 1MM 2 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.

Part Number: E87420



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



50M 1MM 3 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



Part Number: E87435



50M 1.5MM 2 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.

Part Number: E87425



50M 1.5MM 3 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



50M 2.5MM 2 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



50M 2.5MM 3 CORE 110V / 240V RUBBER CABLE

At Defender, a cable isn't just a cable. We invest the time and effort to ensure the copper content is consistently of the highest quality and that the inner and outer sheathing is robust and flexible, whether it be PVC or rubber. But most importantly that it can safely carry the load required to keep you working. We are proud to own a VDE co-licence meaning our factories are independently inspected and audited on a regular basis against very strict requirements. Our cables conform to BSEN standards and with dedicated quality assurance offices in both Europe and Asia, Defender continues to deliver it's quality commitments year after year.



Part Number: F87445

3.3KVA POWER POD TRANSFORMER

Exclusively designed and manufactured by Defender, this transformer is a lightweight powerhouse that makes easy work of power distribution in real world harsh environments.

It's clever design eliminates many of the challenges experienced when using transformers on site including recessed sockets to prevent breakages, a high grade Du Pont nylon plastic casing, no chips or cracks and a handy cable management system. The neon power indicator shows power is there, so there's no lost time working out supply faults.

It features 2x 16A sockets that can be used with corded products such as SDS drills, small demolition hammers, 4.5" angle grinders, jigsaws and circular saws, numerous lighting products, industrial fans, dehumidifiers and fume extractors.

- •Intermittent rating of 3000W duty cycle 5 mins on / 15 mins off
- •Continuous rating of 1500W
- Made and tested in the UK
- •Fitted with 240V 13A plug
- •Centre tapped to earth for extra safety



Voltage: H07 RN-F Outlets: 2 x 16A

Cable: 1.8m 1.5mm 3 core H07-RNF

Weight: 18kg

Standard: BSEN 61558-1

Lumens: N/A
Frequency: 50Hz
Colour Temp: N/A
Power: 3.3kva

Dimensions: 280mm x 285mm x 280mm

Light Spread: N/A
Tripping Speed: N/A
RCD Rating: N/A
Plug: N/A
Socket: N/A

Plug Type: 13A 240V BS 1363 plug

Ingress Protection: IP44
Drop Test: N/A
Operating Temp: N/A
Lamp Type: N/A





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



3KVA PORTABLE TRANSFORMER

Defender's most popular transformer can be used with corded products such as SDS drills, small demolition hammers, bench grinders, 4.5" angle grinders, jigsaw's and circular saws. Additionally suited for lighting products, industrial fans, dehumidifiers and fume extractors.

- •Intermittent rating of 3000W duty cycle 5 mins on / 15 mins off
- Continuous rating of 1650W
- Made and tested in the UK for reliability and durability
- •Fitted with 240V 13A plug
- Centre tapped to earth for extra safety

Part Number: E203010



5KVA PORTABLE TRANSFORMER

A tough transformer which can be used with larger corded power tools such as SDS drills, demolition hammers, mixer drills, 9" angle grinders, jigsaws and circular saws. Suitable other products such as site lights, industrial fans, multiple dehumidifiers and fume extractors.

- •Intermittent rating of 5000W duty cycle 5 mins on / 15 mins off
- Continuous rating of 2500W
- •Made and tested in the UK for reliability and durability
- No plug fitted
- Centre tapped to earth for extra safety

Part Number: E205042



3.3KVA PORTABLE TRANSFORMER

A robust transformer which can be used with corded products such as SDS drills, small demolition hammers, bench grinders, 4.5" angle grinders, jigsaws and circular saws. Additionally suited for lighting products, industrial fans, dehumidifiers and fume extractors.

- •Intermittent rating of 3300W duty cycle 5 mins on / 15 mins off
- Continuous rating of 1650W
- Made and tested in the UK for reliability and durability
- •Fitted with 240V 13A plug
- •Centre tapped to earth for extra safety

Part Number: E203022



5KVA SITE TRANSFORMER

Re-engineered for 2018 with an improved IP rating, this 5kVA site transformer gives significant size and weight economies. Higher bolted on feet provide easier underneath access and are simple to remove and replace if damaged. Defender sockets as standard for quality consistency.

- Continuous rating of 5000W
- Made and tested in the UK
- Collapsable lifting handles for safer handling and stacking
- No plug fitted

Part Number: ZE210028





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



10KVA AIR COOL SITE TRANSFORMER

This single phase, air cooled unit has a new handle design offering safer manual handling and the improved IP rating ensures users are kept safe. Higher bolted on feet provide better access from underneath and are easy to remove and replace if damaged. Defender sockets as standard for quality consistency.



- Continuous rating of 10000W
- Made and tested in the UK
- Collapsable lifting handles for safer handling and stacking
- No plug fitted

Part Number: ZE210022



10KVA 3 PHASE SITE TRANSFORMER

The new handle design for 2018 offers safer manual handling and an improved IP rating ensures users are kept safe. Higher bolted on feet provider better access from underneath and are easy to remove and replace if damaged. Defender sockets as standard for quality consistency.

- Continuous rating of 10000W
- Made and tested in the UK
- Collapsable lifting handles tested to 1.5 times of the total transformer weight
- No plug fitted

Part Number: ZE210027



3KVA HEATER TRANSFORMER

Designed to run 110V heaters, including ceramic, fan and infrared, dehumidifiers and lighting that uses a 16A socket. The new twin handle design allows for a two person lift thereby offering safer manual handling.

- Continuous rating of 3000W
- •2x collapsable lifting handles for safer handling and stacking
- Made and tested in the UK
- •Centre tapped to earth for extra safety
- No plug fitted

Part Number: F205062



3.3KVA STEP-UP TRANSFORMER

A quality step-up transformer which enables users to operate 240V 16A tools by attaching to a 110V electrical circuit. It provides isolation from the mains and eliminates the need to buy a second set of tools.

- •Intermittent rating of 3300W duty cycle 5 mins on / 15 mins off
- Continuous rating of 1650W
- Made and tested in the UK for reliability and durability
- •Fitted with 110V 16A plug
- •Centre tapped to earth for extra safety

Part Number: F203030





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



DEFENDER UPLIGHT SPLITTER BASE 110V

- •Genuine 110V 4-way splitter box to redistribute power on site
- •Injection-moulded sand-filled base that's made tough to take knocks
- Operates as a secure docking station for the Uplight V3 light stick



Part Number: E712655

4 WAY SPIDER BALL 16A SPLITTER

Exclusively designed and manufactured by Defender, this 4 way power splitter offers easy and reliable power distribution. For use with power tools and site lighting, the sockets are recessed to prevent shearing when in use and the neon power indicator is easy to see on each socket when the power is switched on. With it's strong and durable outershell, the Spider Ball is tough and long lasting.

- •Tough durable nylon and rubber casing tested on site to perform
- Cable management system to help keep tidy and easy to store
- •Innovative stackable design
- Rubber strap to ensure cable is fixed and tidy when not in use
- Integrated carry handle to help with easy lifting
- Lightest 4 way splitter in the Defender range

Voltage: 110V Outlets: 4 x 16A

Cable: 3m 1.5mm² 3G black H07-RNF

Weight: 2.5kg Standard: BSEN 6500

Lumens: No Frequency: 50Hz **Colour Temp:** No Power: No **Dimensions:** No **Light Spread:** No **Tripping Speed:** N/A **RCD Rating:** N/A Plug: N/A Socket: N/A Plug Type: No **Ingress Protection: IP44** N/A **Drop Test:**

Operating Temp: -15°C - 40°C

Lamp Type: No







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



3 WAY SPIDER POD 16A SPLITTER

Exclusively designed and manufactured by Defender, the Spider Pod features 3x 16A, 110V, multi directional sockets fixed onto a rubber cable. Providing great performance in the toughest of conditions, it uses lightweight nylon that is built to withstand high impact. Easy to transport and store, it's an exceptional product for the best performance in the real world.



- Lightweight and portable for easy transport and storage
- •Tough nylon plastic, suitable for use in tough conditions
- Allows three different 16A tools applications to be connected at one time
- IP44 rating to ensure users are kept safe in dusty environments
- Rubber cable to ensure maximum electrical safety

Part Number: E13220



4 WAY 110V 16A CLASSIC POWER SPLITTER

Our classic 4 way splitter made from tough steel will not let you down. It gives 4x 16A outlets allowing multiple applications to be connected at any time. This product comes with a carry handle to relocate the splitter easily and the sturdy design ensures it stays upright on the harshest of surfaces.

- Lightweight and portable for easy transport and storage
- Steel case, one of the most strong and durable materials on the market
- Rubber cable to ensure maximum electrical safety

Part Number: E13104



4 WAY 240V 16A CLASSIC POWER SPLITTER

This 4 way steel 240V splitter is usable and tough. The 4x 16A outlets allow multiple applications to be connected at any time. It comes with a carry handle to relocate easily and the sturdy design helps the product stay upright on the harshest of surfaces. Perfect for use with small and medium sized power tools and lights.

- Lightweight and portable for easy transport and storage
- •Steel case, one of the most strong and durable materials on the market
- •Rubber cable to ensure maximum electrical safety

Part Number: F13112



2 WAY 110V 32A POWER SPLITTER

An essential for any tool kit, this power splitter is made from fibreglass giving extra protection in the toughest working conditions. The 2x 32A sockets allow 2 applications to be connected at any time. The splitter can be easily moved around with the carry handle and the robust legs ensure it's sturdy when in use.

- Lightweight and portable for easy transport and storage
- Tough nylon plastic, suitable for use in tough conditions
- Rubber cable to ensure maximum electrical safety

Part Number: F13111





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



4 WAY 110V 16A & 32A POWER SPLITTER

This 4 way splitter made from tough steel offers versatility and reliability. The 2x 16A and 2x 32A outlets allow multiple applications to be connected at any time. It comes with a carry handle to relocate easily and the sturdy design helps the product stay upright on the harshest of surfaces. Perfect for use with small and medium sized power tools and lights.



- Lightweight and portable for easy transport and storage
- •Steel case, one of the most strong and durable materials on the market
- Rubber cable to ensure maximum electrical safety

Part Number: E13108




6 WAY 110V 16A & 32A POWER SPLITTER UNIT

This 6 way power distributor with MCB protection is tough and strong. It's single phase construction is specially manufactured for use on construction sites, giving multiple power access for power tools and lighting. Manufactured to all applicable standards, the sheet steel enclosure is built to withstand the toughest conditions. Fitted with 2x 20A MCB's this product offers pure safety as standard.

- •Steel case, one of the most strong and durable materials on the market
- Allows six different applications to be connected at one time
- •2x 20A MCB's fitted internally to give hassle free safety

Part Number: E13125





This single socket 240V fly lead enables users to connect a 16A tool or light to a standard 13A lead without the need to re-wire, saving both time and money. It is supplied with a short cable to maintain flexibility but not too long that it can be tangled.

- •Quick and easy adapter for 240V 16A equipment to attach to 13A leads
- •Short length cable to minimise excessive tangling
- •Robust Defender plug and four gang socket
- •25cm of 1.5mm cable

Part Number: E85301

16A / 13A 240V / 2 GANG FLY LEAD



This dual socket 240V fly lead enables users to connect two standard plug tools or lights to a 16A lead without the need to re-wire, saving both time and money. It is supplied with a short cable to maintain flexibility but not too long that it can be angled.

- •Quick and easy adapter for 240V 13A equipment to attach to 16A leads
- •Robust Defender plug and single socket
- Short length cable to minimise excessive tangling
- •25cm of 1.5mm cable

Part Number: F85302






Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS

16A / 13A 240V / 1 GANG FLY LEAD






- •Quick and easy adapter for 240V 13A equipment to attach to 16A leads
- Robust Defender plug and single socket
- Short length cable to minimise excessive tangling
- •25cm of 1.5mm cable

Part Number: E8530

16A / 13A 240V / 4 GANG FLY LEAD

This four socket 240V fly lead enables users to connect standard plug tools and lights to a 16A lead without the need to re-wire, saving both time and money. It is supplied with a short cable to maintain flexibility but not too long that it can be tangled.



- Robust Defender plug and single socket
- •Short length cable to minimise excessive tangling
- •25cm of 1.5mm cable

Part Number: E85315

32A / 16A 110V FLY LEAD

This single socket 110V fly lead enables users to connect a 32A tool to a 16A lead without the need to re-wire, saving both time and money. It is supplied with a short cable to maintain flexibility but not too long that it can be tangled.

- •Quick and easy adapter for 32A plugs to join a 16A lead
- •Robust Defender plug and coupler
- •30cm of 1.5mm cable
- •Saves time as no need to re-wire tools
- •Spring hinged cover on 16A socket for maximum socket protection

Part Number: F85323


13A 240V RUBBERISED NYLON PLUG (10 PACK) IP20

The Defender 13a rubberised nylon plugs are 240v and available in boxes of 10. These ergonomically designed sockets reduce fitting & inspection time.

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •13Amp
- Rubberised nylon plug

Part Number: F88261





Tel: 0114 383 0110

Emili;sales@specialisedtools.co.uk
Wob;www.steltools.co.uk



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



16A 110V PLUG (10 PACK) IP44

The Defender 16A Plug is a yellow 110v power solution that is ergonomically designed to reduce fitting and inspection time.



- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp plug

Part Number: E88400!



16A 240V PLUG (10 PACK) IP44

The Defender 16A Plug is a blue 240V power solution that is ergonomically designed and its twist and lock back reduces fitting and inspection time.

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp plug

Part Number: E884130



DEFENDER 16A PLUG - DISPLAY PACKED 110V

- Ergonomic Design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp plug

Part Number: E884002



DEFENDER 16A PLUG - DISPLAY PACKED 240V

- Ergonomic Design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp plug



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



32A 110V PLUG IP44

The Defender 32A Plug is a yellow 110V power solution that is ergonomically designed to reduce fitting and inspection time.



- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E884250



32A 240V PLUG IP44

- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E884260



DEFENDER 32A PLUG - DISPLAY PACKED 110V

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E88425!



DEFENDER 32A PLUG - DISPLAY PACKED 240V

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



13A 1 GANG RUBBER SOCKDET (10 PACK)

The Defender 13A 1 gang rubber sockets are 240V and available in boxes of 10. These ergonomically designed sockets reduce fitting & inspection time.



- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •13Amp 1 gang rubber socket

Part Number: E882921

13A 2 GANG 240V RUBBER SOCKET (10 PACK)



The Defender 13A 2 gang rubber sockets are 240V and available in boxes of 10. These ergonomically designed sockets reduce fitting & inspection time.

- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •13Amp 2 gang rubber socket

Part Number: E882923

13A 4 GANG 240V RUBBER SOCKET



The Defender 13A 4 gang rubber socket is a 240V power solution. These ergonomically designed sockets reduce fitting & inspection time.

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •13Amp 4 gang rubber socket

Part Number: E882924



16A 110V PANEL SOCKET IP44

The Defender 13A 4 gang rubber socket is a 240V power solution. These ergonomically designed sockets reduce fitting & inspection time.

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp panel socket





Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

DEFENDER PRODUCTS

16A 240V PANEL SOCKET IP44

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp panel socket



Web: www.steltools.co.uk

Part Number: E884200



DEFENDER 16A PANEL SOCKET - DISPLAY PACKED 110V

- Ergonomic Design: easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp panel socket

Part Number: E884105



DEFENDER 16A PANEL SOCKET - DISPLAY PACKED 240V

- Ergonomic Design: easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp panel socket

Part Number: E88420



32A 110V PANEL SOCKET IP44

The Defender 32A Panel Socket is a yellow power solution available in 110V. It is ergonomically designed to reduce fitting and inspection times.

- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



32A 240V PANEL SOCKET IP44

The Blue Defender 32A Panel Socket is designed to reduce fitting and inspection times due to its ergonomic design and the twist & lock plug back with single screw.



- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E88430



DEFENDER 32A PANEL SOCKET - DISPLAY PACKED 110V

- Ergonomic Design- easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E88429!



DEFENDER 32A PANEL SOCKET - DISPLAY PACKED 240V

- Ergonomic Design- easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp panel socket

Part Number: E884305



16A 110V COUPLER (10 PACK) IP44

The yellow Defender 16A Coupler is a 110V power solution. Its ergonomic design with handles, safe twist and lock fittings reduces fitting and inspection time.

- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp coupler



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



16A 240V COUPLER (10 PACK) IP44

The Defender 16A Coupler is a blue 240V power solution that is ergonomically designed and its twist and lock plug back reduces fitting and inspection time.

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp coupler



Part Number: E88418



DEFENDER 16A COUPLER - DISPLAY PACKED 110V

- Ergonomic Design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp coupler

Part Number: E884052



DEFENDER 16A COUPLER - DISPLAY PACKED 240V

- Ergonomic Design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •16Amp coupler

Part Number: E88417



32A 110V COUPLER IP44

The Defender 32A Coupler is a yellow 110V power solution that is ergonomically designed with a twist & lock back to reduce fitting and inspection time.

- Ergonomic design easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp coupler





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



32A 240V COUPLER IP44

The Blue Defender 32A coupler is an ergonomically designed 240V power solution.

Defender POWER AND LIGHT

- Ergonomic design easy to handle with grip points
- Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp coupler

Part Number: E884280



DEFENDER 32A COUPLER - DISPLAY PACKED 110V

- Ergonomic design: easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp coupler

Part Number: E884275



DEFENDER 32A COUPLER - DISPLAY PACKED 240V

- Ergonomic Design- easy to handle with grip points
- •Twist & lock plug back with single screw reduces fitting and inspection time
- •32Amp coupler

Part Number: E884285



13A 240V RCD PLUG

The RCD plug is designed to give an extra layer of protection and confidence when working on high risk sites. As well as an impact resistant body it is also fitted with a test and reset function, keeping users safe at all times.

- Cuts power in 40ms when an imbalance is detected helping to prevent electrocution
- •Essential for use in high risk areas
- Easy to apply to standard 240V cable
- •Test and reset functions ensure safety at all times
- •Robust body means it can withstand the impacts of a working day

Part Number: E11070C





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



13A 240V RCD SOCKET

The RCD plug is the simplest solution to gaining added protection as it requires no pre-wiring. As well as an impact resistant body it is also fitted with a test and reset function, keeping users safe at all times.

- Cuts power in 40ms when an imbalance is detected helping to prevent electrocution
- Essential for use in high risk areas
- •No need to wire up just plug in and go
- •Test and reset fucntions ensure safety at all times
- Robust body means it can withstand the impacts of a working day

Part Number: E110600



13A / 16A 240V IN-LINE RCD UNIT

This single socket 110V RCD protected fly lead enables users to connect a 16A tool or light to a 13A lead without the need to re-wire, saving both time and money. It is supplied with 1M of cable to maintain flexibility.

- Built in RCD protection with test and reset function
- Quick and easy adapter for 240V 13A equipment to attach to 16A leads
- •1m of 1.5mm cable provides plenty of room to work
- Fitted with robust Defender plug and coupler

Part Number: E11085C



13A / 16A 240V RCD UNIT

The RCD unit provides an increased level of protection when using 240V 16A tools or lights. The external MCB switch gives users safe and easy control with the 2M cable providing plenty of room to work. Made from lightweight fibreglass it is easy to transport around site.

- •Lightweight fibreglass body makes it easy to move around
- •Integrated MCB switch keeps users safe at work
- •No need to wire up, just plug in and go
- •2M cable provides plenty of room to work

Part Number: E11090



13A 240V RCD UNIT

The RCD unit provides an increased level of protection when using 240V 13A tools or lights. The external MCB switch gives users safe and easy control with the 2M cable providing plenty of room to work. Made from lightweight fibreglass, it is easy to transport around site.

- •Lightweight fibreglass body makes it easy to move around
- •Integrated MCB switch keeps users safe at work
- •No need to wire up, just plug in and go
- •2M cable provides plenty of room to work







Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

DEFENDER PRODUCTS



BATTERY BANK 10 DOOR CHARGING LOCKER



The Battery Bank is a secure charging locker that allows you to charge your batteries, mobile devices and other electrical equipment, confident in the knowledge that it is safe from thieves.

The Battery Bank ensures good practice for risk assessment by removing unsightly and dangerous chargers and trip hazards, securing them within a safe environment. Site ready the Battery Bank is electrically safe and certified, fully earthed and protected by RCDs and an MCB with site specified H07 rubber cable. Despite this it remains fully portable, robust and easy to use.

- •10 secure lockers each individually protected with twin 13A RCD sockets. If a faulty charger trips the RCD in another locker your items will continue to charge
- Coin return locking compatible with the new £1 coin, numbered and supplied with 2 keys per lock
- Master MCB unit to protect all the lockers from site power surges
- •Site specified 3M lead HO7 rubber cable with a 16A 240V plug
- Made in the UK with solid steel construction and fully powder coated to provide excellent anti-corrosive properties

Part Number: E92000



3 WAY 16A CABLE SPLITTER

This lightweight, portable power splitter is ideal to keep in the van or store in the workshop. Featuring a 16A connector used to connect 3 cables to one outlet, it also boasts an IP44 rating keeping users safe in and around dusty environments. It's the perfect add on to your main range of site equipment.

- Lightweight and portable for easy transport and storage
- Spring hinged cover on each socket for maximum socket protection
- Tough durable plastic, suitable for use in tough conditions
- Allows two different 16A tools to be connected at one time
- Lightweight and easy storage only 430g

Available in 110V & 240V

• Being able to connect two cables saves the user time

Part Number: 3-WAY-SPLITTER





The easiest and most portable 240V 13A adaptor in the Defender range. This moulded 16A 240V plug with integral 13A single socket is the perfect addition to any power kit. The 13A socket has a spring hinge cover on the socket for maximum protection.

- •Spring hinged cover on 13A socket for maximum socket protection
- Tough durable plastic suitable for use in tough conditions
- Easy to see on site bright blue indicating 240V
- · Lightweight and easy storage only 140g
- •Simple to use with no hassle when time is tight





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

BS8020:2011 INSULATED & STEEL SHOVELS









Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

BS8020:2011 INSULATED CROWBARS



STEEL CROWBARS



PICK HANDLES & HEADS





BOX SPANNERS

Box Spanner 200mm Length



Flat Head (mm)	Spanner (mm)
T27 TORX	13/19
PART CODE	SP1

Box Spanner 200mm Length



Flat Head (mm)	Spanner (mm)
T27 TORX	17/19
PART CODE	SP2

Box Spanner 130mm Length



 iat nead (mini)	Spanner (mm)
T27 TORX	13/19
PART CODE	SP3

Box Spanner with Oil Plug Remover, 120mm
Length

Flat Head (mm) Spanner (mm)



	- - - - -
3/8" Square	19/21
PART CODE	SP4

Box Spanner 130mm Length



Flat Head (mm)	Spanner (mm)
6 x 1	19/13
2427.0025	2000
PART CODE	RSCS

Box Spanner 140mm Length



Flat Head (mm)	Spanner (mm)
7 x 0.5	19/13
PART CODE	RSBSPL

Box Spanner 115mm Length



Flat Head (mm)	Spanner (mm)
7 x 1	19/13
PART CODE	RSBSPS

Box Spanner 160mm Length



7 x 1	17/19
PART CODE	CSBS1719

Spanner (mm)

Flat Head (mm)





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

KEYING & SLEDGE HAMMERS







Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

TRUGS

Part Code	Litre	Description	Colour
TRUG1	75 Litre	Rubber Trug	
TRUG1	75 Litre	Rubber Trug	
TRUG1	75 Litre	Rubber Trug	
TRUG1	75 Litre	Rubber Trug	
TRUG1	75 Litre	Rubber Trug	
Part Code	Litre	Description	Colour
TRUG2	45 Litre	Rubber Trug	
TRUG2	45 Litre	Rubber Trug	
TRUG2	45 Litre	Rubber Trug	
TRUG2	45 Litre	Rubber Trug	
TRUG2	45 Litre	Rubber Trug	
Part Code	Litre	Description	Colour
TRUG3	30 Litre	Rubber Trug	
TRUG3	30 Litre	Rubber Trug	
TRUG3	30 Litre	Rubber Trug	
TRUG3	30 Litre	Rubber Trug	
TRUG3	30 Litre	Rubber Trug	
Part Code	Litre	Description	Colour
TRUG4	25 Litre	Rubber Trug	
TRUG4	25 Litre	Rubber Trug	
TRUG4	25 Litre	Rubber Trug	
TRUG4	25 Litre	Rubber Trug	
TRUG4	25 Litre	Rubber Trug	
Part Code	Litre	Description	Colour
TRUG5	15 Litre	Rubber Trug	
TRUG5	15 Litre	Rubber Trug	
TRUG5	15 Litre	Rubber Trug	
TRUG5	15 Litre	Rubber Trug	
TRUG5	15 Litre	Rubber Trug	
TRUG5	15 Litre	Rubber Trug	
Part Code	Litre	Description	Colour
BALLBUCK	37 Litre	Rubber Ballast	
DALLBUCK	37 Little	Bucket	






SPECIALISED TOOLS & EQUIPMENT LTD

Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110

Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

RATCHET STRAPS







PART CODE

25MM X 4M RATCHET STRAP C/W **CLAW HOOKS 800DAN BF BREAKING** FORCE CONFORMS TO EN12195



R1704

PART CODE

CLAW HOOKS 1.5KG

25MM X 8M RATCHET STRAP C/W



3 TONNE X 6M RATCHET STRAP C/W DOUBLE J HOOKS EITHER END, 35MM WIDE STRAP



PART CODE

RS3TX6M

5 TONNE X 6M RATCHET STRAP C/W DOUBLE J HOOKS EITHER END, 50MM WIDE STRAP



PART CODE

RS5X6M



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

IMPACT SOCKETS

1/4" Sq. Dr. Impact Socket - 6 Point Hexagon

Metric - MM	Standard	Metric - MM	Long	Imperial - AF	Standard	Imperial - AF	Long
Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size
A4S	4	A4L	4	A316AFS	3/16.	A316AFL	3/16.
A45S	4.5	A45L	4.5	A732AFS	7/32.	A732AFL	7/32.
A5S	5	A5L	5	A14AFS	1/4.	A14AFL	1/4.
A55S	5.5	A55L	5.5	A932AFS	9/32.	A932AFL	9/32.
A6S	6	A6L	6	A516AFS	5/16.	A516AFL	5/16.
A7S	7	A7L	7	A38AFS	3/8.	A38AFL	3/8.
A8S	8	A8L	8	A716AFS	7/16.	A716AFL	7/16.
A9S	9	A9L	9	A12AFS	1/2.	A12AFL	1/2.
A10S	10	A10L	10	A916AFS	9/16.	A916AFL	9/16.
A11S	11	A11L	11				
A12S	12	A12L	12				
A13S	13	A13L	13				
A14S	14	A14L	14				
A15S	15	A15L	15				

3/8" Sq Dr Impact Socket - 6 Point Hexagon

Metric - MM	Standard	Metric - MM	Long	Imperial - AF	Standard	Imperial - AF	Long
Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size (mm)
B6S	6	B7L	7	B14AFS	1/4.	B14AFL	1/4.
B7S	7	B8L	8	B516AFS	5/16.	B516AFL	5/16.
B8S	8	B9L	9	B38AFS	3/8.	B38AFL	3/8.
B9S	9	B10L	10	B716AFS	7/16.	B716AFL	7/16.
B10S	10	B11L	11	B12AFS	1/2.	B12AFL	1/2.
B11S	11	B12L	12	B916AFS	9/16.	B916AFL	9/16.
B12S	12	B13L	13	B58AFS	5/8.	B58AFL	5/8.
B13S	13	B14L	14	C1116AFS	11/16.	B11A16AFL	11/16.
B14S	14	B15L	15	B19S	3/4.	B19L	3/4.
B15S	15	B16L	16	B13A16S	13/16.	B13A16AFL	13/16.
B16S	16	B17L	17	B78AFS	7/8.	B78AFL	7/8.
B17S	17	B18L	18	B24S	15/16.	B24L	15/16.
B18S	18	B19L	19	B1AFS	1	B1AFL	1
B19S	19	B20L	20				
B20S	20	B21L	21				
B21S	21	B22L	22				
B22S	22	B24L	24				

1/2" Sq Dr Impact Socket - 6 Point Hexagon

Metric - MM Standard	Metric - MM Long
----------------------	------------------

Part Code	Size						
C6S	6	C25S	25	C8L	8	C26L	26
C8S	8	C26S	26	C9L	9	C27L	27
C9S	9	C27S	27	C10L	10	C28L	28
C10S	10	C28S	28	C11L	11	C29L	29
C11S	11	C29S	29	C12L	12	C30L	30
C12S	12	C30S	30	C13L	13	C31L	31
C13S	13	C31S	31	C14L	14	C32L	32
C14S	14	C32S	32	C15L	15	C33L	33
C15S	15	C33S	33	C16L	16	C34L	34
C16S	16	C34S	34	C17L	17	C35L	35
C17S	17	C35S	35	C18L	18	C36L	36
C18S	18	C36S	36	C19L	19	C37L	37
C19S	19	C37S	37	C20L	20	C38L	38
C20S	20	C38S	38	C21L	21	C41L	41
C21S	21	C41S	41	C22L	22	C46L	46
C22S	22	C46S	46	C23L	23		
C23S	23			C24L	24		
C24S	24			C25L	25		

Unit 15 Riverside Court Don Road, Sheffield, S9 2T)

Tel: 0114 383 0110

Emill; sales@specialisedtools.co.uk





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

IMPACT SOCKETS

1/2" Sq Dr Impact Socket - 6 Point Hexagon

Imperial - AF Standard

Imperial	- AF	Long
----------	------	------

•					O		
Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size
C38AFS	3/8.	C1916AFL	1.9/16	C38AFL	3/8.	C38L	1.1/2
C716AFS	7/16.	C41L	1.5/8	C716AFL	7/16.	C1916AFL	1.9/16
C916AFS	9/16.	C43L	1.11/16	C12AFL	1/2.	C41L	1.5/8
C58AFS	5/8.	C134AFL	1.3/4	C916AFL	9/16.	C43L	1.11/16
C11A16AFS	11/16.	C46L	1.13/16	C58AFL	5/8.	C134AFL	1.3/4
C19S	3/4.	C178AFL	1.7/8	C11A16AFL	11/16.	C46L	1.13/16
C13A16AFS	13/16.			C19L	3/4.	C178AFL	1.7/8
C78AFS	7/8.			C13A16AFL	13/16.	C51L	2
C24S	15/16			C78AFL	7/8.		
C1AFS	1			C24L	15/16.		
C27S	1.1/16			C1AFL	1		
C118AFS	1.1/8			C27L	1.1/16		
C30S	1.3/16			C118AFL	1.1/8		
C32S	1.1/4			C30L	1.3/16		
C1516AFS	1.5/16			C32L	1.1/4		
C35S	1.3/8			C1516AFL	1.5/16		
C1716AFL	1.7/16			C35L	1.3/8		
C38L	1.1/2			C1716AFL	1.7/16		

3/4" Sq Dr Impact Socket - 6 Point Hexagon

Metric - MM Standard

Metric - MM Long

Part Code	Size						
E13S	13	E44S	44	E13L	13	E44L	44
E14S	14	E45S	45	E14L	14	E45L	45
E15S	15	E46S	46	E15L	15	E46L	46
E16S	16	E47S	47	E16L	16	E47L	47
E17S	17	E48S	48	E17L	17	E48L	48
E18S	18	E49S	49	E18L	18	E49L	49
E19S	19	E50S	50	E19L	19	E50L	50
E20S	20	E52S	52	E20L	20	E51L	51
E21S	21	E54S	54	E21L	21	E52L	52
E22S	22	E55S	55	E22L	22	E54L	54
E23S	23	E56S	56	E23L	23	E55L	55
E24S	24	E60S	60	E24L	24	E56L	56
E25S	25	E65S	65	E25L	25	E60L	60
E26S	26	E70S	70	E26L	26	E65L	65
E27S	27	E75S	75	E27L	27	E70L	70
E28S	28	E80S	80	E28L	28	E75L	75
E29S	29	E85S	85	E29L	29	E80L	80
E30S	30	E90S	90	E30L	30	E85L	85
E31S	31	E95S	95	E31L	31	E90L	90
E32S	32	E100S	100	E32L	32	E95L	95
E33S	33	E105S	105	E33L	33	E100L	100
E34S	34	E110S	110	E34L	34	E105L	105
E35S	35	E115S	115	E35L	35	E110L	110
E36S	36	E120S	120	E36L	36	E115L	115
E37S	37			E37L	37	E120L	120
E38S	38			E38L	38		
E40S	40			E40L	40		
E41S	41			E41L	41		
E42S	42			E42L	42		
E43S	43			E43L	43		





Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

IMPACT SOCKETS

3/4" Sq Dr Impact Socket - 6 Point Hexagon

Imperial - AF Standard	Imperial - AF Long
iniperial 711 Standard	imperial 7th Long

Part Code	Size						
E12AFS	1/2.	E54S	2.1/8	E12AFL	1/2.	E54L	2.1/8
E916AFS	9/16.	E2316AFS	2.3/16	E916AFL	9/16.	E2316AFL	2.3/16
E58AFS	5/8.	E214AFS	2.1/4	E58AFL	5/8.	E214AFL	2.1/4
E1116AFS	11/16.	E2516AFS	2.5/16	E1116AFL	11/16.	E2516AFL	2.5/16
E19S	3/4.	E60S	2.3/8	E19L	3/4.	E60L	2.3/8
E1316AFS	13/16.	E2716AFS	2.7/16	E1316AFL	13/16.	E2716AFL	2.7/16
E78AFS	7/8.	E212AFS	2.1/2	E78AFL	7/8.	E212AFL	2.1/2
E24S	15/16.	E2916AFS	2.9/16	E24L	15/16.	E2916AFL	2.9/16
E1AFS	1	E258AFS	2.5/8	E1AFL	1	E258AFL	2.5/8
E27S	1.1/16	E21116AFS	2.11/16	E27L	1.1/16	E21116AFL	2.11/16
E118AFS	1.1/8	E234AFS	2.3/4	E118AFL	1.1/8	E234AFL	2.3/4
E30S	1.3/16	E21316AFS	2.13/16	E30L	1.3/16	E21316AFL	2.13/16
E32S	1.1/4	E278AFS	2.7/8	E32L	1.1/4	E278AFL	2.7/8
E1516AFS	1.5/16	E21516AFS	2.15/16	E1516AFL	1.5/16	E21516AFL	2.15/16
E35S	1.3/8	E3AFS	3	E35L	1.3/8	E3AFL	3
E1716AFS	1.7/16	E3116AFS	3.1/16	E1716AFL	1.7/16	E3116AFL	3.1/16
E38S	1.1/2	E318AFS	3.1/8	E38L	1.1/2	E318AFL	3.1/8
E1916AFS	1.9/16	E3316AFS	3.3/16	E1916AFL	1.9/16	E3316AFL	3.3/16
E41S	1.5/8	E314AFS	3.1/4	E41L	1.5/8	E314AFL	3.1/4
E43S	1.11/16	E3516AFS	3.5/16	E43L	1.11/16	E3516AFL	3.5/16
E134AFS	1.3/4	E338AFS	3.3/8	E134AFL	1.3/4	E338AFL	3.3/8
E46S	1.13/16	E3716AFS	3.7/16	E46L	1.13/16	E3716AFL	3.7/16
E178AFS	1.7/8	E312AFS	3.1/2	E178AFL	1.7/8	E312AFL	3.1/2
E11516AFS	1.15/16	E334AFS	3.3/4	E11516AFL	1.15/16	E334AFL	3.3/4
E51S	2	E31516AFS	3.15/16	E51L	2	E31516AFL	3.15/16
E2116AFS	2.1/16			E2116AFL	2.1/16		

1" Sq Dr Impact Socket - 6 Point Hexagon

Metric - MM Standard

Imperial - AF Long

Part Code	Size						
F16S	16	F45S	45	F16L	16	F45L	45
F17S	17	F46S	46	F17L	17	F46L	46
F18S	18	F47S	47	F18L	18	F47L	47
F19S	19	F48S	48	F19L	19	F48L	48
F20S	20	F49S	49	F20L	20	F49L	49
F21S	21	F50S	50	F21L	21	F50L	50
F22S	22	F52S	52	F22L	22	F52L	52
F23S	23	F54S	54	F23L	23	F54L	54
F24S	24	F55S	55	F24L	24	F55L	55
F25S	25	F56S	56	F25L	25	F56L	56
F26S	26	F60S	60	F26L	26	F60L	60
F27S	27	F65S	65	F27L	27	F65L	65
F28S	28	F70S	70	F28L	28	F70L	70
F29S	29	F75S	75	F29L	29	F75L	75
F30S	30	F80S	80	F30L	30	F80L	80
F31S	31	F85S	85	F31L	31	F85L	85
F32S	32	F90S	90	F32L	32	F90L	90
F33S	33	F95S	95	F33L	33	F95L	95
F34S	34	F100S	100	F34L	34	F100L	100
F35S	35	F105S	105	F35L	35	F105L	105
F36S	36	F110S	110	F36L	36	F110L	110
F37S	37	F115S	115	F37L	37	F115L	115
F38S	38	F120S	120	F38L	38	F120L	120
F40S	40	F125S	125	F40L	40	F125L	125
F41S	41	F130S	130	F41L	41	F130L	130
F42S	42	F135S	135	F42L	42	F135L	135
F43S	43	F140S	140	F43L	43	F140L	140
F44S	44			F44L	44		

Unit 15 Riverside Court Don Road, Sheffield, S9 2T) Tel: 0114 383 0110

Emili sales@specialisedtools.co.uk Wbb: www.steltools.co.uk



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

IMPACT SOCKETS

1" Sq Dr Impact Socket - 6 Point Hexagon - Imperial - AF Standard & Long

Part Code	Size						
F58AFS	5/8.	F278AFS	2.7/8	F58AFL	5/8.	F278AFL	2.7/8
F1116AFS	11/16.	F21516AFS	2.15/16	F1116AFL	11/16.	F21516AFL	2.15/16
F19S	3/4.	F3AFS	3	F19L	3/4.	F3AFL	3
F1316AFS	13/16.	F3116AFS	3.1/16	F1316AFL	13/16.	F3116AFL	3.1/16
F78AFS	7/8.	F318AFS	3.1/8	F78AFL	7/8.	F318AFL	3.1/8
F24S	15/16.	F3316AFS	3.3/16	F24L	15/16.	F3316AFL	3.3/16
F1AFS	1	F314AFS	3.1/4	F1AFL	1	F314AFL	3.1/4
F27S	1.1/16	F3516AFS	3.5/16	F27L	1.1/16	F3516AFL	3.5/16
F118AFS	1.1/8	F338AFS	3.3/8	F118AFL	1.1/8	F338AFL	3.3/8
F30S	1.3/16	F3716AFS	3.7/16	F30L	1.3/16	F3716AFL	3.7/16
F32S	1.1/4	F312AFS	3.1/2	F32L	1.1/4	F312AFL	3.1/2
F1516AFS	1.5/16	F3916AFS	3.9/16	F1516AFL	1.5/16	F3916AFL	3.9/16
F35S	1.3/8	F358AFS	3.5/8	F35L	1.3/8	F358AFL	3.5/8
F1716AFS	1.7/16	F31116AFS	3.11/16	F1716AFL	1.7/16	F31116AFL	3.11/16
F38S	1.1/2	F95S	3.3/4	F38L	1.1/2	F95L	3.3/4
F1916AFS	1.9/16	F31316AFS	3.13/16	F1916AFL	1.9/16	F31316AFL	3.13/16
F41S	1.5/8	F378AFS	3.7/8	F41L	1.5/8	F378AFL	3.7/8
F43S	1.11/16	F31516AFS	3.15/16	F43L	1.11/16	F31516AFL	3.15/16
F134AFS	1.3/4	F4AFS	4	F134AFL	1.3/4	F4AFL	4
F46S	1.13/16	F4116AFS	4.1/16	F46L	1.13/16	F4116AFL	4.1/16
F178AFS	1.7/8	F105S	4.1/8	F178AFL	1.7/8	F105L	4.1/8
F11516AFS	1.15/16	F4316AFS	4.3/16	F11516AFL	1.15/16	F4316AFL	4.3/16
F51	2	F414AFS	4.1/4	F51	2	F414AFL	4.1/4
F2116AFS	2.1/16	F4516AFS	4.5/16	F2116AFL	2.1/16	F4516AFL	4.5/16
F54S	2.1/8	F438AFS	4.3/8	F54L	2.1/8	F438AFL	4.3/8
F2316AFS	2.3/16	F4716AFS	4.7/16	F2316AFL	2.3/16	F4716AFL	4.7/16
F214AFS	2.1/4	F412AFS	4.1/2	F214AFL	2.1/4	F412AFL	4.1/2
F2516AFS	2.5/16	F458AFS	4.5/8	F2516AFL	2.5/16	F458AFL	4.5/8
F60S	2.3/8	F434AFS	4.3/4	F60L	2.3/8	F434AFL	4.3/4
F2716AFS	2.7/16	F478AFS	4.7/8	F2716AFL	2.7/16	F478AFL	4.7/8
F212AFS	2.1/2	F5AFS	5	F212AFL	2.1/2	F5AFL	5
F65S	2.9/16	F518AFS	5.1/8	F65L	2.9/16	F518AFL	5.1/8
F258AFS	2.5/8	F514AFS	5.1/4	F258AFL	2.5/8	F514AFL	5.1/4
F21116AFS	2.11/16	F538AFS	5.3/8	F21116AFL	2.11/16	F538AFL	5.3/8
F70S	2.3/4	F512AFS	5.1/2	F70L	2.3/4	F512AFL	5.1/2
F21316AFS	2.13/16			F21316AFL	2.13/16		

1/2" Sq Dr Impact Socket -12 Point Hexagon

Metric - MM Standard

Metric - MM Long

Part Code	Size						
BHC8S	8	BHC27S	27	BHC8L	8	BHC27L	27
BHC9S	9	BHC28S	28	BHC9L	9	BHC28L	28
BHC10S	10	BHC29S	29	BHC10L	10	BHC29L	29
BHC11S	11	BHC30S	30	BHC11L	11	BHC30L	30
BHC12S	12	BHC32S	32	BHC12L	12	BHC32L	32
BHC13S	13	BHC33S	33	BHC13L	13	BHC33L	33
BHC14S	14	BHC34S	34	BHC14L	14	BHC34L	34
BHC15S	15	BHC35S	35	BHC15L	15	BHC35L	35
BHC16S	16	BHC36S	36	BHC16L	16	BHC36L	36
BHC17S	17	BHC37S	37	BHC17L	17	BHC38L	38
BHC18S	18	BHC38S	38	BHC18L	18	BHC41L	41
BHC19S	19	BHC41S	41	BHC19L	19	BHC46L	46
BHC20S	20	BHC43S	43	BHC20L	20	BHC50L	50
BHC21S	21	BHC46S	46	BHC21L	21	BHC51L	51
BHC22S	22	BHC50S	50	BHC22L	22	BHC55L	55
BHC23S	23	BHC51S	51	BHC23L	23	BHC60L	60
BHC24S	24	BHC55S	55	BHC24L	24		
BHC25S	25	BHC60S	60	BHC25L	25		
BHC26S	26			BHC26L	26		



Tel: 0114 383 0110

Unit 15 Riverside Court



IMPACT SOCKETS

Size

1.1/2

1.9/16

1.5/8

1.11/16

1.3/4 1.13/16

1.7/8

2

1/2" Sq Dr Impact Socket -12 Point Hexagon

Part Code

BHC38S

BHC1916AFS

BHC41S

BHC43S

BHC134AFS

BHC46S BHC178AFS

BHC51S

Imperial - AF Standard

Part Code	Size
BHC516AFS	5/16.
BHC38AFS	3/8.
BHC716AFS	7/16.
BHC12AFS	1/2.
BHC916AFS	9/16.
BHC58AFS	5/8.
BHC11A16AFS	11/16.
BHC19S	3/4.
BHC13A16AFS	13/16.
BHC78AFS	7/8.
BHC24S	3/4.
BHC1AFS	1
BHC27S	1.1/16
BHC118AFS	1.1/8
BHC30S	1.3/16
BHC32S	1.1/4
BHC1516AFS	1.5/16
BHC35S	1.3/8
BHC1716AFS	1.7/16

Imperial - AF Long

imperial - Ai	LUTIE		
Part Code	Size	Part Code	Size
BHBHC516AFL	5/16.	BHC38L	1.1/2
BHC38AFL	3/8.	BHC1916AFL	1.9/16
BHC716AFL	7/16.	BHC41L	1.5/8
BHC12AFL	1/2.	BHC43L	1.11/16
BHC916AFL	9/16.	BHC134AFL	1.3/4
BHC58AFL	5/8.	BHC46L	1.13/16
BHC11A16AFL	11/16.	BHC178AFL	1.7/8
BHC19L	3/4.	BHC51L	2
BHC13A16AFL	13/16.		
BHC78AFL	7/8.		
BHC24L	15/16.		
BHC1AFL	1		
BHC27L	1.1/16		
BHC118AFL	1.1/8		
BHC30L	1.3/16		
BHC32L	1.1/4		
BHC1516AFL	1.5/16		
BHC35L	1.3/8		
BHC1716AFL	1.7/16		

3/4" Sq Dr Impact Socket -12 Point Hexagon

Metric - MM Standard

Metric - MM Long

Part Code	Size						
BHE13S	13	BHE38S	38	BHE13L	13	BHE38L	38
BHE14S	14	BHE40S	40	BHE14L	14	BHE40L	40
BHE15S	15	BHE41S	41	BHE15L	15	BHE41L	41
BHE16S	16	BHE42S	42	BHE16L	16	BHE42L	42
BHE17S	17	BHE43S	43	BHE17L	17	BHE43L	43
BHE18S	18	BHE44S	44	BHE18L	18	BHE44L	44
BHE19S	19	BHE45S	45	BHE19L	19	BHE45L	45
BHE20S	20	BHE46S	46	BHE20L	20	BHE46L	46
BHE21S	21	BHE47S	47	BHE21L	21	BHE47L	47
BHE22S	22	BHE48S	48	BHE22L	22	BHE48L	48
BHE23S	23	BHE49S	49	BHE23L	23	BHE49L	49
BHE24S	24	BHE50S	50	BHE24L	24	BHE50L	50
BHE25S	25	BHE52S	52	BHE25L	25	BHE52L	52
BHE26S	26	BHE54S	54	BHE26L	26	BHE54L	54
BHE27S	27	BHE55S	55	BHE27L	27	BHE55L	55
BHE28S	28	BHE56S	56	BHE28L	28	BHE56L	56
BHE29S	29	BHE60S	60	BHE29L	29	BHE60L	60
BHE30S	30	BHE65S	65	BHE30L	30	BHE65L	65
BHE31S	31	BHE70S	70	BHE31L	31	BHE70L	70
BHE32S	32	BHE75S	75	BHE32L	32	BHE75L	75
BHE33S	33	BHE80S	80	BHE33L	33	BHE80L	80
BHE34S	34	BHE85S	85	BHE34L	34	BHE85L	85
BHE35S	35	BHE90S	90	BHE35L	35	BHE90L	90
BHE36S	36			BHE36L	36		

6





Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

IMPACT SOCKETS

3/4" Sq Dr Impact Socket - 12 Point Bi Hexagon

Imperial - AF Standard

Imperial - AF Long

•				•	-		
Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size
BHE1716AFS	1.7/16	BHE258AFS	2.5/8	BHE1716AFL	1.7/16	BHE258AFL	2.5/8
BHE38S	1.1/2	BHE21116AFS	2.11/16	BHE38L	1.1/2	BHE21116AFL	2.11/16
BHE1916AFS	1.9/16	BHE234AFS	2.3/4	BHE1916AFL	1.9/16	BHE234AFL	2.3/4
BHE41S	1.5/8	BHE21316AFS	2.13/16	BHE41L	1.5/8	BHE21316AFL	2.13/16
BHE43S	1.11/16	BHE278AFS	2.7/8	BHE43L	1.11/16	BHE278AFL	2.7/8
BHE134AFS	1.3/4	BHE21516AFS	2.15/16	BHE134AFL	1.3/4	BHE21516AFL	2.15/16
BHE46S	1.13/16	BHE3AFS	3	BHE46L	1.13/16	BHE3AFL	3
BHE178AFS	1.7/8	BHE3116AFS	3.1/16	BHE178AFL	1.7/8	BHE3116AFL	3.1/16
BHE51S	2	BHE318AFS	3.1/8	BHE51L	2	BHE318AFL	3.1/8
BHE2116AFS	2.1/16	BHE3316AFS	3.3/16	BHE2116AFL	2.1/16	BHE3316AFL	3.3/16
BHE54S	2.1/8	BHE314AFS	3.1/4	BHE54L	2.1/8	BHE314AFL	3.1/4
BHE2316AFS	2.3/16	BHE3516AFS	3.5/16	BHE2316AFL	2.3/16	BHE3516AFL	3.5/16
BHE214AFS	2.1/4	BHE338AFS	3.3/8	BHE214AFL	2.1/4	BHE338AFL	3.3/8
BHE2516AFS	2.5/16	BHE3716AFS	3.7/16	BHE2516AFL	2.5/16	BHE3716AFL	3.7/16
BHE60S	2.3/8	BHE312AFS	3.1/2	BHE60L	2.3/8	BHE312AFL	3.1/2
BHE2716AFS	2.7/16	BHE334AFS	3.3/4	BHE2716AFL	2.7/16	BHE334AFL	3.3/4
BHE212AFS	2.1/2	BHE31516AFS	3.15/16	BHE212AFL	2.1/2	BHE31516AFL	3.15/16
BHE2916AFS	2.9/16			BHE2916AFL	2.9/16		

1" Sq Dr Impact Socket -12 Point Hexagon

Metric - MM Standard

Metric - MM Long

Part Code	Size						
BHF16S	16	BHF44S	44	BHF16L	16	BHF45L	45
BHF17S	17	BHF45S	45	BHF17L	17	BHF46L	46
BHF18S	18	BHF46S	46	BHF18L	18	BHF47L	47
BHF19S	19	BHF47S	47	BHF19L	19	BHF48L	48
BHF20S	20	BHF48S	48	BHF20L	20	BHF49L	49
BHF21S	21	BHF50S	50	BHF21L	21	BHF50L	50
BHF22S	22	BHF52S	52	BHF22L	22	BHF52L	52
BHF23S	23	BHF54S	54	BHF23L	23	BHF54L	54
BHF24S	24	BHF55S	55	BHF24L	24	BHF55L	55
BHF25S	25	BHF56S	56	BHF25L	25	BHF56L	56
BHF26S	26	BHF60S	60	BHF26L	26	BHF60L	60
BHF27S	27	BHF65S	65	BHF27L	27	BHF65L	65
BHF28S	28	BHF70S	70	BHF28L	28	BHF70L	70
BHF29S	29	BHF75S	75	BHF29L	29	BHF75L	75
BHF30S	30	BHF80S	80	BHF30L	30	BHF80L	80
BHF31S	31	BHF85S	85	BHF31L	31	BHF85L	85
BHF32S	32	BHF90S	90	BHF32L	32	BHF90L	90
BHF33S	33	BHF95S	95	BHF33L	33	BHF95L	95
BHF34S	34	BHF100S	100	BHF34L	34	BHF100L	100
BHF35S	35	BHF105S	105	BHF35L	35	BHF105L	105
BHF36S	36	BHF110S	110	BHF36L	36	BHF110L	110
BHF37S	37	BHF115S	115	BHF37L	37	BHF115L	115
BHF38S	38	BHF120S	120	BHF38L	38	BHF120L	120
BHF40S	40	BHF125S	125	BHF40L	40	BHF125L	125
BHF41S	41	BHF130S	130	BHF41L	41	BHF130L	130
BHF42S	42	BHF135S	135	BHF42L	42	BHF135L	135
BHF43S	43	BHF140S	140	BHF43L	43	BHF140L	140
				BHF44L	44		





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

IMPACT SOCKETS

1" Sq Dr Impact Socket - 12 Point Bi Hexagon - Imperial AF

Metric - MM Standard

Metric - MM Long

Wette Will Long							
Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size
BHF58AFS	5/8.	BHF2716AFS	2.7/16	BHF58AFL	5/8.	BHF212AFL	2.1/2
BHF1116AFS	11/16.	BHF212AFS	2.1/2	BHF1116AFL	11/16.	BHF65L	2.9/16
BHF19S	3/4.	BHF65S	2.9/16	BHF19L	3/4.	BHF258AFL	2.5/8
BHF1316AFS	13/16.	BHF258AFS	2.5/8	BHF1316AFL	13/16.	BHF21116AFL	2.11/16
BHF78AFS	7/8.	BHF21116AFS	2.11/16	BHF78AFL	7/8.	BHF70L	2.3/4
BHF24S	15/16.	BHF70S	2.3/4	BHF24L	15/16.	BHF21316AFL	2.13/16
BHF1AFS	1	BHF21316AFS	2.13/16	BHF1AFL	1	BHF278AFL	2.7/8
BHF27S	1.1/16	BHF278AFS	2.7/8	BHF27L	1.1/16	BHF21516AFL	2.15/16
BHF118AFS	1.1/8	BHF21516AFS	2.15/16	BHF118AFL	1.1/8	BHF3AFL	3
BHF30S	1.3/16	BHF3AFS	3	BHF30L	1.3/16	BHF3116AFL	3.1/16
BHF32S	1.1/4	BHF3116AFS	3.1/16	BHF32L	1.1/4	BHF318AFL	3.1/8
BHF1516AFS	1.5/16	BHF318AFS	3.1/8	BHF1516AFL	1.5/16	BHF3316AFL	3.3/16
BHF35S	1.3/8	BHF3316AFS	3.3/16	BHF35L	1.3/8	BHF314AFL	3.1/4
BHF1716AFS	1.7/16	BHF314AFS	3.1/4	BHF1716AFL	1.7/16	BHF3516AFL	3.5/16
BHF38S	1.1/2	BHF3516AFS	3.5/16	BHF38L	1.1/2	BHF338AFL	3.3/8
BHF1916AFS	1.9/16	BHF338AFS	3.3/8	BHF1916AFL	1.9/16	BHF3716AFL	3.7/16
BHF41S	1.5/8	BHF3716AFS	3.7/16	BHF41L	1.5/8	BHF312AFL	3.1/2
BHF43S	1.11/16	BHF312AFS	3.1/2	BHF43L	1.11/16	BHF3916AFL	3.9/16
BHF134AFS	1.3/4	BHF3916AFS	3.9/16	BHF134AFL	1.3/4	BHF358AFL	3.5/8
BHF46S	1.13/16	BHF358AFS	3.5/8	BHF46L	1.13/16	BHF31116AFL	3.11/16
BHF178AFS	1.7/8	BHF31116AFS	3.11/16	BHF178AFL	1.7/8	BHF95L	3.3/4
BHF11516AFS	1.15/16	BHF95S	3.3/4	BHF11516AFL	1.15/16	BHF31316AFL	3.13/16
BHF51	2	BHF31316AFS	3.13/16	BHF51	2	BHF378AFL	3.7/8
BHF2116AFS	2.1/16	BHF378AFS	3.7/8	BHF2116AFL	2.1/16	BHF31516AFL	3.15/16
BHF54S	2.1/8	BHF31516AFS	3.15/16	BHF54L	2.1/8	BHF4AFL	4
BHF2316AFS	2.3/16	BHF4AFS	4	BHF2316AFL	2.3/16	BHF4116AFL	4.1/16
BHF214AFS	2.1/4	BHF4116AFS	4.1/16	BHF214AFL	2.1/4	BHF105L	4.1/8
BHF2516AFS	2.5/16	BHF105S	4.1/8	BHF2516AFL	2.5/16	BHF4316AFL	4.3/16
BHF60S	2.3/8	BHF4316AFS	4.3/16	BHF60L	2.3/8	BHF414AFL	4.1/4
		BHF414AFS	4.1/4	BHF2716AFL	2.7/16		

1/2" Sq Dr Impact Socket - 8 Point Bi Square

3/4" Sq Dr Impact Socket - 8 Point Bi Square

Part Code	Size	Part Code	Size	Part Code	Size	Part Code	Size
BSC11S	11	BSC18AFS	1/8.	BSE38AFS	3/8.	BSE27	27
BSC14S	14	BSC316AFS	3/16.	BSE716AFS	7/16.	BSE30	30
BSC17S	17	BSC14AFS	1/4.	BSE12AFS	1/2.	BSE41S	41
BSC19S	19	BSC516AFS	5/16.	BSE916AFS	9/16.	BSE50S	50
BSC21S	21	BSC38AFS	3/8.	BSE58AFS	5/8.	BSE55S	55
BSC24S	24	BSC716AFS	7/16.	BSE1116AFS	11/16.	BSE60S	60
BSC27S	27	BSC12AFS	1/2.	BSE34AFS	3/4.	BSE65S	65
BSC32S	32	BSC916AFS	9/16.	BSE1316AFS	13/16.	BSE70S	70
BSC36S	36	BSC58AFS	5/8.	BSE78AFS	7/8.		
BSC41S	41	BSC1116AFS	11/16.	BSE1516AFS	15/16.		
BSC55S	55	BSC33S	3/4.	BSE1AFS	1		
BSC85S	85	BSC1316AFS	13/16.	BSE116AFS	1.1/16		
		BSC78AFS	7/8.	BSE118AFS	1.1/8		
		BSC1516AFS	15/16.	BSE114AFS	1.1/4		
		BSC1AFS	1	BSE138AFS	1.3/8		
				BSE112AFS	1.1/2		
				BSE158AFS	1.5/8		
				BSE134AFS	1.3/4		
				BSE178AFS	1.7/8		
				BSE2AFS	2		





Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

IMPACT SOCKETS

1" Sq Dr Impact Socket - 8 Point Bi Square

Part Code	Size	Part Code	Size	Part Code	Size
BSF27	27	BSF12AFS	1/2.	BSF218AFS	2.1/8
BSF36	36	BSF916AFS	9/16.	BSF214AFS	2.1/4
BSF41S	41	BSF28AFS	5/8.	BSF238AFS	2.3/8
BSF50S	50	BSF1116AFS	11/16.	BSF212AFS	2.1/2
BSF55S	56	BSF33AFS	3/4.	BSF258AFS	2.5/8
BSF60S	60	BSF1316AFS	13/16.	BSF234AFS	2.3/4
BSF65S	65	BSF78AFS	7/8.	BSF278AFS	2.7/8
BSF70S	70	BSF1516AFS	15/16.	BSF3AFS	3
BSF75S	75	BSF1AFS	1		
BSF80S	80	BSF116AFS	1.1/16		
BSF85S	85	BSF118AFS	1.1/8		
BSF90S	90	BSF114AFS	1.1/4		
BSF95S	95	BSF138AFS	1.3/8		
BSF100S	100	BSF112AFS	1.1/2		
BSF105S	105	BSF158AFS	1.5/8		
BSF110S	110	BSF134AFS	1.3/4		
BSF115S	115	BSF178AFS	1.7/8		
BSF120S	120	BSF2AFS	2		

TORX SOCKETS

Male Torx 3/8" Drive

Part Code	Drive	Size	Description	Overall Length
MTBT9	3/8.	T9	Male - Internal Torx	50
MTBT10	3/8.	T10	Male - Internal Torx	50
MTBT15	3/8.	T15	Male - Internal Torx	50
MTBT20	3/8.	T20	Male - Internal Torx	50
MTBT25	3/8.	T25	Male - Internal Torx	50
MTBT27	3/8.	T27	Male - Internal Torx	50
MTBT30	3/8.	T30	Male - Internal Torx	50
MTBT40	3/8.	T40	Male - Internal Torx	50
MTBT45	3/8.	T45	Male - Internal Torx	50
MTBT47	3/8.	T47	Male - Internal Torx	50
MTBT50	3/8.	T50	Male - Internal Torx	50

Male Torx 1/2" Drive

Part Code	Drive	Size	Description	Overall Length
MTCT20	1/2.	T20	Male - Internal Torx	55
MTCT25	1/2.	T25	Male - Internal Torx	55
MTCT27	1/2.	T27	Male - Internal Torx	55
MTCT30	1/2.	T30	Male - Internal Torx	55
MTCT40	1/2.	T40	Male - Internal Torx	55
MTCT45	1/2.	T45	Male - Internal Torx	55
MTCT47	1/2.	T47	Male - Internal Torx	55
MTCT50	1/2.	T50	Male - Internal Torx	55
MTCT55	1/2.	T55	Male - Internal Torx	55
MTCT60	1/2.	T60	Male - Internal Torx	55
MTCT70	1/2.	T70	Male - Internal Torx	55
MTCT80	1/2.	T80	Male - Internal Torx	55
MTCT90	1/2.	T90	Male - Internal Torx	55
MTCT100	1/2.	T100	Male - Internal Torx	55



Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

TORX SOCKETS

Male Torx 3/4" Drive

Part Code	Drive	Size	Description	Overall Length
MTET55	3/4.	T55	Male - Internal Torx	110
MTET60	3/4.	T60	Male - Internal Torx	110
MTET70	3/4.	T70	Male - Internal Torx	110
MTET80	3/4.	T80	Male - Internal Torx	110
MTET90	3/4.	T90	Male - Internal Torx	110
MTET100	3/4.	T100	Male - Internal Torx	110

Female Torx 1/2" Drive

Part Code	Drive	Size	Description	Overall Length	Torx Dia	Length
CE10	1/2.	E10	Female - External Torx	25	15	38
CE11	1/2.	E11	Female - External Torx	25	15.5	38
CE12	1/2.	E12	Female - External Torx	25	16	38
CE14	1/2.	E14	Female - External Torx	25	18.5	38
CE16	1/2.	E16	Female - External Torx	25	20	38
CE18	1/2.	E18	Female - External Torx	25	22	38
CE20	1/2.	E20	Female - External Torx	30	25	38
CE22	1/2.	E22	Female - External Torx	30	26.5	45
CE24	1/2.	E24	Female - External Torx	30	28.5	45

Female Torx 3/4" Drive

Par	t Code	Drive	Size	Description	Overall Length	Torx Dia	Length
Е	E12S	3/4.	E12	Female - Internal	44	30	50
Е	E14S	3/4.	E14	Female - Internal	44	30	50
Е	E18S	3/4.	E18	Female - Internal	44	30	50
Е	E20S	3/4.	E20	Female - Internal	44	30	50
Е	E22S	3/4.	E22	Female - Internal	44	30	50
Е	E24S	3/4.	E24	Female - Internal	44	33	55

BIT HOLDERS & BITS

Hexagon Drive Holders

Part Code	Drive	Female Hexagon	Sq Dia	Shaft Dia	Length
HBHB716	3/8.	7/16.	22	22	38
HBHC716	1/2.	7/16.	26	26	40
НВНС78	1/2.	7/8.	40	40	55
HBHE78	3/4.	7/8.	43	43	55
HBHF78	1	7/8.	55	55	64
HBHF32	1	1.1/4	63	63	69
HBHG32	1.1/2	1.1/4	83	68	100
HBHG134	1.1/2	1.3/4	83	83	100



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

BIT HOLDERS & BITS

Metric Hex Bits

Part Code	Hex	Size (mm)	Sq Dia	Shaft Dia	Length
HB7166	7/16	6	28	14	14
HB7168	7/16	8	28	14	14
HB71610	7/16	10	28	14	14
HB71612	7/16	12	28	14	14
HB71614	7/16	14	28	14	14
HB71619	7/16	19	28	14	14
HB7810	7/8	10	45	22	23
HB7812	7/8	12	45	22	23
HB7814	7/8	14	45	22	23
HB7817	7/8	17	45	22	23
HB7819	7/8	19	45	22	23
HB7822	7/8	22	45	22	23
HB7824	7/8.	24	45	22	23
HB3227	1.1/4	27	65	30	35
HB3230	1.1/4	30	65	30	35
HB3232	1.1/4	32	65	30	35
HB3233	1.1/4	33	65	30	35
HB3236	1.3/4	36	75	35	40
HB3238	1.3/4	38	75	35	40
HB13441	1.3/4	41	75	35	40
HB13446	1.3/4	46	75	35	40
HB13450	1.3/4	50	75	35	40

AF Hex Bits

Part Code	Hex	Size (mm)	Sq Dia	Shaft Dia	Length
HB71614	7/16.	1/4.	28	14	14
HB716516	7/16.	5/16.	28	14	14
HB71638	7/16.	3/8.	28	14	14
HB716716	7/16.	7/16.	28	14	14
HB71612	7/16.	1/2.	28	14	14
HB716916	7/16.	9/16.	28	14	14
HB71619	7/16.	3/4.	28	14	14
HB7838	7/8.	3/8.	45	22	23
HB7812	7/8.	1/2.	45	22	23
HB78916	7/8.	9/16.	45	22	23
HB7858	7/8.	5/8.	45	22	23
HB7819	7/8.	3/4.	45	22	23
HB781316	7/8.	13/16.	45	22	23
HB7878	7/8.	7/8.	45	22	23
HB781	7/8.	1	45	22	23
HB321	1.1/4	1	65	30	35
HB3227	1.1/4	1.1/6	65	30	35
HB32118	1.1/4	1.1/8	65	30	35
HB3230	1.1/4	1.3/16	65	30	35
HB3232	1.1/4	1.1/4	65	30	35
HB321516	1.1/4	1.5/16	65	30	35
HB13435	1.3/4	1.3/8	75	35	40
HB13438	1.3/4	1.1/2	75	35	40
HB13441	1.3/4	1.5/8	75	35	40
HB134134	1.3/4	1.3/4	75	35	40
HB134178	1.3/4	1.7/8	75	35	40
HB1342	1.3/4	2	75	35	40
HB134178	1.3/4	1.7/8	75	35	40
HB1342	1.3/4	2	75	35	40





Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

ADAPTORS

Adaptors & Universal Joints & Sleeves

•					
			STEP	DOWN	
Part Code	Female	Male	Туре	Sq Dia	Length
ADBA	3/8.	1/4.	Ball	22	32
ADCB	1/2.	3/8.	Ball	25	38
ADDC	5/8.	1/2.	Ball	43	43
ADEC	3/4.	1/2.	Ball	44	56
ADFC	1	1/2.	Ball	54	70
ADED	3/4.	5/8.	Hole	44	53
ADFE	1	3/4.	Hole	54	75
ADGF	1.1/2	1	Hole	86	100
ADHG	2.1/2	1.1/2	Hole	127	138

			STE	P UP	
Part Code	Female	Male	Туре	Sq Dia	Length
ADAB	1/4.	3/8.	Ball	13.6	26
ADBC	3/8.	1/2.	Ball	22	36
ADCD	1/2.	5/8.	Ball	43	43
ADCE	1/2.	3/4.	Hole	30	48
ADCF	1/2.	1	Hole	33	60
ADDE	5/8.	3/4.	Hole	5	53
ADEF	3/4.	1	Hole	44	63
ADFG	1	1.1/2	Hole	54	90
ADGH	1.1/2	2.1/2	Hole	86	120

Universal Joints

Part Code		Sq Dia	Length
UJA	1/4.	18	43
UJB	3/8	24	50
UJC	1/2	32	60
UJE	3/4	44	105
UJF	1"	54	133
UJG	1.1/2	86	182
UJH	2.1/2	127	240

Sleeves Square Inserts

Part Code	Male	Female	Length	Diameter
SLAC	1/2.	1/4.	20	17
SLBC	1/2	3/8	19	17
SLCD	5/8	1/2	22	21
SLCE	3/4	1/2	29	26
SLEF	1"	3/4	33	34
SLFG	1.1/2	1"	46	50
SLGH	2.1/2	1.1/2	50	69
SLHJ	3.1/2	2.1/2	96	121





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

CONNECTORS

Connectors Male/Male Square

Part Code	Male	Male	Length
ADMBC	3/8.	1/2.	28
ADMCC	1/2.	1/2.	37
ADMEC	1/2.	3/4.	40
ADMDD	5/8.	5/8.	40
ADMEE	3/4.	3/4.	50
ADMFE	1	3/4.	55
ADMFF	1	1	90
ADMGG	1.1/2	1.1/2	90
ADMHH	2.1/2	2.1/2	100

Connectors Female/Female Square

Part Code	Female	Female	Diameter	Diameter	Length
ADFCC	1/2.	1/2.	25	25	33
ADFDC	5/8.	1/2.	35	30	41
ADFDD	5/8.	5/8.	35	35	35
ADFEC	3/4.	1/2.	44	30	49
ADFED	3/4.	5/8.	44	35	50
ADFEE	3/4.	3/4.	44	44	49
ADFFE	1	3/4.	54	44	63
ADFFF	1	1	54	54	59
ADFFG	1	1.1/2	54	85	90
ADFGG	1.1/2	1.1/2	86	86	85

Sliding T Bars

Part Code	Size (mm)
TBARB	3/8.
TBARC	1/2.
TBARE	3/4.
TBARF	1
TBARG	1.1/2
TBARH	2.1/2

Breaker Bars

Part Code	Drive	Length (mm)
BBARB450	3/8.	450
BBARB600	3/8.	600
BBARC450	1/2.	450
BBARC600	1/2.	600
BBARC900	1/2.	900
BBARE450	3/4.	450
BBARE600	3/4.	600
BBARE1000	3/4.	1000
BBARE1200	3/4.	1200
BBARE1500	3/4.	1500
BBARF600	1	600
BBARF1000	1	1000
BBARF1800	1	1800
BBARG	1.1/2	1180





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

EXTENSIONS

Part Code	Drive	Drive (mm)	Туре	Sq Dia	Length (")	Length (mm)
EX50A	1/4.	1/4.	Ball	13	2"	50
EX100A	1/4.	1/4.	Ball	13	4"	100
EX150A	1/4.	1/4.	Ball	13	6"	150
EX75B	3/8.	3/8.	Ball	19	3"	75
EX100B	3/8.	3/8.	Ball	19	4"	100
EX125B	3/8.	3/8.	Ball	19	5"	125
EX150B	3/8.	3/8.	Ball	19	6"	150
EX175B	3/8.	3/8.	Ball	19	7"	175
EX200B	3/8.	3/8.	Ball	19	8"	200
EX225B	3/8.	3/8.	Ball	19	18"	450
EX600B	3/8.	3/8.	Ball	19	24"	600
EX900B	3/8.	3/8.	Ball	19	26"	900
EX75C	1/2.	1/2.	Ball	25	3"	75
EX100C	1/2.	1/2.	Ball	25	4"	100
EX125C	1/2.	1/2.	Ball	25	5"	125
EX150C	1/2.	1/2.	Ball	25	6"	150
EX175C	1/2.	1/2.	Ball	25	7"	175
EX200C	1/2.	1/2.	Ball	25	8"	200
EX225C	1/2.	1/2.	Ball	25	9"	225
EX250C	1/2.	1/2.	Ball	25	10"	250
EX300C	1/2.	1/2.	Ball	25	12"	300
EX450C	1/2.	1/2.	Ball	25	18"	450
EX600C	1/2.	1/2.	Ball	25	24"	600
EX900C	1/2.	1/2.	Ball	25	36"	900
EX75E	3/4.	3/4.	Hole	44	3"	75
EX100E	3/4.	3/4.	Hole	44	4"	100
EX125E	3/4.	3/4.	Hole	44	5"	125
EX150E	3/4.	3/4.	Hole	44	6"	150
EX175E	3/4.	3/4.	Hole	44	7"	175
EX200E	3/4.	3/4.	Hole	44	8"	200
EX250E	3/4.	3/4.	Hole	44	10"	250
EX300E	3/4.	3/4.	Hole	44	12"	300
EX450E	3/4.	3/4.	Hole	44	18"	450
EX600E	3/4.	3/4.	Hole	44	24"	600
EX900E	3/4.	3/4.	Hole	44	36"	900
EX75F	1	1	Hole	54	3"	75
EX100F	1	1	Hole	54	4"	100
EX125F	1	1	Hole	54	5"	125
EX150F	1	1	Hole	54	6"	150
EX175F	1	1	Hole	54	7"	175
EX200F	1	1	Hole	54	8"	200
EX250F	1	1	Hole	54	10"	250
EX300F	1	1	Hole	54	12"	300
EX450F	1	1	Hole	54	18"	450
EX600F	1	1	Hole	54	24"	600
EX900F	1	1	Hole	54	36"	900
2,1300.	-	-		٥.	55	300





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

MALE HEX DRIVERS

3/8" Square Drive

Part Code	Size (mm)
MB3S	3
MB4S	4
MB5S	5
MB6S	6
MB7S	7
MB8S	8
MB9S	9
MB10S	10
MB11S	11
MB12S	12
MB13S	14
MB14S	14
MB15S	15
MB16S	16
MB17S	17

3/8" Square Drive

Part Code	Size (AF)
MB316AFS	3/16.
MB14AFS	1/4.
MB732AFS	7/32.
MB516AFS	5/16.
MB38AFS	3/8.
MB716AFS	7/16.
MB12AFS	1/2.
MB916AFS	9/16.
MB58AFS	5/8.

1/2" Square Drive

Part Code	Size (mm)
MC4S	4
MC6S	6
MC8S	8
MC10S	10
MC11S	11
MC12S	12
MC13S	13
MC14S	14
MC15S	15
MC16S	16
MC17S	17
MC18S	18
MC19S	19
MC20S	20
MC21S	21
MC22S	22
MC23S	23
MC24S	24
MC25S	25
MC26S	26
MC27S	27
MC28S	28
MC29S	29
MC30S	30
MC32S	32
MC35S	35
MC38S	38
MC41S	41

1/2" Square Drive

Part Code	Size (mm)
MC316AFS	3/16.
MC14AFS	1/4.
MC516AFS	5/16.
MC38AFS	3/8.
MC716AFS	7/16.
MC12AFS	1/2.
MC916AFS	9/16.
MC1732AFS	17/32
MC58AFS	5/8.
MC19S	3/4.
MC78AFS	7/8.
MC1AFS	1
MC27S	1.1/16
MC30S	1.3/16
MC32S	1.1/4
MC35S	1.3/8

3/4" Square Drive

Part Code	Size (mm)
ME8S	8
ME10S	10
ME12S	12
ME14S	14
ME15S	15
ME16S	16
ME17S	17
ME18S	18
ME19S	19
ME20S	20
ME21S	21
ME22S	22
ME23S	23
ME24S	24
ME25S	25
ME26S	26
ME27S	27
ME28S	28
ME29S	29
ME30S	30
ME31S	31
ME32S	32
ME33S	33
ME34S	34
ME35S	35
ME36S	36
ME38S	38
ME41S	41

3/4" Square Drive

Part Code	Size (mm)
ME516AFS	5/16.
ME38AFS	3/8.
ME716AFS	7/16.
ME12AFS	1/2.
ME916AFS	9/16.
ME58AFS	5/8.
ME1116AFS	11/16.
ME19S	3/4.
ME78AFS	7/8.
ME1AFS	1
ME27S	1.1/16
ME118AFS	1.1/8
ME30S	1.3/16
ME32S	1.1/4
ME35S	1.3/8
ME38S	1.1/2
ME41S	1.5/8

1" Square Drive

-	Square	Dilve
	Part Code	Size (mm)
	MF10S	10
	MF12S	12
	MF14S	14
	MF14S	15
	MF16S	16
	MF17S	17
	MF19S	19
	MF20S	20
	MF21S	21
	MF22S	22
	MF23S	23
	MF24S	24
	MF25S	25
	MF26S	26
	MF27S	27
	MF28S	28
	MF29S	29
	MF30S	30
	MF31S	31
	MF32S	32
	MF33S	33
	MF34S	34
	MF35S	35
	MF36S	36
	MF38S	38
	MF39S	39
	MF40S	40
	MF41S	41
	MF42S	42
	MF43S	43
	MF46S	46

1" Square Drive

=	
Part Code	Size (mm)
MF38AFS	3/8.
MF716AFS	7/16.
MF12AFS	1/2.
MF916AFS	9/16.
MF58AFS	5/8.
MF19S	3/4.
MF78AFS	7/8.
MF1AFS	1
MF27S	1.1/16
MF118AFS	1.1/8
MF32S	1.1/4
MF35S	1.3/8
MF38S	1.1/2
MF41S	1.5/8
MF43S	1.11/16
MF134AFS	1.3/4
MF46S	1.13/16





Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

CUTTING DISCS & GRINDING STONES





OTHER CUTTING DISCS AND GRINDING STONE CAN BE SOURCED THROUGH ENQUIRY.



Unit 15 Riverside Court
Don Road, Sheffield S9 2TJ
Tel: 0114 383 0110
Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

ANTI-VIBRATION MOUNTS

ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT **ANTI-VIBRATION MOUNT** 20mmø x 15mm LONG M6 x 30mmø x 25mm LONG M8 x 38mmø x 37.5mm LONG M10 x 50mmø x 35mm LONG M10 x 18mm DOUBLE MALE THREAD 20mm DOUBLE MALE THREAD 25mm DOUBLE MALE THREAD 25mm DOUBLE MALE THREAD PART CODE 200060 PART CODE 200061 PART CODE 200063 PART CODE 200064 ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT 71.5mmø x 32.5mm LONG M12 40mmø x 30mm LONG M8 x 12.7mmø x 20mm LONG M5 x 76mmø x 50mm LONG M12 x x 37mm DOUBLE MALE THREAD 25mm DOUBLE MALE THREAD 12mm DOUBLE MALE THREAD 40mm DOUBLE MALE THREAD PART CODE 200065 PART CODE 200066 PART CODE 200067 PART CODE 200068 ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT **ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT** 40mmø x 30mm LONG M8 x 50mmø x 30mm LONG M10 x 50mmø x 56mm LONG M12 x 60mmø x 35mm LONG M8 x 23mm SINGLE MALE THREAD x 25mm DOUBLE MALE THREAD 28mm DOUBLE MALE THREAD 23mm DOUBLE MALE THREAD M8 FEMALE THREAD PART CODE 200069 PART CODE 200070 PART CODE 200071 PART CODE 200073 **ANTI-VIBRATION MOUNT** ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT ANTI-VIBRATION MOUNT 76mmø x 50mm LONG M12 x 50mmø x 30mm LONG M10 x 50mmø x 35mm LONG M10 x 75mmø x 40mm LONG M12 x 40mm SINGLE MALE THREAD x 25mm SINGLE MALE THREAD x 25mm SINGLE MALE THREAD x 37mm SINGLE MALE THREAD x M12 FEMALE THREAD M10 FEMALE THREAD M10 FEMALE THREAD M12 FEMALE THREAD



PART CODE

200074

200075

PART CODE

PART CODE

200076

200077

PART CODE



Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

ANTI-VIBRATION MOUNTS

ANTI-VIBRATION MOUNT 50mmø x 56mm LONG M12 x 28mm SINGLE MALE THREAD x M12 FEMALE THREAD



PART CODE

ANTI-VIBRATION MOUNT 50mmø x 50mm LONG M10 x 25mm SINGLE MALE THREAD x M10 FEMALE THREAD



200079

PART CODE

50mmø x 45mm LONG (M10 DOUBLE FEMALE)

ANTI-VIBRATION MOUNT



200080

PART CODE

ANTI-VIBRATION MOUNT 50mmø x 50mm LONG (M10 DOUBLE FEMALE)



PART CODE

200081

ANTI-VIBRATION MOUNT 50mmø x 50mm LONG (M12 DOUBLE FEMALE)



PART CODE

200082

200078

STEL SPECIALISED TOOLS & EQUIPMENT LTD



Unit 15 Riverside Court
Don Road, Sheffield S9 2TJ
Tel: 0114 383 0110
Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

STARTER PULL CORD







Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

STARTER PULL HANDLES

STARTER PULL HANDLE TO SUIT HONDA GX100, GX110, GX120



PART CODE PULLHANDLE

STARTER PULL HANDLE TO SUIT HONDA GX140, GX160, GX200, GX240



PART CODE PULLHANDLE1

STARTER PULL HANDLE TO **SUIT YANMAR ENGINES**



PART CODE PULLHANDLE2 OEM CODE 28461-ZE1-003 OEM CODE 28461-ZH8-003 OEM CODE 714870-0225

STARTER PULL HANDLE TO

SUIT HONDA GX340 AND

GX390

STARTER PULL HANDLE TO **SUIT 3MM TO 5MM CORD**



PART CODE 200001 **OEM CODE** L11932

UNIVERSAL STARTER PULL

HANDLE

STARTER PULL HANDLE TO SUIT 3.5Hp TO 18Hp **ENGINES**



200002 PART CODE OEM CODE 490652 STARTER PULL HANDLE TO SUIT 2Hp TO 5.5Hp **QUANTUM & EUROPE**



PART CODE 200003 OEM CODE 393152

PART CODE 200004 OEM CODE 28401-ZE2-W02

PART CODE 200005

STARTER PULL HANDLE TO SUIT STIHL MS170, MS180, MS230



PART CODE 200006 OEM CODE 1121 195 3400 OEM CODE 001 161 010

STARTER PULL HANDLE TO SUIT DPC6200, 6400 AND 6410 CUT OFF SAW



PART CODE 200008 STARTER PULL HANDLE TO **SUIT CS3800 AND CS4100 CHAINSAWS**



PART CODE 200009

STARTER PULL HANDLE TO SUIT ALL TECUMSEH **MODELS**



PART CODE

200010



Unit 15 Riverside Court
Don Road, Sheffield S9 2TJ
Tel: 0114 383 0110
Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

NGK SPARK PLUGS

Part Code	Thread	Part Code	Thread
AB6	18mm	BKR6E	14mm
B2LM	14mm	BKR6E-11	14mm
B4	14mm	BKR6EK	14mm
B4ES	14mm	BKR6EQUIP	14mm
B4LM	14mm	BKR6EZ	14mm
B5ES	14mm	BKUR6ET-10) 14mm
B5HS	14mm	BM4A	14mm
B6ES	14mm	BM6A	14mm
B6HS	14mm	BM6F	14mm
B6L	14mm	BM7A	14mm
B6S	14mm	BMR4A	14mm
B7ES	14mm	BMR6A	14mm
B8ES	14mm	BMR6F	14mm
BCPR5ES	14mm	BMR7A	14mm
BCPR6ES	14mm	BP4HS	14mm
BCPR7ES	14mm	BP5ES	14mm
BCR8ES	14mm	BP5HS	14mm
BKR5E	14mm	BP6ES	14mm
BKR5E	14mm	BP6HS	14mm
BKR5E-11	14mm	BP7ES	14mm
BKR5EK	14mm	BPM6A	14mm
BKR5EY-11	14mm	BPM6F	14mm
BKR5EZ	14mm	BPM7A	14mm

Part Code	Thread
BPMR4A	14mm
BPMR6A	14mm
BPMR6F	14mm
BPMR7A	14mm
BPMR8Y	14mm
BPR4ES	14mm
BPR4FS	14mm
BPR4HS	14mm
BPR5ES	14mm
BPR5HS	14mm
BPR6ES	14mm
BPR6HS	14mm
BPR7HS	14mm
BR2LM	14mm
BR4HS	14mm
BR4LM	14mm
BR5ES	14mm
BR5HS	14mm
BR6ES	14mm
BR6HS	14mm
BR6S	14mm
BR7ES	14mm
BUR6ET	14mm

Part Code	Thread
CM6	10mm
CMR4A	10mm
CMR5H	10mm
CMR6A	10mm
CMR6H	10mm
CMR7A	10mm
CMR7H	10mm
CR4HSB	10mm
CR5HS	10mm
CR5HSB	10mm
CR8E	10mm
CR8HS	10mm
CR9EH-9	10mm
DR8ES	12mm
LFR6B	14mm
LZKAR7A	14mm
PFR6N-11	14mm
PTR5A-10	14mm
PTR6F-13	14mm
TR5A-10	14mm
TR5B-13	14mm
ZFR5F	14mm
ZFR5P-G	14mm

CHAMPION SPARK PLUGS

Part Code	Thread
RL95YC	14mm
CJ8	14mm
J19LM	14mm
J8C	14mm
N9YC	14mm
RC12YC	14mm
RCJ8	14mm

Part Code	Thread
RCJ6Y	14mm
RCJ7Y	14mm
RDJ8J	14mm
RJ17LM	14mm
RJ19LM	14mm
RL86C	14mm

ACCESSORIES







OTHER SPARK PLUGS ARE AVAIALBLE, PLEASE ASK FOR MORE DETAILS






Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

AIR FILTERS





PART CODE



PART CODE

FILT51

17211-ZF5-V01

Emili; sales@specialisedtools.co.uk

Wob; www.steltools.co.uk

537 41 08-02


PART CODE

PART CODE



505 12 63-05

AIR FILTERS



PART CODE

581 45 18-01

506 23 18-03

PART CODE

510 24 41-05

PART CODE

510 24 41-03

PART CODE



Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

AIR FILTERS



PART CODE

4134 141 0300

PART CODE

4282 141 0300

PART CODE

PART CODE

4238 140 4403



4314 124 2800

AIR FILTERS





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

AIR FILTERS





AIR FILTERS







*images for illustrative purposes only

Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

FUEL FILTERS







FUEL FILTERS








Email: sales@specialisedtools.co.uk Web: www.steltools.co.uk

OIL FILTERS





PART CODE

GREENMECH SAFETRAK 1928 MK2 OIL FILTER



PART CODE 100081

Kubota

KUBOTA V3800-T OIL FILTER

PART CODE

*



W21ES-O1C00



TIMBERWOLF 150VTR

HYDRAULIC OIL FILTER

MATWELD POWERPACK

OIL FILTER (NON OEM)


PART CODE

FILT15

TIMBERWOLF

PRAMAC OIL FILTER

FILT58







PART CODE



FL100

TIMBERWOLF 150VTR HYDRAULIC OIL FILTER

TIMBERWOLF"



PART CODE



PART CODE

P17-157

TIMBERWOLF KUBOTA OIL **FILTER**

PEY00004



PART CODE

PART CODE

TW0095

WACKER NEUSON OIL **FILTER**



PART CODE



5100008846

TL90 LIGHTING **TOWER OIL FILTER**



PART CODE

W21ES01600




FUEL PIPES







DRIVE BELTS



GEISMAR MP12 TOOTHED DRIVE BELT (NON OEM)







CHAINSAW CHAINS



Part Code	Description
21BPX064E	Oregon Chainsaw Chain, 15", 64 Links @ 0.325
21LPX064E	Oregon Chainsaw Chain, 15", 64 Links @ 0.325
22LPX067E	Oregon Chainsaw Chain, 16" Suits Ms261
22LPX62E	Oregon Chainsaw Chain, 15", Suits Ms261
95VPX064E	Oregon Chainsaw Chain, 15", @ 0.325
M75LPX066E	Oregon Chainsaw Chain, 3/8" X 1.6Mm, 66 Links

STIHL

Part Code	Description
3616 000 0050	Stihl Chainsaw Chain, 14", 50 Links, 1.3Mm X 3/8" Pitch
3621 000 0056	Stihl Chainsaw Chain, 15", 56 Links, 1.6Mm
3621 000 0066	Stihl Chainsaw Chain, 16", Suits Ms362c
3621 003 0056	Stihl Chainsaw Chain, 15", Suits Ms361, Ms290, Ms291
3636 000 0055	Stihl Chainsaw Chain, 16", 55 Links, Suits Ms210, Ms230
3636 003 0050	Stihl Chainsaw Chain, 14", Suits Ms181
3639 003 0062	Stihl Chainsaw Chain, 15", Suits Ms260, Ms261
3639 003 0067	Stihl Chainsaw Chain, 16", Suits Ms260, Ms261
3652 003 0056	Stihl Chainsaw Chain, 15", Suits Ms290
3667 000 0067	Stihl Tungston Tipped Chainsaw Chain, 16", 67 Links
3670 000 0064	Stihl Chainsaw Chain, 12", Suits Ht101, Ms150t
3943 000 0060	Stihl Tungston Tipped Chainsaw Chain
4242 710 6001	Stihl Chainsaw Chain, 22", Suits Hs46

尚Husqvarna®

Part Code	Description
501 84 04-64	Husqvarna Chainsaw Chain, 15", 64 Links, Suits 550Xp
501 84 06-64	Husqvarna Chainsaw Chain, 15", Suits H30, 445
501 84 06-72	Husqvarna Chainsaw Chain, Suits H30
505 51 34-53	Husqvarna Chainsaw Chain, 15", 64 Links, Suits 353, 325
505 51 34-55	Husqvarna Chainsaw Chain, Suits 2165

Makita

Part Code	Description
958492656	Makita Chainsaw Chain, 16", 56 Links
MAK14CHAIN	Makita Chainsaw Chain, 16", 52 Links





GUIDE BARS



Part Code	Description	
3003 000 5306	Stihl Guide Bar 13" Suits MS261	
3003 000 6811	Stihl Guide Bar 15" Suits MS261	
3003 000 6813	Stihl Guide Bar 16" Suits MS261	
3003 008 6817	Stihl Guide Bar 18" Suits MS261	
3003 000 4809	Stihl Guide Bar 14" Rollomatic	
3003 000 4813	Stihl Guide Bar 16" Suits 023	

HHusqvarna

Part Code	Description
508 92 61-64	Husqvarna Guide Bar 15" Suits 350 & 445
585 94 33-64	Husqvarna Guide Bar 15" Suits 346XP
585 95 08-56	Husgvarna Guide Bar 15" Suits 365







Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

TECHNICAL - HEX SIZE CHART

Size	Toler	ance	Size	Tole	rance	Size	Toler	rance
Size	Min	Max		Min	Max		Min	Max
3mm	3.02	3.00	36mm	36.10	36.70	85mm	85.15	86.15
1/8"	3.19	3.08	1.7/16"	36.61	37.22	3.3/8"	85.87	86.87
4mm	4.02	3.25	7/8 BSW	37.69	38.29	3.7/16"	87.46	88.46
3/16"	4.78	4.12	38mm	38.10	38.70	3.1/2"	89.05	90.05
5mm	5.05	4.88	1.1/2"	38.20	38.80	90mm	90.15	91.15
6mm	6.03	5.12	1.9/16"	39.78	40.38	2.1/4 BSW	90.15	91.15
1/4"	6.38	6.15	40mm	40.10	40.70	3.9/16"	90.63	91.63
7mm	7.03	6.50	15/16 BSW	40.25	40.85	3.5/8"	92.22	93.22
5/16"	7.96	7.15	41mm	41.10	41.70	3.11/16"	93.81	94.8
8mm	8.03	8.11	1.5/8"	41.37	41.97	95mm	95.15	96.1
1/8 BSW	8.62	8.18	42mm	42.10	42.70	3.3/4"	95.40	96.4
9mm	9.03	8.77	1 BSW	42.52	43.12	3.7/8"	98.57	99.5
			_			·		
3/8"	9.55	9.18	1.11/16"	42.96	43.56	2.1/2 BSW	99.15	100.3
10mm	10.04	9.70	43mm	43.10	43.70	100mm	100.15	101.:
11mm	11.04	10.24	44mm	44.10	44.70	3.15/16"	100.16	101.1
7/16"	11.15	11.24	1.3/4"	44.55	45.15	4"	101.75	102.7
3/16 BSW	11.34	11.35	45mm	45.10	45.70	4.1/16"	103.33	104.3
12mm	12.04	11.54	46mm	46.10	46.70	4.1/8"	104.92	105.9
1/2"	12.74	12.30	1.13/16"	46.13	46.73	105mm	105.20	106.4
13mm	13.04	13.30	47mm	47.10	47.70	2.3/4 BSW	106.38	107.5
1/4 BSW	13.38	13.64	1.1/8 BSW	47.34	47.94	4.3/16"	106.56	107.7
14mm	14.05	14.35	1.7/8	47.72	48.32	4.1/4"	108.15	109.3
9/16"	14.33	14.63	48mm	48.10	48.70	4.5/16"	109.73	110.9
15mm	15.05	15.35	49mm	49.10	49.70	110mm	110.20	111.4
5/16 BSW	15.29	15.59	1.15/16"	49.31	49.91	4.3/8"	111.32	112.
•								
5/8"	15.92	16.22	50mm	50.10	50.70	4.7/16"	112.91	114.1
16mm	16.05	16.35	2"	50.90	51.50	4.1/2"	114.50	115.7
17mm	17.05	17.40	51mm	51.10	51.70	115mm	115.20	116.4
11/16"	17.51	17.86	52mm	52.10	52.70	3 BSW	115.27	116.4
18mm	18.05	18.40	1.1/4 BSW	52.17	52.77	4.9/16"	116.08	117.2
3/8 BSW	18.08	18.43	2.1/16"	52.40	53.00	4.5/8"	117.67	118.
19mm	19.06	19.46	2.1/8"	54.07	54.67	4.11/16"	119.26	120.4
3/4"	19.11	19.51	54mm	54.10	54.70	120mm	120.20	121.4
20mm	20.06	20.46	55mm	55.12	55.92	4.3/4"	120.85	122.0
13/16"	20.69	21.09	2.3/16"	55.68	56.48	4.13/16"	122.43	123.0
7/16 BSW	20.89	21.29	56mm	56.12	56.92	3.1/4 BSW	123.52	124.
21mm	21.06	21.46	1.3/8 BSW	56.51	57.31	4.7/8"	124.02	125.2
22mm	22.05	22.46	57mm	57.12	57.90	125mm	152.20	126.4
7/8"	22.28	22.68	2.1/4"	57.12	58.07	4.15/16"	125.61	126.
•						4.15/16 5"		
23mm	23.06	23.46	2.5/16"	58.85	59.65		127.20	128.4
1/2 BSW	23.43	23.83	60mm	60.12	60.92	5.1/16"	128.78	129.
15/16"	23.87	24.27	2.3/8"	60.44	61.24	130mm	130.20	131.4
24mm	24.06	24.46	1.1/2 BSW	61.33	62.13	5.1/8"	130.37	131.
25mm	25.06	25.46	2.7/16"	62.03	62.83	3.1/2 BSW	131.78	132.
1"	25.46	25.86	2.1/2"	63.62	64.42	5.3/16"	131.96	133.:
9/16 BSW	25.73	26.23	65mm	65.12	65.92	5.1/4"	133.55	134.
26mm	26.02	26.58	2.9/16"	65.20	66.00	5.5/16"	135.13	136.
1.1/16"	27.06	27.56	1.5/8 BSW	65.65	66.45	135mm	135.20	136.4
27mm	27.08	27.58	2.5/8"	66.79	67.59	5.3/8"	136.72	137.5
28mm	28.08	28.58	2.11/16"	68.38	69.18	5.7/16"	138.31	139.
5/8 BSW	28.11	28.61	2.3/4"	69.97	70.77	5.1/2"	139.90	141.
1.1/8"	28.65	29.15	70mm	70.12	70.77		140.20	141.
						140mm		
29mm	29.08	29.58	1.3/4 BSW	70.22	71.02	3.3/4 BSW	141.30	142.
30mm	30.08	30.58	2.13/16"	71.55	72.35	5.9/16"	141.48	142.
1.3/16"	30.24	30.74	73mm	73.12	73.92	5.5/8"	143.07	144.
11/16 BSW	30.56	31.06	2.7/8"	73.14	73.94	5.11/16"	144.66	145.
31mm	31.08	31.58	2.15/16"	74.73	75.53	145mm	145.20	146.
1.1/4"	31.83	32.33	75mm	75.15	76.15	5.3/4"	146.25	147.4
32mm	32.08	32.58	3"	76.35	77.35	5.13/16"	147.38	149.0
33mm	33.08	33.58	77mm	77.15	78.15	5.7/8"	149.42	150.
3/4 BSW	33.10	33.60	3.1/8"	79.52	80.52	150mm	150.20	151.4
-	33.41	33.91	80mm	80.15	81.15	5.15/16"	151.01	152.2
1.5/16"	1 33.71				81.16		151.46	152.6
1.5/16" 34mm	3/1 00	1 34 58	2 RCM/					
34mm	34.08	34.58	2 BSW	80.16		4 BSW		
	34.08 35.00 35.08	34.58 35.50 35.58	2 BSW 3.3/16" 3.1/4"	80.16 81.11 82.70	82.11 83.70	6"	152.60	153.8



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

TECHNICAL

BOLT SIZE CHART

Metric	Head Size	Imperial	Head Size
M5	8mm	1/8.	1/8 BSW
M6	10mm	3/16.	3/16 BSW
M7	11mm	1/4.	1/4 BSW
M8	13mm	5/16.	5/16 BSW
M10	17mm	3/8.	3/8 BSW
M12	19mm	7/16.	7/16 BSW
M16	25mm	1/2.	1/2 BSW
M18	28mm	9/16.	9/16 BSW
M20	30mm	5/8.	5/8 BSW
M22	33mm	11/16.	11/16 BSW
M24	36mm	3/4.	3/4 BSW
M27	41mm	13/16	13/16 BSW
M30	46mm	7/8.	7/8 BSW
M33	50mm	15/16	15/16 BSW
M36	55mm	1	1 BSW
M39	60mm	1.1/16.	1.1/16 BSW
M42	65mm	1.1/8	1.1/8 BSW
M45	70mm	1.1/4	1.1/4 BSW
M48	75mm	1.3/8	1.3/8 BSW
M52	80mm	1.1/2	1.1/2 BSW
M56	85mm	1.5/8	1.5/8 BSW
M60	90mm	1.3/4	1.3/4 BSW
M64	95mm	1.7/8	1.7/8 BSW
M68	100mm	2.1/8	2.1/8 BSW
M72	105mm	2.1/4	2.1/4 BSW
M76	110mm	2.1/2	2.1/2 BSW
M80	115mm	2.5/8	2.5/8 BSW
M85	120mm	2.3/4	2.3/4 BSW
		3	3 BSW
		3.1/4	3.1/4 BSW

DUAL MARKINGS

Metric (mm)	Imperial (AF)	BSW - Whit
19	3/4.	
24	15/16	
27	1.1/16	
28		5/8.
30	1.3/16	
32	1.1/4	
33		3/4.
35	1.3/8	
38	1.1/2	
40		15/16
41	1.5/8	
43	1.11/16	
45		1.1/16
46	1.13/16	
47		1.1/8
51	2	
52		1.1/4
54	2.1/8	
60	2.3/8	
65	2.9/16	
70	2.3/4	1.3/4
76	3	
95	3.3/4	
105	4.1/8	



Unit 15 Riverside Court Don Road, Sheffield S9 2TJ Tel: 0114 383 0110 Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

TECHNICAL

RINGS & PINS

Sq Drive	mm	Code	ID of Ring	Ring Dia	Pin Dia	Pin Length
1/2"	6 - 14mm	C20	20mm	4mm	3mm	19mm
1/2"	15 - 14mm	C25	25mm	4mm	3mm	24mm
3/4"	14 - 47mm	E35	35mm	5mm	4mm	34mm
1"	19 - 70mm	F44	44mm	7mm	5mm	44mm
1"	75 - 115mm	F75	75mm	7mm	5mm	74mm
1.1/2"	95 - 150mm	F84	84mm	10mm	6mm	83mm
1.1/2"	38 - 150mm	H110	110mm	10.5mm	8mm	109mm
Sq Drive	mm	Code	ID of Ring	Ring Dia	Pin Dia	Pin Length
1/2"	9/16 - 11/16	C20	20mm	4mm	3mm	19mm
1/2"	13/16 - 7/8	C25	27mm	4mm	3mm	26mm
3/4"	1 - 1.5/8	E32	32mm	4mm	3mm	31mm
34/"	1.1/16 - 1.15/16	E35	35mm	5mm	4mm	34mm
1"	34/ - 1.11/16	F44	43mm	7mm	5mm	42mm
1"	1.3/4 - 2.1/8	F48	48mm	7mm	5mm	47mm
1"	2.15/16 - 4	F75	75mm	7mm	5mm	74mm
1.1/2"	3.3/4 - 6	G84	84mm	10mm	6mm	83mm
2.1/2"	1.1/2 - 6	H110	110mm	10.5mm	8mm	109mm





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

#		Air Filters, Yanmar	114
10W LED ES Bulb	51	Air Freshener, Lemon, 400ml	
10W LED Grip Lamp		Air Freshener, Spring, 480ml	
12.5W LED Floor Light	60	Aluminium Foil Tape, Silver	
12.5W Rechargable LED Floor Light	60	Aluminium Paint	
13A / 16A, 240V In-Line RCD Unit	81	Anti-Climb Paint, Black	
13A / 16A, 240V RCD Unit	81	Anti-Climb Paint, Matte, Green	
13A, 240V RCD Unit	81	Anti-Corrosion Tape	
20W Battery Light	24	Anti-Graffiti Paint, Clear	
20W LED Wobble Base Uplight		Anti-Slip Paint, Various Colours	
27W Magnetic Work Light		Anti-Slip Tape, Various Colours	
3-in-One Oil Drip Applicator, Various Sizes		Anti-Tamper Paint, Various Colours	
36W Fluorescent Splitter Uplight		Anti-Vibration Gloves, Tremalo	
36W Fluorescent Stick Uplight		Anti-Vibration Mount, 12.7mmØ x 20mm Long M5 x 12mm	10
40W 5FT LED Anti-Corrosive		Double Male Thread	104
40W Magnetic Work Light		Anti-Vibration Mount, 20mmØ x 15mm Long M6 x 18mm	104
		Double Male Thread	104
A A Patteries	2.4	Anti-Vibration Mount, 30mmØ x 25mm Long M8 x 20mm	104
AAA Batteries		Double Male Thread	104
AAA Batteries			
Absorbent Granules, 20L		Anti-Vibration Mount, 38mmØ x 37.5mm Long M10 x 25mm	
Absorbent Granules, Multi-Zorb, 20L		Double Male Thread	104
Absorbent Heavyweight Pads		Anti-Vibration Mount, 40mmØ x 30mm Long M8 x 23mm	404
Absorbent Heavyweight Rolls		Single Male Thread x M8 Female Thread	104
Absorbent Lightweight Pads		Anti-Vibration Mount, 40mmØ x 30mm Long M8 x 25mm	404
Absorbent Organic ISOL8, 1.3kg		Double Male Thread	104
Absorbent Socks, Universal		Anti-Vibration Mount, 50mmØ x 30mm Long M10 x 25mm	
Acrylic Gloss Paint, Various Colours		Double Male Thread	104
Adaptor, 16A / 13A 240V Adaptor		Anti-Vibration Mount, 50mmØ x 30mm Long M10 x 25mm	
Adaptors & Universal Joints & Sleeves		Single Male Thread x M10 Female Thread	104
Adblue, 10L		Anti-Vibration Mount, 50mmØ x 35mm Long M10 x 25mm	
Adblue, 1L		Double Male Thread	104
Adblue, 5L		Anti-Vibration Mount, 50mmØ x 35mm Long M10 x 25mm	
Adhesive, All Purpose		Single Male Thread x M10 Female Thread	104
Adhesive, Anaerobic		Anti-Vibration Mount, 50mmØ x 45mm Long (M10 Double	
Adhesive, Impact	35	Female)	105
Adhesive, Instant		Anti-Vibration Mount, 50mmØ x 50mm Long (M10 Double	
Adhesive, Instant Power		Female)	105
Adhesive, Prism Cyanoacrylate		Anti-Vibration Mount, 50mmØ x 50mm Long (M12 Double	
Adhesive, Spray		Female)	105
Aggregate	36	Anti-Vibration Mount, 50mmØ x 50mm Long M10 x 25mm	
Air Con Cleaner	28	Single Male Thread x M10 Female Thread	105
Air Filters, Arc-Gen		Anti-Vibration Mount, 50mmØ x 56mm Long M12 x	
Air Filters, Atlas Copco	112	28mmDouble Male Thread	. 104
Air Filters, Bernard	112	Anti-Vibration Mount, 50mmØ x 56mm Long M12 x 28mm	
Air Filters, Cembre		Single Male Thread x M12 Female Thread	105
Air Filters, Greenmech	112	Anti-Vibration Mount, 60mmØ x 35mm Long M8 x 23mm	
Air Filters, Honda	109	Double Male Thread	104
Air Filters, Husqvarna	109	Anti-Vibration Mount, 71.5mmØ x 32.5mm Long M12 x	
Air Filters, Kawasaki	113	37mm Double Male Thread	104
Air Filters, Lombardini	113	Anti-Vibration Mount, 75mmØ x 40mm Long M12 x 37mm	
Air Filters, Mat-Weld	113	Single Male Thread x M12 Female Thread	. 104
Air Filters, Maxim	113	Anti-Vibration Mount, 76mmØ x 50mm Long M12 x 40mm	
Air Filters, Robel	113	Double Male Thread	104
Air Filters, Stihl	111	Anti-Vibration Mount, 76mmØ x 50mm Long M12 x 40mm	
Air Filters, Timberwolf	113	Single Male Thread x M12 Female Thread	
Air Filters, Universal	114	Arcgen Welder Gen Battery	
Air Filters, Wacker Neuson	113	Auto Foam Soap, Rubber Maid, 1.1L	9



В		Cable Ties, 200mm x 3.6mm, Black	. 25
Balaclava, Hi-Vis, Thinsulate	17	Cable Ties, 200mm x 4.8mm, Black	. 25
Barrier Cream	30	Cable Ties, 200mm x 4.8mm, Blue	. 25
Barrier Tape, Various Colours	18	Cable Ties, 200mm x 4.8mm, Green	. 25
Battery Bank 10 Door Charging Locker	82	Cable Ties, 200mm x 4.8mm, Red	
Battery Terminal Protector	26	Cable Ties, 200mm x 4.8mm, Yellow	. 25
Bin Liners, Black	13	Cable Ties, 210mm x 4.6mm, Stainless Steel	
Bin Liners, White, Small	13	Cable Ties, 250mm x 4.8mm, Black	
Blue Loo Blocks	9	Cable Ties, 300mm x 3.6mm, Black	. 25
Blue Roll, Centre Feed	13	Cable Ties, 300mm x 4.8mm, Black	. 25
Bosch Grease Tube	32	Cable Ties, 300mm x 7.6mm, Black	. 25
Box Reel, 15m, 1.5mm	62	Cable Ties, 370mm x 4.8mm, Black	
Box Reel, 20m, 16A, 2 Way 1.5mm, 110V	62	Cable Ties, 370mm x 7.6mm, Black	. 25
Box Spanner 115mm, 7mm x 1mm, 19/13	85	Cable Ties, 430mm x 4.8mm, Black	. 25
Box Spanner, 120mm, 3/8" Square, 19/21	85	Cable Ties, 430mm x 9.0mm, Black	. 25
Box Spanner, 130mm, 6mm x 1mm, 19/13	85	Cable Ties, 450mm x 7.6mm, Black	
Box Spanner, 130mm, T27 Torx, 13/19	85	Cable Ties, 480mm x 13mm, Black	. 25
Box Spanner, 140mm, 7mm x 0.5mm, 19/13	85	Cable Ties, 530mm x 9.0mm, Black	. 25
Box Spanner, 160mm, 7mm x 1mm, 17/19	85	Cable Ties, 540mm x 7.6mm, Black	
Box Spanner, 200mm, T27 Torx, 13/19	85	Cable Ties, 580mm x 13mm, Black	. 25
Box Spanner, 200mm, T27 Torx, 17/19	85	Cable Ties, 710mm x 9.0mm, Black	
Brake & Parts Cleaner	26	Cable Ties, 780mm x 9.0mm, Black	
Brake & Parts Cleaner, STP	26	Cable, 100m, 1.5mm, 3 Core, 110V	
Breaker Bars	100	Cable, 100m, 1.5mm, 3 Core, 240V	
Brush, Hard Sweeping	12	Cable, 100m, 2.5mm, 3 Core, 110V	. 64
Brush, Soft Indoor Sweeping	12	Cable, 100m, 4mm, 3 Core, 110V	. 65
BS8020:2011 Insulated Cable Laying Shovel	83	Carb Spray Cleaner	. 29
BS8020:2011 Insulated Clay Grafter Shovel	83	Carpet Cleaner, Prochem Contract, 5L	. 8
BS8020:2011 Insulated Crowbar Chisel & Point	84	Cassette Reel, 10W, 1.25mm	62
BS8020:2011 Insulated Crowbar Chisel End	84	Caution Wet Floor Sign	11
BS8020:2011 Insulated Crowbar Point End	84	Chain & Wire Lubricant	. 30
BS8020:2011 Insulated Heel & Point	84	Chainsaw Chains, Husqvarna	.120
BS8020:2011 Insulated Newcastle Draining Shovel	83	Chainsaw Chains, Makita	.120
BS8020:2011 Insulated Rabbit Shovel	83	Chainsaw Chains, Oregon	.120
BS8020:2011 Insulated Round Mouth Shovel	83	Chainsaw Chains, Stihl	.120
BS8020:2011 Insulated Square Mouth Shovel	83	Chainsaw Oil, Anti Fling, Various Sizes	34
BS8020:2011 Insulated Taper Mouth Shovel	83	Chainsaw Safety Dungarees	16
BS8020:2011 Insulated Trenching Shovel	83	Chainsaw Safety Gaiters	
Bumper & Trim Shine	29	Chainsaw Safety Gloves, Hi-Vis	. 16
c		Chainsaw Safety Trousers, Hi-Vis	. 16
Cable Reel, 20m, 1.25mm, Industrial	62	Chlorine Tablets	. 9
Cable Reel, 25m, 1.5mm, Industrial		Clear Grease	
Cable Reel, 50m, 1.25mm, Heavy Duty		Cockpit Shine	. 28
Cable Reel, 50m, 1.5mm, Heavy Duty		Cockpit Shine, Silicone Free	29
Cable Reel, 50m, 2.5mm, Heavy Duty		Cold Sealer & Tack Spray	. 35
Cable Tie Base, 20mm x 20mm		Compression Tape, Black	. 19
Cable Tie Base, 28mm x 28mm		Connectors, Female/Female Square	100
Cable Tie Base, 3.5mm		Connectors, Male/Male Square	100
Cable Tie Base, 4.7mm		Copper Anti-Seize Grease	. 32
Cable Tie Base, 4.8mm		Copper Grease	. 32
Cable Ties, 100mm x 3.6mm, Black		Copper Grease, Aerosol	
Cable Ties, 1030mm x 13mm, Black		Corrosion Block Grease	
Cable Ties, 120mm x 4.8mm, Black		Coupler, 16A, 110V, IP44	. 78
Cable Ties, 140mm x 3.6mm, Black		Coupler, 16A, 240V, IP44	
Cable Ties, 160mm x 2.5mm, Black		Coupler, 32A, 110V, IP44	
Cable Ties, 160mm x 4.8mm, Black		Coupler, 32A, 240V, IP44	
Cable Ties, 100mm x 2 Emm. Plack	25	Cut Level 5 Pacific Watersafe Gloves	





Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

Cut Level 5 Safety Gloves	15	Drive Holders, Hexagon	97
CV Joint Grease	32	Dry Film Food Safe Lubricant with PTFE	27
D		Duct Tape, Foil	19
Dashboard Wipes	29	Duct Tape, Heavy Duty, Various Colours	19
DC4000		Duct Tape, Super Heavy Duty, Various Colours	19
De-Icer		Dust Pan & Brush Set, Blue	11
De-Icer, Trigger Spray	_	Dust Pan & Brush Set, Green	11
Deb Foam, 1L	9	Dust Pan & Brush Set, Red	12
Defender 2FT Battery Back Up Fluorescent Work Light	55	E	
Defender 2FT Fluorescent Task Light		Ear Defenders, 40DB	17
Defender 2FT Fluorescent Task Light with Take Off Point		Ear Defenders, SNR27	17
Defender 5FT Battery Back Up Fluorescent Work Light		Ear Plugs, 35DB	17
Defender 5FT Encapsulated Fluorescent Contractor Light		Ear Plugs, 36DB	17
Defender 5FT Fluorescent Task Light		Ear Plugs, Banded, 22DB	
Defender Halogen Scaffold Floodlight		Ear Plugs, Corded, Reusable	17
Defender Halogen Task Light		Ear Plugs, Dispensing Station	17
Defender Halogen Task Light with Fixed Leg Tripod		Electric Cables Below Tape	19
Defender LED3000 Floodlight		Emerald CX Glove, PVC Palm, Winter Glove	
Defender LED6000 Floodlight		Energy 663 12V 110Ah, Greenmech Chipper	24
Defender LED6000 Floodlight with Swing Leg Tripod		Engine Flush Treatment	31
DF1200, 20W 2FT LED Anti-Corrosive		Engine Oil, 10W30, Various Sizes	34
DF1200, 20W 2FT LED Contractor	43	Engine Oil, 10W40, Various Sizes	34
DF1200, 20W 2FT LED String Anti-Corrosive	43	Engine Oil, 15W40, Various Sizes	34
DF1200, 20W LED Floodlight Head	50	Engine Oil, 5W40, Various Sizes	34
DF1200, 20W LED Floodlight with Scaffold Fixing	45	Engine Oil, SAE 30, Various Sizes	34
DF1200, 20W LED Single Head Work Light, Fixed Leg Tripod.	44	EP2 Lithium Cartridge Multi-Purpose Grease	32
DF1200, 20W LED Twin Head Work Light, Fixed Leg Tripod	44	EP2 Lithium Complex Cartridge Grease	32
DF1200, 20W LED Twin Head Work Light, Swing Leg Tripod	44	EP2 Molylithium	32
DF1200, Floor Light	46	Extension Bars	101
DF1200, Single Head Tripod	45	Extension Lead, 1 Gang, 15m	41
DF1200, Twin Head Tripod	45	Extension Lead, 1 Gang, 5m	
Diamond Blade, Vacuum Brazed	103	Extension Lead, 10m, 1.5mm, 110V, 16A	
Diesel Treatment	31	Extension Lead, 10m, 1.5mm, 240V, 13A	
Diesel Treatment, DPF Cleaner		Extension Lead, 10m, 1.5mm, 240V, 16A	
Diesel Treatment, Gold Edition		Extension Lead, 10m, 2.5mm, 110V, 16A	
Diesel Treatment, Truck & CV	31	Extension Lead, 10m, 2.5mm, 240V, 16A	
Dish Cloths	12	Extension Lead, 14m, 1.5mm, 110V, 16A	
Dish Washer Salt, 2kg		Extension Lead, 14m, 1.5mm, 110V, 16AMP	
Dish Washer Tablets, All-in-One		Extension Lead, 14m, 1.5mm, 240V, 13A	
Dish Washer Tablets, Astonish	9	Extension Lead, 14m, 1.5mm, 240V, 16A	
Disinfectant, 5L	9	Extension Lead, 14m, 2.5mm, 110V, 16A	
Dispensing Parcel Tape Gun		Extension Lead, 14m, 2.5mm, 110V, 16AMP	
Disposable Latex Gloves, White		Extension Lead, 14m, 2.5mm, 110V, 32A	
Disposable Nitrile Gloves, Black		Extension Lead, 14m, 2.5mm, 110V, 32AMP	
Disposable Nitrile Gloves, Blue		Extension Lead, 14m, 2.5mm, 240V, 13A	
Disposable Nitrile Grip Gloves, Orange		Extension Lead, 14m, 2.5mm, 240V, 16A	
Disposable Nitrile Plus Gloves, Black		Extension Lead, 14m, 2.5mm, 240V, 32A	
Disposable Nitrile Plus Gloves, Blue		Extension Lead, 14m, 4mm, 110V, 32A	
Disposable Vinyl Gloves, Clear		Extension Lead, 14m, 4mm, 240V, 32A	
DL4000, LED Linkable Light		Extension Lead, 2 Gang, 15m	
Drive & Bearing Lubricant		Extension Lead, 2 Gang, 5m	
Drive Belt, Geismar		Extension Lead, 25m, 1.5mm, 110V, 16A	
Drive Belt, Husqvarna		Extension Lead, 25m, 1.5mm, 240V, 16A	
Drive Belt, Kubota		Extension Lead, 25m, 2.5mm, 110V, 32A	
Drive Belt, Stihl		Extension Lead, 25m, 2.5mm, 240V, 16A	
Drive Belt, Timberwolf		Extension Lead, 4 Cars, 1m	
Drive Belt, Trumeter	119	Extension Lead, 4 Gang, 1m	41





Extension Lead, 4 Gang, 2m	41	Goggles, Grinding	17
Extension Lead, 4 Gang, 4m	41	Goggles, Uvex Pacific Ski	17
Extreme Repair Glue	35	Goggles, Uvex Ultravision	17
F		Goggles, Wide Vision Safety	17
Fibreglass Pick Handle	84	Gorilla Glue	35
Floor Cleaner, Neutral, 5L		Gorilla Repair Tape	19
Floor Paint, Various Colours		Graphite Hammer Grease, Semi-Synthetic	32
Fluorescent Contractor Light with Power Take Off Point		Grease for Telescopic Boom	32
Fly Lead, 13A / 16A, 240V		Grease Gun, Air Driven	
Fly Lead, 16A / 13A, 240V, 1 Gang		Grease Gun, Heavy Duty	
Fly Lead, 16A / 13A, 240V, 2 Gang		Grease Gun, Heavy Duty Lever	
Fly Lead, 16A / 13A, 240V, 4 Gang		Grease Gun, Metal Body	33
Fly Lead, 32A / 16A, 110V		Grease Gun, Mini	
Foam Tape, Double Sided, Various Colours		Grease Gun, Pistol Type	
Foam Wash, Katrin, 100ml		Grease with PTFE	32
Foam Wash, Katrin, 500ml		Guide Bars, Husqvarna	121
Forestry Kit, Helmet, Mesh Visor, Ear Defenders		Guide Bars, Stihl	121
Fragile Tape	19	Н	
Fuel Filters, Atlas Copco	115	Halogen Floor Light	60
Fuel Filters, Cembre	115	Hand Sanitizer, 60ml	8
Fuel Filters, Greenmech	115	Hand Sanitizing Wipes	10
Fuel Filters, HGI	115	Hand Towels, Beige	13
Fuel Filters, Husqvarna	115	Hand Towels, Centre Fold	13
Fuel Filters, Kawasaki	115	Hand Towels, Interfold	13
Fuel Filters, Kubota	115	Hand Wash Cartridges, Forrest Berry, 1.25L	10
Fuel Filters, Lombardini	115	Hand Wash, Antibacterial, 300ml	8
Fuel Filters, Maxim	115	Hand Wash, Astonish Bacterial, 500ml	9
Fuel Filters, Pramac	115	Hand Wash, Enviro Bacterial, 5L	9
Fuel Filters, Stihl		Hand Wash, T-Pearlised, 5L	10
Fuel Filters, Timberwolf	115	Hand Wipes Dispenser	
Fuel Filters, Universal	116	Hanging Hooks	43
Fuel Filters, Wacker Neuson	116	Hard Surface Cleaner, Concentrated	
Fuel Filters, Yanmar		Hazard Tape, Various Colours	
Fuel Pipes		Heavy Duty Cleaner	
Funnel, Rectangular, Stainless Steel Filter		Hex Bits, AF	
Funnel, Round, 4 Piece Set		Hex Bits, Metric	
Funnel, Round, Filter		Hex Drivers, Male, 1" Square Drives	
Funnel, Round, Flexi Spout		Hex Drivers, Male, 1/2" Square Drives	
Funnel, Round, Spout & Filter		Hex Drivers, Male, 3/4" Square Drives	
Furniture Polish, Luxury		Hex Drivers, Male, 3/8" Square Drives	
Furniture Polish, Luxury, 400ml	9	Hi-Vis Tape	
G		Hoover Bags, Numatic	
Gaffer Tape, Advanced, Various Colours	18	Husqvarna Starter Pull Cord, Blue Kevlar	
Gaffer Tape, Various Colours	18	Hydraulic Oil, Grade T15, Various Sizes	
Galvanise	12	Hydraulic Oil, Grade T32, Various Sizes	
Gauntlets, HQ Leather Welders	16	Hydraulic Oil, Grade T37, 20L	
Gear Oil, Various Sizes	34	Hydraulic Oil, Grade T46, 20L	
Geismar MC3 Frog Stone	103	Hydraulic Oil, Grade T46B, Various Sizes	
Geismar MP12 Grinding Stone	103	Hydraulic Valve Treatment	31
Geismar MV3 Cup Stone	103	1	
Glass & Mirror Cleaner, 750ml	8	Impact Sockets, 1" Square Drives, 12 Point Bi-Hexagon	95
Glass Cleaner	28	Impact Sockets, 1" Square Drives, 12 Point Hexagon	94
Gloss Paint, Various Colours	36	Impact Sockets, 1" Square Drives, 6 Point Hexagon	91
Goggles, Clear	17	Impact Sockets, 1" Square Drives, 8 Point Bi-Square	96
Goggles, Elasticated	17	Impact Sockets, 1/2" Square Drives, 12 Point Hexagon	92
Goggles, Flip-Up Welding	17	Impact Sockets, 1/2" Square Drives, 6 Point Hexagon	89
Goggles Gas Welding	17	Impact Sockets 1/2" Square Drives & Point Ri-Square	95



Email: sales@specialisedtools.co.uk

Web: www.steltools.co.uk

Impact Sockets, 1/4" Square Drives, 6 Point Hexagon	89
Impact Sockets, 3/4" Square Drives, 12 Point Hexagon	93
Impact Sockets, 3/4" Square Drives, 6 Point Hexagon	90
Impact Sockets, 3/4" Square Drives, 8 Point Bi-Square	95
Impact Sockets, 3/8" Square Drives, 6 Point Hexagon	89
Industrial Fast Drying Cleaner	30
Insulated Keying Hammer, 10LB	86
Insulated Keying Hammer, 7LB	86
Insulation Tape, Various Colours	18
J	
Jerry Can, 10L, Explosion Proof, Various Colours	21
Jerry Can, 10L, Horizontal, Various Colours	21
Jerry Can, 10L, Screw Top, Various Colours	20
Jerry Can, 10L, UN Standard, Various Colours	20
Jerry Can, 20L, Screw Top, Various Colours	20
Jerry Can, 20L, UN Standard, Various Colours	20
Jerry Can, 5L, Explosion Proof, Various Colours	21
Jerry Can, 5L, Screw Top, Various Colours	20
Jerry Can, UN Standard, Various Colours	20
Jug & Flexi Spout, Various Sizes	21
K	
Keying Hammer, 10LB, Head Only	86
Keying Hammer, 10LB, Hickory Shaft	86
Keying Hammer, 7LB, Head Only	86
Keying Hammer, 7LB, Hickory Shaft	86
Klingspor Cutting Disc, 14"	
Klingspor Cutting Disc, 16"	
L	
-	
Lana Marking Tana Various Colours	10
Lanters Bottom	18
Lantern Battery	40
Lantern Battery Lantern Battery, TILDAWN	40 24
Lantern Battery, TILDAWNLatex Palm Coated Gloves	40 24 15
Lantern Battery. Lantern Battery, TILDAWN. Latex Palm Coated Gloves. Laundry Powder, Biological, Enov L010, 10kg.	40 24 15 8
Lantern Battery Lantern Battery, TILDAWN Latex Palm Coated Gloves Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights	40 24 15 8 40
Lantern Battery Lantern Battery, TILDAWN Latex Palm Coated Gloves Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights LED3000S, Floodlight with Magnetic Fixing	40 24 15 8 40 48
Lantern Battery Lantern Battery, TILDAWN Latex Palm Coated Gloves Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights LED3000S, Floodlight with Magnetic Fixing LED3000S, Single Head Floodlight with Swing Led Tripod	40 24 15 8 40 48 48
Lantern Battery Lantern Battery, TILDAWN Latex Palm Coated Gloves Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights LED3000S, Floodlight with Magnetic Fixing LED3000S, Single Head Floodlight with Swing Led Tripod LED3000S, Twin Head Floodlight with Fixed Leg Tripod	40 24 15 8 40 48 48 47
Lantern Battery	40 24 15 8 40 48 48 47
Lantern Battery	40 24 15 8 40 48 48 47 47
Lantern Battery	40 24 15 8 40 48 48 47 47 48
Lantern Battery	40 24 15 8 40 48 47 47 47 48 47 50
Lantern Battery	40 24 15 8 40 48 47 47 47 48 47 50 49
Lantern Battery	40 24 15 8 40 48 47 47 48 47 49
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59
Lantern Battery. Lantern Battery, TILDAWN. Latex Palm Coated Gloves. Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights LED3000S, Floodlight with Magnetic Fixing LED3000S, Single Head Floodlight with Swing Led Tripod LED3000S, Twin Head Floodlight with Fixed Leg Tripod LED3000S, Twin Head Floodlight with Swing Leg Tripod LED3000S, Twinhead Floodlight, Wired Head Only LED400, 10W Floor Light LED6000S, Floodlight with Magnetic Fixing LED6000S, Floodlight with Scaffold Fixing LED6000S, Single Head Floodlight with Fixed Leg Tripod LED6000S, Single Head Floodlight with Swing Leg Tripod LED6000S, Twin Head Floodlight, Heads Only Light Cannon Lithium Grease	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59
Lantern Battery. Lantern Battery, TILDAWN. Latex Palm Coated Gloves. Laundry Powder, Biological, Enov L010, 10kg LED Warning Lights LED3000S, Floodlight with Magnetic Fixing LED3000S, Single Head Floodlight with Swing Led Tripod LED3000S, Twin Head Floodlight with Fixed Leg Tripod LED3000S, Twin Head Floodlight with Swing Leg Tripod LED3000S, Twinhead Floodlight, Wired Head Only LED400, 10W Floor Light LED6000S, Floodlight with Magnetic Fixing LED6000S, Floodlight with Scaffold Fixing LED6000S, Single Head Floodlight with Fixed Leg Tripod LED6000S, Single Head Floodlight with Swing Leg Tripod LED6000S, Twin Head Floodlight, Heads Only Light Cannon Lithium Grease	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59
Lantern Battery	40 24 15 8 40 48 47 47 48 47 50 49 49 46 54 32 39 59 12 11 11 26 11

Marker Paint, Industrial, Various Colours	36
Marker Paint, Various Colours	36
Masking Tape	18
Masking Tape, Advanced	18
Masking Tape, Scotch	18
Matte Paint, Black	36
Measuring Jug, Various Sizes	
Mesh Cloth Tape, Black	18
Metal Polish, Brasso, 175ml	10
Metal Polish, Brasso, 1L	9
Microfibre Cloth, Blue	12
Microfibre Cloth, Green	12
Microfibre Cloth, Pink	12
Milwaukee M18 Battery	24
Mini Eros Board Battery Only	24
Mini Eros Board Battery Pack	24
Mixing Jug, 2 Stroke Oil	
MO2 Lithium Molybenum Disulphide	
Mop Bucket, Blue	11
Mop Bucket, Green	11
Mop Bucket, Red	11
Mop Handle, Blue	11
Mop Handle, Green	11
Mop Handle, Red	11
Mop Head, Blue	11
Mop Head, Green	11
Mop Head, Red	11
Multi-Task 3 Gloves	15
Multi-Task 5 Gloves	15
N	
	0.4
Navvy Pick Head, Fits Both Handles Nitrile Coated Gloves	
Nitrile Coated Gloves	15
0	
Oil Filters, Briggs & Stratton	
Oil Filters, Greenmech	
Oil Filters, Kubota	
Oil Filters, Mat-Weld	
Oil Filters, Pramac	
Oil Filters, Timberwolf	
Oil Filters, Universal	
Oil Filters, Wacker Neuson	
Oil Spill Sheets	
Oil Stop & Smoke Treatment	
Oil Tonic / Supplement	31
P	
Packing Tape	19
Panel Plug Appliance Inlet, 110V, 32AMP	42
Panel Socket, 110V, 16AMP	42
Panel Socket, 16A, 110V, IP44	76
Panel Socket, 16A, 240V, IP44	77
Panel Socket, 32A, 110V, IP44	77
Panel Socket, 32A, 240V, IP44	78
Penetrating & Graphite	26
Petrol Injector Cleaner	31
Petrol Treatment	31
Petrol Treatment, Gold Edition	31





Plant Nappies	23	Rubber Cable, 50m, 1mm, 3 Core 110V / 240V	66
Plant Nappy Liners	23	Rubber Cable, 50m, 2.5mm, 2 Core 110V / 240V	66
Plug, 110V, 16AMP	42	Rubber Cable, 50m, 2.5mm, 3 Core 110V / 240V	67
Plug, 110V, 32AMP	42	Rubber Trug, 15L, Various Colours	87
Plug, 13A, 240V RCD Plug	80	Rubber Trug, 25L, Various Colours	87
Plug, 13A, 240V Rubberised Nylon Plug IP20	73	Rubber Trug, 30L, Various Colours	87
Plug, 16A, 110V IP44	74	Rubber Trug, 45L, Various Colours	87
Plug, 16A, 240V IP44	74	Rubber Trug, 75L, Various Colours	87
Plug, 240V, 16AMP	42	S	
Plug, 32A, 110V IP44	75	Satin Paint, Black	36
Plug, 32A, 240V IP44	75	Scouring Pads, Green	
Plug, Rubber, 3-Pin, 240V, 13AMP	42	Scouring Pads, Sponge	
Pouring Spout, Flexible	21	Screen Wash, 1L	
Pouring Spout, Rigid	21	Screen Wash, Concentrated, Apple, 5L	
Powder Free Disposable Latex Gloves, White	15	Screen Wash, Ready Mixed, 5L	
Powder Free Nitrile Gloves, Green	15	Silicone Spray	
Powder Free Nitrile Gloves, Green		Sledge Hammer, 10LB, Hickory Handle	
Power Spray & Fluid		Sledge Hammer, 14LB, Hickory Handle	
Primer, Various Colours		Sledge Hammer, 7LB, Hickory Handle	
PS-HDL1 Headtorch		Sleeves Square Inserts	
PTFE Gas Sealing Tape		Sliding T Bars	
PTFE Thread Sealing Tape		Socket, 110V, 16AMP.	
PU Coated Gloves		Socket, 110V, 32AMP	
PU Palm Coated Gloves, Grey		Socket, 13A, 1 Gang, Rubber Socket	
PU Palm Coated Precise Gloves, Black		Socket, 13A, 1 Gang, Rubber Socket	
PVC Tape, Advanced, Various Colours		Socket, 13A, 240V RCD Socket	
PVC Tape, Insulation, Various Colours		Socket, 13A, 4 Gang, Rubber Socket	
PVC Tape, Nitto, Black		Socket, 240V, 16AMP	
PVC Tape, Non-Adhesive, Grey		Son of a Gun	
Q		Spark Plug Tester.	
Quarantine Tape	10	Spark Plugs, Champion	
Quick Release Rucksack, Hi-Vis		Spark Plugs, NGK	
	10	Spill Kit, Emergency Oil, Vinyl Bag, 50L	
R		Spill Kit, Emergency, Maintenance, Vinyl Bag, 50L	
Radiator Flush		Spill Kit, Mini, Oil Only, 10L	
Rags, Flannelette, 10kg		Spill Kit, Universal, 30L	
Rags, T-Shirt, 10kg		Splitter Unit, 6 Way 110V 16A / 32A Power Splitter Unit	
Rags, Terry Towelling, 10kg		Splitter, 2 Way 110V 32A Power Splitter	
Rags, White Cotton, 10kg			
Rail Disc Carrying Bag		Splitter, 3 Way 16A Cable SplitterSplitter, 3 Way Spider Pod 16A Splitter	
Ratchet Strap, 25mm x 4m		Splitter, 4 Way 110V 16A / 32A Power Splitter	
Ratchet Strap, 25mm x 8m		·	
Ratchet Strap, 3 Tonne x 6m		Splitter, 4 Way 110V 16A Classic Power Splitter	
Ratchet Strap, 5 Tonne x 10m		Splitter, 4 Way 240V 16A Classic Power Splitter	
Ratchet Strap, 5 Tonne x 6m		Splitter, 4 Way Spider Ball 16A Splitter.	
Red Lithium Complex Grease Cartridge		Splitter, Defender Uplight Splitter Base, 110V	
Red Rubber Grease		Stainles Steel Cleaner, 750ml	
Reflective Tape	19	Starter Pull Cord, 2.8mm x 100m	
Refuse Sacks		Starter Pull Cord, 3.5mm x 100m	
Refuse Sacks, Clear		Starter Pull Cord, 3mm x 100m	
Refuse Sacks, Polythene		Starter Pull Cord, 4.5mm x 100m	
Road Line Paint, Various Colours		Starter Pull Cord, 4mm x 100m	
Rubawrap, Black		Starter Pull Cord, 5.5mm x 100m	
Rubber Ballast Bucket, 37L		Starter Pull Cord, 5mm x 100m	
Rubber Cable, 50m, 1.5mm, 2 Core 110V / 240V	66	Starter Pull Cord, 6mm x 100m	
Rubber Cable, 50m, 1.5mm, 3 Core 110V / 240V	66	Starter Pull Handles, Honda Engines	
Rubber Cable 50m 1mm 2 Core 110V / 240V	66	Starter Pull Handles, Stihl Engines	. 107



Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

Starter Pull Handles, Universal	
Steel Cable Laying Shovel	
Steel Chisel & Point Crowbar	
Steel Clay Grafter Shovel	
Steel Heel & Blunt Crowbar	
Steel Heel & Point Crowbar	
Steel Newcastle Draining Shovel	
Steel Point & Blunt Crowbar	
Steel Rabbit Shovel	
Steel Round Mouth Shovel	
Steel Square Mouth Shovel	
Steel Taper Mouth Shovel	
Steel Trenching Shovel	
Sterihand Bactericidal 5L	8
Stickly Label Remover	
Super Glue	35
Super Glue, Industrial Grade	35
Т	
This Way Up Tape	19
TILDAWN Lights	40
Toilet Brush	12
Toilet Cleaner, 750ml	8
Toilet Roll	13
Toilet Roll, 2 Ply	13
Toilet Roll, Jumbo	
Toilet Roll, Katrin	
Toilet Roll, Mini Jumbo	
Torx Sockets, Female, 1/2" Drives	
Torx Sockets, Female, 3/4" Drives	
Torx Sockets, Male, 1/2" Drives	
Torx Sockets, Male, 3/4" Drives	
Torx Sockets, Male, 3/8" Drives	
Towerlight Battery	
Transformer, 10kva, 3 Phase Site Transformer	69
Transformer, 10kva, Air Cool Site Transformer	69
Transformer, 3.3kva Power Pod	67
Transformer, 3.3kva, Portable Transformer	
Transformer, 3.3kva, Step-Up Transformer	
Transformer, 3kva, Heater Transformer	69
Transformer, 3kva, Portable Transformer	
Transformer, 5kva, Portable Transformer	
Transformer, 5kva, Site Transformer	
Transformer, Dual Outlet, 1.5kva, 240V to 110V	
Transformer, Dual Outlet, 3.3kva, 110V to 240V	
Twine Yarn Kentucky Mop	
Two Stroke Oil, Semi-Synthetic, Various Sizes	
Two Stroke Oil, Synthetic, Various Sizes	
Tyrolit Cutting Disc, 14"	
Tyrolit Cutting Disc, 16"	103
U	
Unbreakable Starter Pull Cord	106
Universal Foam Cleaner	
Universal Joints	
Urinal Blocks, Blue, 1.1kg	
Urinal Blocks, Yellow	
· · · · · · · · · · · · · · · · · · ·	

V	
Varta 12V 110Ah, Greenmech Chipper	24
Varta 12V 20Ah Battery	24
Varta 12V 44Ah Battery, Timberwolf Chippers	24
Varta 12V 60Ah Battery	24
Varta 12V 8.6Ah Motorcycle Battery	24
Varta 508901 Battery	24
Varta Anti-Vibration, Anti-Spill Battery	24
Varta Blue Dynamics Battery	24
Varta D59 Battery	24
Varta Gel Filled Battery, Wacker Plate D52	24
Varta Heavy Duty Marine Battery	24
W	
Washing Up Liquid, Concentrated, 5L	9
Washing Up Liquid, Easy, 625ml	9
Washroom Cleaner, Concentrated	8
WD-40, Value Pack	34
WD-40, Various Sizes	34
White Food Grease	27
White Grease with PTFE	27
White Roll, Centre Feed	13
Wipe Rope & Chain Lube	27
Wipes, Hand, Abrasive	14
Wipes, Hand, Non-Abrasive	14
Wipes, Industrial, Multi-Purpose	9
Wipes, Multi-Use Wonder Wipes	14
Nooden Pick Handle	84





Unit 15 Riverside Court

Don Road, Sheffield S9 2TJ

Tel: 0114 383 0110

Email: sales@specialisedtools.co.uk

web: www.steltools.co.uk

SPECIALISED TOOLS AND EQUIPMENT LTD - T/A STEL: TERMS AND CONDITIONS FOR SALE OF GOODS

1. INTERPRETATION

1.1 In these conditions:

BUYER means the person, firm or company entering into the Contract to purchase the Goods from the Seller;

CONDITIONS means the standard terms and conditions of sale set out in this document and (unless the context otherwise requires) includes any special terms and conditions agreed in Writing between the Buyer and the Seller;

CONTRACT means the contract for the purchase and sale of the Goods;

DELIVERY DATE means the date the Goods are to be collected by the Buyer or if they are to be delivered the time of actual delivery and if the Buyer wrongfully fails to take delivery of the Goods, the date that the Seller notifies the Buyer that the Goods are ready for collection or, as the case may be, the Seller tenders delivery of the Goods:

GOODS means the goods (including any installment of the Goods or any parts for them) which the Seller is to supply in accordance with these Conditions; SELLER means Specialised Tools And Equipment Ltd - T/A STEL; WRITING includes fax, electronic mail and comparable means of communication.

- 1.2 Any reference in these conditions to any provision of a statute shall be construed as a reference to that provi-sion as amended, re-enacted or extended at the relevant time.
- **1.3** The headings in these Conditions are for convenience only and shall not aect their interpretation.

2. BASIS OF THE CONTRACT

2.1 Save where the Buyer shall place an order with the Seller verbally (in which case it is the Buyers responsibil-ity to ensure the accuracy of the order), the Seller shall sell and the Buyer shall purchase the Goods in accordance with any written quotation of the Seller which is accepted by the Buyer or any written order of the Buyer and which is accepted by the Seller, subject in either case to these Conditions, which shall govern the Contract to the exclusion of any other terms and conditions subject to which any quotation is accepted or purported to be accepted, or any such order is made or purported to be made by the Buyer.

2.2 The Seller's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by the Seller in Writing. In entering into the Contract the Buyer acknowledges that it does not rely on, and waives any claim for breach of any such representations which are not so confirmed.

2.3 Any advice or recommendation(s) given by the Seller or its employees or agents to the Buyer or its employ-ees or agents as to the storage installation application or use of the Goods which is not confirmed in Writing by the Seller is followed or acted upon entirely at the Buyer's own risk, and accordingly the Seller shall not be liable for any such advice or recommendation which is not so confirmed.

2.4 Any typographical, clerical or other error or omission in any catalogue or other sales literature, quotation, price list, acceptance of oer, invoice or other document or information issued by the Seller shall be subject to correction without any liability on the part of the Seller.

2.5 Where any manufacturers names or numbers are mentioned they are for reference purposes only and do not necessarily indicate the source of manufacture nor any connection with the manufacturer.

3. ORDERS

3.1 No order submitted by the Buyer shall be accepted or deemed to be accepted by the Seller unless and until confirmed in Writing by the Seller's authorised representative (and the issuing of an invoice by the Seller to the Buyer shall constitute acceptance in Writing).

3.2 The Buyer shall be responsible to the Seller for ensuring the accuracy of the terms of any order and for giv-ing the Seller any necessary information relating to the Contract within a sufficient time to enable the Seller to perform the Contract.

3.3 If the Goods are to be manufactured or any process is to be applied to the Goods, the Seller reserves the right to subcontract any of the manufacturing or other processes to a third party and shall not be liable for any increase in the costs of labour materials or other costs of manufacture, any change of delivery dates quantities or specifications caused by such subcontracting.

3.4 No Contract may be cancelled by the Buyer except with the agreement in Writing of the Seller and on terms that the Buyer shall indemnify the Seller in full against all loss (including loss of profit), costs, damages, charges and expenses.

3.5 The Seller reserves the right to undertake credit references and may suspend performance of the Contract or any other contract with the Buyer if such references are unsatisfactory.

3.6 Each order submitted by the Buyer shall constitute an order capable of acceptance by the Seller. If the Seller agrees that any such order shall constitute an order in circumstances where it is reasonable for the Seller to act in reliance upon such order, such order becomes an order accepted by the Seller and the Buyer shall indemnify and keep the Seller indemnified against all costs, damages, charges and expenses arising from such reliance by the Seller if such order does not become an order capable of acceptance by the Seller.

4. PRICE

4.1 The price shall be the Seller's quoted price in Writing, or where no price has been quoted or a quoted price is no longer valid, the price set out on the price list of the Seller prevailing at the date on which the Goods are dispatched. All prices quoted are valid for 30 days or until earlier acceptance by the Buyer, after which time they may be altered by the Seller without giving notice.

4.2 The Seller reserves the right to increase the price to reflect any increase in the cost to the Seller which is due to any factor beyond the Seller's control, any change in delivery or performance dates, quantities or specifications which is requested by the Buyer, or any delay caused by any instructions of the Buyer or failure of the Buyer to give the Seller adequate information or instructions.

4.3 The Seller reserves the right to impose a handling charge of 15% of the net price of the Goods where the Buyer returns the Goods and such return is not due to any fault on the part of the Seller.

4.4 The price is exclusive of any applicable value added tax, which the Buyer shall be additionally liable to pay to the Seller.

4.5 Where Goods are to be delivered otherwise than at the Seller's premises the price is inclusive of all trans-port, packaging and insurance provided that the order has the following net value;

UK Mainland £200.00

N. Ireland £300.00

Channel Islands £300.00

If the net value of the order is lower than that stated above or the Buyer requires delivery to Southern Ireland or outside of the UK and Channel Islands then the price of the Goods is stated to be exclusive of all transport, packag-ing and insurance costs and the Buyer shall be liable for the costs of the same.

5. TERMS OF PAYMENT

5.1 The Seller shall be entitled to invoice the Buyer for the price including without limitation the VAT, transport, packaging and insurance costs referred to in clauses 4.4 and 4.5 on or at any time after the Delivery Date.

5.2 The Buyer shall pay the price without any deduction or set-o on or before the last day of the month follow-ing the Delivery Date and the Seller shall be entitled to recover the price notwithstanding that delivery may not have taken place and the property in the Goods has not passed to the Buyer. The time of payment of the price shall be of the essence of the Contract.

5.3 If the Buyer fails to make any payment on the due date then, without prejudice to any other right or remedy the Seller shall be entitled to:

5.3.1 Suspend all or any further orders to the Buyer made under that or any other contract with the Buyer and in such event the Buyer shall not be released from its obligations to the Seller under that or any other contract or cancel the Contract or any other contract with the Buyer and to claim damages from the Buyer for breach of contract;

5.3.2 Appropriate any payment made by the Buyer to such part of the Contract or the Goods (or the goods supplied under any other contract between the Buyer and the Seller) as the Seller may think fit (notwithstanding any purported appropriation by the Buyer); and

5.3.3 Charge the Buyer interest (both before and after any judgment) on the amount unpaid, at the rate of 4 per cent per annum above Barclays Bank base rate from time to time accruing daily, until payment in full is made; and

5.3.4 Failure to pay on time any part of the debt on or before the due date will render the entire debt as being due immediately from the buyer.

5.4 The Seller may without notice set o any sums from time to time owed to the Buyer in or towards the satisfaction of all and any liabilities of the Buyer to the Seller whether or not under this Contract.

5.5 The Seller shall have a general lien over all goods and property of the Buyer (whether worked on or not) in the possession of the Seller for all unpaid debts due from the Buyer and the Seller reserves the right upon the expiration of fourteen days written notice to dispose of such goods or property and to apply the proceeds of sale (net of costs of sale) towards the payment of such debts.

5.6 Any costs (excluding interest which is covered in section 5.3.3) incurred by the Seller as a result of bounced cheques, or failure to pay on or before the due date will be recoverable from the Buyer.

6. DELIVERY

6.1 Unless otherwise agreed in Writing by the Seller, the Goods shall be delivered on the following basis;

UK Mainland To the Buyers place of business N. Ireland To the Buyers place of business

Channel Islands To the Buyers place of business S. Ireland Ex-works Export Ex-works

6.2 Where the Goods are delivered to the Buyer's premises the Buyer shall be responsible for unloading the Goods and where the Seller or its employees or agents carry out or assist the Buyer, its employees or agents in such unloading the Buyer shall indemnify and keep indemnified the Seller against all liabilities including without limitation all loss, costs, charges and expenses arising from such unloading.



Unit 15 Riverside Court Don Road, Sheffield S9 2TJ

Tel: 0114 383 0110

Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

6.3 Where the Goods are delivered on an ex-works basis the Buyer will take delivery of the Goods within 4 days of the Seller giving it notice that the Goods are ready for delivery.

6.4 Where the Goods are to be delivered to N. Ireland or the Channel Islands, or the Seller has otherwise agreed to deliver the Goods outside the UK Mainland all Goods shall be delivered FOB the air or sea port of ship-ment and the Seller shall be under no obligation to give notice under s32(3) of the Sale of Goods Act 1979. The Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties thereon.

6.5 Any dates quoted for delivery of the Goods are approximate only and the Seller shall not be liable for any delay howsoever caused. Time for delivery shall not be of the essence. If no dates are specified, delivery will be within a reasonable time

6.6 Where the Goods are to be delivered in installments, each delivery or performance shall constitute a separate contract and failure by the Seller to deliver or perform any one or more of the installments in accordance with these Conditions or any claim by the Buyer in respect of any one or more installments shall not entitle the Buyer to treat the Contract as a whole as repudiated.

6.7 Where the Goods are to be delivered on an ex-works basis the Buyer will provide at its own expense adequate and appropriate equipment and manual labour for loading the Goods.

6.8 Where the Goods to be supplied are ex-stock, the Seller reserves the right to delay delivery of ex-stock items until supplies of such goods are received by the Seller, whereupon the Seller shall deliver such items.

6.9 If the Goods (or any installment are not available on the Delivery Date) for any reason other than any cause beyond the Seller's reasonable control or the Buyer's fault, the Seller shall be liable to the Buyer and the Seller's liability shall be limited to the excess, if any, of the reasonable cost to the Buyer (in the cheapest available market) of similar goods to replace those not delivered over the price of the Goods.

6.10 If the Buyer fails to take delivery of the Goods or fails to give the Seller adequate delivery instructions at the time stated for delivery (otherwise than by reason of any cause beyond the Buyer's reasonable control or by reason of the Seller's fault) then, without prejudice to any other right or remedy available, the Seller may :-

6.10.1 Store the Goods until actual delivery and charge the Buyer for the reasonable cost of storage, including insurance;

6.10.2 After the expiration of 3 months from the Delivery Date dispose of the Goods in such manner as the Seller may determine; and

 ${\bf 6.10.3}$ Suspend any further performance of the services under the Contract or any other contract.

6.11 Shall the Buyer require delivery of Goods at the weekend, the Buyer shall be responsible for and agrees to indemnify and keep indemnified the Seller against any additional delivery costs and expenses resulting from the delivery being at the weekend

7. RISK AND PROPERTY

7.1 Save where clause 6.4 applies risk of damage to or loss of the Goods shall pass to the Buyer on the Delivery Date.

7.2 Not with standing the passing of the risk in the Goods or any other provision of these Conditions the property in the Goods shall not pass to the Buyer until the Seller has received in cash or cleared funds payment in full of the price of the Goods and all other goods sold or agreed to be sold by the Seller to the Buyer under any other contract.

7.3 Until such time as the property in the Goods passes to the Buyer, the Buyer shall hold the Goods as the Seller's agent or bailee, and shall keep the Goods separate from those of the Buyer and third parties and properly stored, protected and insured and identified as the Seller's property. Until such time as the property in the Goods passes to the Buyer, the Buyer shall be entitled to resell or use the Goods in the ordinary course of its business, but shall have a fiduciary duty to the Seller to account for the proceeds of sale or otherwise of the Goods.

7.4 Until such time as the property in the Goods passes to the Buyer, the Seller shall be entitled at any time to require the Buyer to deliver up the Goods to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Goods are stored and repossess the Goods and for that purpose the Buyer hereby authorises and licences the Seller, its officers, employees and agents to enter upon any land or building upon which the Goods are situated to recover those Goods.

7.5 The Buyer shall not be entitled to or in any way charge by way of security for any indebtedness, any of the Goods which remain the property of the Seller, but if the Buyer does so all moneys owing by the Buyer to the Seller shall without prejudice to any other right or remedy of the Seller forthwith become due and payable.

8. WARRANTIES AND LIABILITIES

THE BUYER'S ATTENTION IS IN PARTICULAR DRAWN TO THE PROVISIONS OF THIS CLAUSE.

8.1 Subject as expressly provided in these Conditions, all warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.

8.2 Any claim by the Buyer which is based on any defect in the quality, condition or under-delivery of the Goods by more than 5%, whether or not delivery is refused by the Buyer shall be notified to the Seller within 3 days from the Delivery Date or, where the defect or failure was not apparent on reasonable inspection, within a reasonable time after discovery of the defect or failure and in any event within 7 days of discovery. If delivery is not refused, and the Buyer does not so notify the Seller, the Seller shall have no liability for such defect or failure, and the Buyer shall be bound to pay the price as if the Contract had been performed in accordance with its terms.

8.3 Where a valid claim is notified to the Seller in accordance with clause 8.3 and Goods are to be returned to the Seller they must be accompanied by a despatch note quoting the original invoice number within 2 months of the Delivery Date. Goods that are soiled or damaged will not be accepted and acceptance of return by a sales representative does not constitute acceptance by the Seller.

8.4 Where any valid claim in respect of any of the Goods, which is based on any defect in the quality or condition is notified to the Seller and Goods are returned in accordance with these Conditions, the Seller shall be entitled to replace the Goods (or the part in question) free of charge or, at the Seller's sole discretion, refund to the Buyer the price (or a proportionate part of the price) but the Seller shall have no further liability to the Buyer.

8.5 The Seller shall not be liable to the Buyer by reason of any representation, or any implied warranty, condition or other term, or any duty at common law, or under the express terms of the Contract, for any consequential loss or damage (whether for loss of profit, product recall or otherwise), costs, expenses or other claims for compensation whatsoever (whether caused by the negligence of the Seller, its employees or agents or oth-erwise) which arise out of or in connection with the supply of the Goods and the entire liability of the Seller under or in connection with the Contract shall not exceed the price under the Contract, except as expressly provided in these Conditions.

8.6 The Seller shall not be liable to the Buyer or be deemed to be in breach of the Contract by reason of any delay in performing, any of the Seller's obligations if the delay or failure was due to any cause beyond the Seller's reasonable control.
8.7 Nothing in these Conditions shall exclude or limit the Seller's liability for death or personal injury caused by the Seller's negligence.

9. INSOLVENCY OF BUYER

9.1 This clause applies if:

9.1.1 The Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration or-der (or being an individual or firm) becomes bankrupt or (being a company) goes into liquidation, otherwise than for the purpose of amalgamation or reconstruction; or

9.1.2 An encumbrancer takes possession, or a receiver is appointed, of the Buyer's undertaking or any of its property or assets; or

9.1.3 The Buyer ceases, or threatens to cease, to carry on business; or
9.1.4 the Seller reasonably apprehends that any of the events mentioned above are about to occur in relation to the Buyer and notifies the Buyer accordingly.
9.2 If this clause applies then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to cancel the Contract and/or any further deliveries under the Contract without any liability to the Buyer, and if the Goods have been delivered, but not paid for, the price shall become immediately

due and payable. 10. GENERAL

10.1 Neither the Buyer nor the Seller shall be entitled to assign the whole or any part of the Contract without the prior written consent of the other provided that the Seller shall be entitled to subcontract the whole or any part of its obligations.
10.2 No waiver by the Seller of any breach of the Contract by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.

10.3 If any provision of these Conditions is held by any competent authority to be invalid or unenforceable in whole or in part the validity of the other provisions of these Conditions and the remainder of the provision in question shall not be aected thereby unless such provision goes to the root of the Contract.

10.4 The Conditions shall constitute the entire agreement in relation to the subject matter and no modification or waiver thereof shall be valid unless made in Writing expressly for the purpose and signed by an authorised officer of the Seller and of the Buyer provided that nothing in these Conditions shall exclude or limit liability for fraud.

10.5 Unless expressly provided in these Conditions, no term of the Contract is enforceable pursuant to the Contracts (Rights of Third Parties) Act 1999 by any person who is not a party to it.

10.6 Unless expressly stated in these conditions time shall not be of the essence in this Contract.

10.7 The Contract shall be governed by the laws of England and the Buyer agrees to submit to the exclusive jurisdiction of the English Courts.



NOTES





Unit 15 Riverside Court Don Road, Sheffield S9 2TJ

Tel: 0114 383 0110

Email: sales@specialisedtools.co.uk
Web: www.steltools.co.uk

NOTES





JANITORIAL

SAFETY EQUIPMENT

TAPE

FUEL MANAGEMENT

BATTERIES

CABLE TIES

MAINTENANCE

LIGHTING & POWER

SHOVELS & CROWBARS

HAND TOOLS

ABRASIVES

PLANT COMPONENTS

SERVICE & REPAIR

SPARES

